

## DAFTAR PUSTAKA

1. Aydemir EH. Akne vulgaris. *Türk Pediatri Arşivi*. 2014Mar1;49(1):13–6.
2. Ayer J. Akne: more than skin deep. *Postgraduate Medical Journal*. 2006;82(970):500–6.
3. Purdy S, Berker DD. Akne. *Bmj*. 2006;333(7575):949–53.
4. Bowe WP, Doyle AK, Crerand CE, Margolis DJ, Shalita AR. Body Image Disturbance in Patients with Akne Vulgaris. *The Journal of Clinical and Aesthetic Dermatology*. 2011;4:35–41.
5. Tjekyan RMS. Kejadian dan Faktor Risiko Akne Vulgaris. *Media Medika Indonesiana*. 2008;43:37–43.
6. Penduduk Berumur 15 Tahun Ke Atas Menurut Golongan Umur 2018 [Internet]. Badan Pusat Statistik. [cited 2018Oct16]. Available from: <https://www.bps.go.id/>
7. Body Mass Index (BMI) for Adults [Internet]. Body Mass Index (BMI) for Adults | Chinese Community Health Resource Center. [cited 2018Oct23]. Available from: <http://www.cchrchealth.org/health-calculators/body-mass-index-bmi-adults>
8. Chan RS, Woo J. Prevention of Overweight and Obesity: How Effective is the Current Public Health Approach. *International Journal of Environmental Research and Public Health*. 2010;7(3):765–83.
9. Obesity and overweight [Internet]. World Health Organization. World Health Organization; 2018 [cited 2018Oct16]. Available from: <http://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
10. RISKESDAS. [cited 2018Oct16]. Available from: <http://labdata.litbang.depkes.go.id/riset-badan-litbangkes/menu-riskesnas/menu-riskesdas>
11. Sevil A. Effects of hyperandrogenism and high body mass index on akne severity in women. *Saudi Medical Journal*. 2014;35:886–9.
12. Park SY, Kwon HH, Min S, Yoon JY, Suh DH. Epidemiology and risk factors of childhood akne in Korea: a cross-sectional community based study. *Clinical and Experimental Dermatology*. 2015;40(8):844–50.
13. Lu PH, Hsu CH. Body mass index is negatively associated with akne lesion counts in Taiwanese women with post-adolescent akne. *Journal Of The European Academy Of Dermatology And Venereology*. 2015;29:2046–50.
14. Larosa CL, Quach KA, Koons K, Kunselman AR, Zhu J, Thiboutot DM, et al. Consumption of dairy in teenagers with and without akne. *Journal of the American Academy of Dermatology*. 2016;75(2):318–22.
15. Danby F. Akne: Diet and aknegenesis. *Indian Dermatology Online Journal*. 2011;2(1):2–5.
16. Zaenglein AL, Gruber EM, Thiboutot DM, Strauss JS, Fitzpatrick TB, Wolff K, et al. Fitzpatricks dermatology in general medicine. 7th ed. Vols. 1 & 2. New York: McGraw-Hill Medical; 2008.
17. Toyoda M, Morohashi M. Pathogenesis of akne. *Medical electron microscopy*. 2001;34(1):29-40

18. TYPES OF AKNE PIMPLES [Internet]. The Akne Project. 2016 [cited 2018Nov12]. Available from: <https://theakneproject.com/types-of-akne-pimples-07/>
19. Adityan B, Kumari R, Thappa DM. Scoring systems in akne vulgaris. Indian Journal of Dermatology, Venereology and Leprology. 2009;75(3):323-6.
20. Tan JK, Tang J, Fung K, Gupta AK, Thomas DR, Sapra S, et al. Development and Validation of a Comprehensive Akne Severity Scale. Journal of Cutaneous Medicine and Surgery. 2007;11(6):211–6.
21. Sultana T, et al. Evaluation of Severity in Patients of Acne Vulgaris by Global Acne Grading System in Bangladesh. Clinical Pathology and Research Journal. 2017;1(1):000105.
22. Nuttall FQ. Body Mass Index. Nutrition Today. 2015;50(3):117–28.
23. Panuganti KK, Lenehan CP. Obesity [Internet]. StatPearls Publishing LLC; 2018. Available from: <http://creativecommons.org/licenses/by/4.0/>
24. Kasper DL, Fauci AS, Hauser SL, Longo DL, Jameson JL, Loscalzo J, et al. Harrisons principles of internal medicine. 19th ed. Vol. 2. New York: McGraw Hill Education; 2015.
25. McCance KL. Pathophysiology. St Louis: Elsevier - Health Sciences Division; 2014.
26. Teramoto T, Sasaki J, Ishibashi S, Birou S, Daida H, Dohi S, et al. Diagnostic Criteria for Dyslipidemia. Journal for Atherosclerosis and Thrombosis. 2012;20(8):655–60.
27. Arora MK, Yadav A, Saini V. Role of hormones in acne vulgaris. Clinical Biochemistry. 2011;44(13):1035–40.
28. Wu Y, Li H, Jiang Z and Lai Y. The Interleukin-1 Family: A Key Regulator in the Pathogenesis of Psoriasis. Austin J Clin Immunol. 2014;1(5): 1023. ISSN : 2381-9138
29. Kamus besar bahasa Indonesia [Internet]. Jakarta: Departemen Pendidikan Nasional; 2008. Available from: <https://kbbi.web.id/>
30. Webster GF. Acne vulgaris. BMJ. 2002;325(7362):475–9.
31. Emiroğlu N, Cengiz FP, Kemeriz F. Original paper Insulin resistance in severe acne vulgaris. Advances in Dermatology and Allergology. 2015;4:281–5.
32. Ghodsi SZ, Orawa H, Zouboulis CC. Prevalence, Severity, and Severity Risk Factors of Acne in High School Pupils: A Community-Based Study. Journal of Investigative Dermatology. 2009;129(9):2136–41.
33. Bataille V, Snieder H, Macgregor A, Sasieni P, Spector T. The Influence of Genetics and Environmental Factors in the Pathogenesis of Acne: A Twin Study of Acne in Women. Journal of Investigative Dermatology. 2002;119(6):1317–22.
34. Zari S, Alrahmani D. The association between stress and acne among female medical students in Jeddah, Saudi Arabia. Clinical, Cosmetic and Investigational Dermatology. 2017;10:503–6.
35. Kyrkou G, Trakakis E, Attilakos A, Panagopoulos P, Chrelias C, Papadimitriou A, et al. Metabolic syndrome in Greek women with polycystic ovary syndrome: prevalence, characteristics and associations

- with body mass index. A prospective controlled study. *Archives of Gynecology and Obstetrics*. 2015;293(4):915–23.
36. Perera MPN, Peiris WMDM, Pathmanathan D, Mallawaarachchi S, Karunathilake IM. Relationship between acne vulgaris and cosmetic usage in Sri Lankan urban adolescent females. *Journal of Cosmetic Dermatology*. 2017;17(3):431–6.
  37. Chen Y, Lyga J. Brain-Skin Connection: Stress, Inflammation and Skin Aging. *Inflammation & Allergy-Drug Targets*. 2014;13(3):177–90.
  38. Ismail NH, Manaf ZA, Azizan NZ. High glycemic load diet, milk and ice cream consumption are related to acne vulgaris in Malaysian young adults: a case control study. *BMC Dermatology*. 2012;12(1).
  39. Salomone C, Navarrete-Dechen C, Pérez-Cotapos M, Nicklas C, Dropelmann K. Comparative study of dietary habits between acne patients and a healthy cohort. *Indian Journal of Dermatology, Venereology, and Leprology*. 2012;78(1):99.
  40. Landro AD, Cazzaniga S, Parazzini F, Ingordo V, Cusano F, Atzori L, et al. Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. *Journal of the American Academy of Dermatology*. 2012;67(6):1129–35.
  41. Karciauskienė J, Valiuškienė S, Gollnick H, Stang A. The prevalence and risk factors of adolescent acne among schoolchildren in Lithuania: a cross-sectional study. *Journal of the European Academy of Dermatology and Venereology*. 2013;28(6):733–40.
  42. Deliana R, Amalia R, Jusuf NK. Hubungan Indeks Massa Tubuh dengan Akne Vulgaris pada Siswa-Siswi SMA Negeri 7 Medan. CDK-275 [Internet]. 2019;46:253–5. Available from: <http://repository.usu.ac.id/bitstream/handle/123456789/70101/Fulltext.pdf?sequence=1&isAllowed=y>
  43. Margaretha C. Hubungan Indeks Massa Tubuh (IMT) terhadap Kejadian Akne Vulgaris pada Siswa/i SMP Bodhicitta. Repotori Institusi Universitas Sumatera Utara [Internet]. 2017; Available from: <http://repotori.usu.ac.id/handle/123456789/4712>
  44. Kristiani NM, Kapantouw MG, Pandaleke TA. Hubungan Indeks Massa Tubuh dan Angka Kejadian Akne Vulgaris pada Siswa-siswi di SMA Frater Don Bosco Manado. *e-CliniC*. 2017;5(2).
  45. Skroza N, Tolino E, Mambrin A, Zuber S, Balduzzi V, Marchesiello A, et al. Adult Acne Versus Adolescent Acne: A Retrospective Study of 1,167 Patients. *Journal of Clinical and Aesthetic Dermatology*. 2018;11(1):21–5
  46. Beccuti G, Ghizzoni L. Normal and Abnormal Puberty [Internet]. MDText.com, Inc. 2000 [cited 2019Jun30]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK279024/>
  47. Prete MD, Mauriello MC, Faggiano A, Somma CD, Monfrecola G, Fabbrocini G, et al. Insulin resistance and acne: a new risk factor for men? *Endocrine*. 2012;42(3):555–60.

48. Zeichner JA, Baldwin HE, Cook-Bolden FE, Eichenfield LE, Friedlander SF, Rodriguez DA. Emerging Issues in Adult Female Acne. *J Clin Aesthet Dermatol.* 2017;10(1):37–46.
49. Smith RN, Mann NJ, Braue A, Makelainen H, Varigos GA. A low-glycemic-load diet improves symptoms in acne vulgaris patients: a randomized controlled trial. *American Journal of Clinical Nutrition.* 2007;86:107–15.
50. Perera MPN, Peiris WMDM, Pathmanathan D, Mallawaarachchi S, Karunathilake IM. Relationship between acne vulgaris and cosmetic usage in Sri Lankan urban adolescent females. *Journal of Cosmetic Dermatology.* 2017;17(3):431–6.