

DAFTAR PUSTAKA

- Aliawati, G. 2003. Teknik analisis kadar amilosa dalam beras. *Buletin Teknik Pertanian*, 8(2): 82-84.
- American Society for Testing and Materials (ASTM). 1995. Standard Test Methods for Water Vapor Transmission of Materials." *ASTM Book of Standard*.
- Aprianita, A., Vasiljevic, T., Bannikova, A., and Kasapis, S. 2014. Physiochemical properties of flours and starches derived from traditional Indonesian tubers and roots. *J. Food Sci. Technol*, 51(12): 3669-3679.
- Arham, R., Mulyati M. T., Metusalach M., dan Salengke S. 2016. Physical and Mechanical Properties of Agar Based Edible Film with Glycerol Plasticizer. *International Food Research Journal*, 23(4): 1669-1675.
- Arifin, Z. dan Mutiara, F. 2021. Faktor yang berpengaruh pada produksi dan pendapatan stroberi di desa pandanrejo, kecamatan bumiaji, kota batu. *CEMARA*, 18 (2): 91-108.
- Ariska, R.E. dan Suyatno. 2015. Pengaruh konsentrasi karagenan terhadap sifat fisik dan mekanik edible film dari pati bonggol pisang dan karagenan dengan plasticizer gliserol. *Prosiding Seminar Nasional Kimia Jurusan Kimia FMIPA Universitas Negeri Surabaya*. Surabaya, 3-4 Oktober 2015.
- Association of Analytical Chemists (AOAC). 1970. *Official Methods of Analysis of the Association of Official Analytical Chemists*, 11th ed. AOAC, Inc., USA.
- Association of Analytical Chemists (AOAC). 1995. *Official Methods of Analysis of the Association of Official Analytical Chemists*, 16th ed. AOAC, Inc., USA.
- Association of Analytical Chemists (AOAC). 2005. *Official Methods of Analysis of the Association of Official Analytical Chemists*, 18th ed. AOAC, Inc., USA.
- Atares, L., De Jesus, C., Talens, P., and Chiralt, A. 2010. Characterization of SPIbased edible films incorporated with cinnamon essential oils. *Journal of Food Engineering*, 99: 384 – 391.
- Badan Pusat Statistik. 2020. Produksi Tanaman Buah-buahan 2020. Badan Pusat Statistik.
- Badan Standarisasi Nasional (BSN). 1995. Bahan tambahan makanan SNI 01-0222-1995. BSN, Jakarta.

- Becker, L. C., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks Jr, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., Gill, L. J., dan Heldreth, B. 2019. Safety Assessment of Glycerin as Used in Cosmetics. *International Journal of Toxicology*, 38 (3): 6S-22S.
- Behdani, M., Pooyan M., and Abbasi S. 2012. Evaluation of antifungal activity of some medicinal plants essential oils against *Botrytis cinerea*, causal agent of postharvest apple rot, in vitro. *International Journal of Agricultural and Crop Sciences*, 14: 1012-1016.
- Borges, J. A., Romani, V. P., Cortez-Vega, W. R., dan Martins, V. G. 2015. Influence of different starch sources and plasticizers on properties of biodegradable films. *International Food Research Journal*, 22(6): 2346-2351.
- Brown, A. 2015. *Understanding Food Principles and Preparation*. Cengage Learning, United States of America.
- Budiman, S and Saraswati, D. 2006. *Berkebun Stroberi Secara Komersial*. Penebar Swadaya, Jakarta.
- Chair, H., R. E. Traore, M. F. Duval, R. Rivallan, A. Mukherjee, L. M. Aboagye, W. J. Van Rensburg, Andrianavalona, V., Pinheiro de Carvalho, M. A. A., Saborio, F., Sri Prana, M., Lawac, F., dan Lebot, V. 2016. Genetic diversification and dispersal of taro (*Colocasia esculenta (L.) Schott*). *PLoS ONE*, 11 (6): 1-19.
- Charisa, Josephine Lisa. 2017. Characterization of edible film lesser yam starch-plasticizer mixed with sodium benzoate or lemongrass oil and application as edible coating to strawberry. Skripsi, Universitas Pelita Harapan.
- Chen, H. dan Zhong, Q. 2018. Antibacterial activity of acidified sodium benzoate against *Escherichia coli* O157:H7, *Salmonella enterica*, and *Listeria monocytogenes* in tryptic soy broth and on cherry tomatoes. *International Journal of Food Microbiology*, 274: 38-44.
- Davidson, P. M., Sofos, J.N and Branen, A.L. 2005. *Antimicrobials in Food, 3rd ed.* Taylor & Francis, Boca Raton.

- Decyree, Jessica. 2017. Characterization of edible film of lesser yam (*Dioscorea esculenta Lour. Burkill*) starch-plasticizer added with potassium sorbate or cinnamon oil and its utilization as edible coating to strawberry (*Fragaria ananassa*). Skripsi, Universitas Pelita Harapan.
- Donkin, S. S. 2008. Glycerol from Biodiesel Production: The New Corn for Dairy Cattle. *Revista Brasileira de Zootecnia*, 37: 280-286.
- Faroch, U., Dhanti, K. R., dan Sudarsono, T. A. 2021. Analisis kadar natrium benzoat pada saus sambal di pasar wage kabupaten banyumas. *Jurnal Labora Medika*, 5: 18-23.
- Firenzuoli, F., Jaitak, V., Horvath, G., Bassole, I. H. N., Setzer, W. N., dan Gori, L. 2014. Essential Oils: New Perspectives in Human Health and Wellness. *Evidence-Based Complementary and Alternative Medicine*, 2014: 467363.
- Food and Drug Administration (FDA). 2021. *Microbiological Considerations for Antimicrobial Agents Used in Food Applications: Guidance for Industry*, September 2021. <https://www.fda.gov/media/83078/download>.
- Goenadi, Lidwina Natalia. 2011. Utilization of taro (*Colocasia esculenta L. Schott*) starch as edible coating to strawberry fruits (*Fragaria ananassa*). Skripsi, Universitas Pelita Harapan.
- Gomez, Alfonso Mercedez, Dara, K. Hickey, Anna W. Witkowska, and Martin Wilkison. 2013. Evaluation of antimicrobial activities of commercial herb and spice extracts against selected food-borne bacteria. *Journal of Food Research*, 2 (4): 37-54.
- Gonzalez-Torres, B., Robles-Garcia, M. A., Gutierrez-Lomeli, M., Padilla-Frausto, J. J., Navarro-Villaruel, C. L., Del-Toro-Sanchez, C. L., Rodriguez-Felix, F., Barrera-Rodriguez, A., Reyna-Villela, M. Z., Reyna-Villela, M. G., dan Reynoso-Marín, F. J. Combination of Sorbitol and Glycerol, as Plasticizers, and Oxidized Starch Improves the Physicochemical Characteristics of Films for Food Preservation. *Polymers (Basel)*, 13(19): 3356.
- Hadriyati, A., Sanuddin, M., dan Fitri, A. 2020. Analisis kadar natrium benzoat pada sirup kayu manis dengan metode kromatografi cair kinerja tinggi. *Jurnal Kartika Kimia*, 3 (2): 48-52.

- Handayani, R. dan Nurzanah, H. 2018. Karakteristik edible film pati talas dengan penambahan antimikroba dari minyak atsiri lengkuas. *Jurnal Kompetensi Teknik*, 10 (1): 1-11.
- Hanif, Z. dan Huriin, H. 2014. Perbandingan atribut mutu buah stroberi yang beredar di pasar tradisional dan modern di Malang dan Yogyakarta. *Prosiding Seminar Nasional Perhorti* : 469-476.
- Harris, L.J., dan Mitcham, E. 2007. Strawberries: safe methods to store, preserve, and enjoy. *University of California*, 4: 1-15.
- He, J., Wu, D., Zhang, Q., Chen, H., Li, H., Han, Q., Lai, X., Wang, H., Wu, J., Dong, H., dan Qin, W. 2018. Efficacy and Mechanism of Cinnamon Essential Oil on Inhibition of *Colletotrichum acutatum* Isolated From ‘Hongyang’ Kiwifruit. *Microbiol*, 9:1288.
- Hijriawati, M. dan Febrina, E. 2016. Review : edible film antimikroba. *Farmaka*, 14(1): 8-16.
- Hui, Y. H. 2006. *Handbook of Food Science, Technology, and Engineering volume 3*. CRC Press, United States of America.
- Integrated Taxonomic Information System (ITIS). 2022. *Colocasia esculenta (L.) Schott*.
- International Rice Research Institute (IRRI). 2006. Amylose content used as rice grain quality index in Spain. Available from <http://om.cihem.org/om.pdf.c15-4.CI010936.pdf>.
- Jacoeb, A. M., Nugraha, R., dan Utari, S. P. R. D. 2014. Pembuatan edible film dari pati buah lindur dengan penambahan gliserol dan karaginan. *JPHPI*, 17(1) : 14-21.
- Kementerian Kesehatan Republik Indonesia. 2017. Tabel Komposisi Pangan Indonesia 2017. Direktorat Jenderal Kesehatan Masyarakat, Direktorat Gizi Masyarakat.
- Khaneghah, A. M., Hashemi, S. M. B., dan Limbo, S. 2018. Antimicrobial agents and packaging systems in antimicrobial active food packaging: An

- overview of approaches and interactions. *Food and Bioproducts Processing*, 111: 1-19.
- Kumar, N. dan Neeraj. 2018. Polysaccharide-based component and their relevance in edible film/coating: a review. *Nutrition & Food Science*, 49 (5): 793-823.
- Kusnadi, J. dan Budyanto, P. 2015. Antibacterial active packaging edible film formulation with addition Teak (*Tectona grandis*) leaf extract. *International Journal of Life Sciences Biotechnology and Pharma Research*, (4):2.
- Lalel, H. J. D., Abidin, Z., dan Jutomo, L. 2009. Sifat fisiko kimia beras merah gogo lokal ende. *Jurnal Teknologi dan Industri Pangan*, 20 (2): 109-116.
- Lawless, H. T. dan Heymann, H. 2010. *Sensory Evaluation of Food: Principles and Practices, Second Edition*. Springer, New York
- Marpongahutun, C. F. Z. 2013. Physical-mechanical properties and microstructure of breadfruit starch edible films with various plasticizer. *EKSAKTA: Journal of Sciences and Data Analysis*, 13(1-2): 56-62.
- Maturin, L. dan Peeler, J. T. 2001. BAM: Aerobic Plate Count: Food and Drugs Administration. USA.
- Mota, C.J.A., Peres Pinto, B., de Lima, A.L. 2017. *Glycerol Utilization*. In: Glycerol. Springer, Cham. https://doi.org/10.1007/978-3-319-59375-3_2
- Muin, R., Danggraini, D., dan Malau, F. 2017. Karakteristik fisik dan antimikroba edible film dari tepung tapioka dengan penambahan gliserol dan kunyit putih. *Jurnal Teknik Kimia*, 3 (23): 191-198.
- Nair, B. 2001. Final report on the safety assessment of benzyl alcohol, benzoic acid, and sodium benzoate. *International Journal of Toxicology*, 20 (3): 23-50.
- Nasution, I. S., Yusmanizar, dan Melianda, K. 2012. Pengaruh penggunaan lapisan edibel (edible coating), kalsium klorida, dan kemasan plastik terhadap mutu nanas (Ananas comosus Merr.) terolah minimal. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 4(2): 21-26.

- Nisah, K. 2017. Study pengaruh kandungan amilosa dan amilopektin umbi-umbian terhadap karakteristik fisik plastik biodegradable dengan plastizicer gliserol. *Jurnal Biotik*, 5 (2): 106-113.
- Nunes, M. C. D. N. 2008. *Color Atlas of Postharvest Quality of Fruits and Vegetables*. Blackwell Pub., Ames.
- Oktoviana, Y., Aminah, S., dan Sakung, J. 2012. Pengaruh lama penyimpanan dan konsentrasi natrium benzoat terhadap kadar vitamin c cabai merah (*Capsicum annuum L*). *Jurnal Akademika Kimia*, 1(4): 193-199.
- Oyeleke, F.I. and Olaniyan, A.M. 2007. Extraction of juice from some tropical fruits using a small scale multi-fruit juice extractor. *African Crop Science Conference Proceeding*, 8: 1803-1808.
- Patramurti, C., Amin, R., Nastiti, C. M. R. R., dan Hariono, M. 2020. A Review on the Potency of Melaleuca leucadendron Leaves Solid Waste in Wood Preservation and Its In Silico Prediction upon Biological Activities. *Hindawi International Journal of Forestry Research*, 2020: 8885259.
- Poblete-Castro, I., Wittman, C., dan Nikel, P. I. 2019. Biochemistry, genetics and biotechnology of glycerol utilization in pseudomonas species. *Microbial Biotechnology*, 13 (1): 32-53.
- Pokatong, W.D.R. dan Decyree, J. 2018. Characterization and development of edible film/coating from lesser yam starch-plasticizer added with potassium sorbate or cinnamon oil in affecting characteristics and shelf life of stored, coated strawberry. *Reaktor*, 18(4): 224-234.
- Putra, A. D., Johan, V. S., dan Efendi, R. 2017. Penambahan sorbitol sebagai plasticizer dalam pembuatan edible film pati sukun. *JOM FAKULTAS PERTANIAN*, 4 (2): 1-15.
- Putri, M. D. Y., Fradela, Z. A., dan Wahyudi, B. 2021. Preparasi dan karakterisasi edible film dari pati talas kimpul dan kitosan. Prosiding Seminar Nasional Aplikasi Sains & Teknologi (SNAST) 2021. Yogyakarta, 20 Maret 2021.
- Raeisi, M., Tajik H., Yarahmadi A., dan Sanginabadi S. 2015. Antimicrobial effect of cinnamon essential oil against *Escherichia coli* and *Staphylococcus aureus*. *Health Scope*, 4(4): 21808.

- Rahmawati, W., Kusumastuti, Y. A., dan Aryanti, N. 2012. Karakterisasi pati talas (*Colocasia esculenta l. Schott*) sebagai alternatif sumber pati industri di Indonesia. *Jurnal Teknologi Kimia dan Industri*, 1 (1): 347-351.
- Rao, P. V. dan Gan, S. H. 2014. Cinnamon: A Multifaceted Medicinal Plant. *Evidence-Based Complementary and Alternative Medicine*, 2014: 642942.
- Raybaudi-Massilia, R. M., Mosqueda-Melgar J., dan Martin-Belloso, O. 2008. Edible alginate-based coating as carrier of antimicrobials to improve shelf life and safety of fresh-cut melon. *International Journal of Food Microbiology*, 121: 313-327.
- Rees, D., Farrell, G. and Orchard, J.E. 2012. *Crop Post-Harvest: Science and Technology: Perishables*. Wiley-Blackwell, Hoboken.
- Resianingrum, R. 2016. Characterization of cassava starch-based edible film enriched with lemongrass oil (*Cymbopogon citratus*). *Nusantara Bioscience*, 8(2), 278-282.
- Robertson, G. L. 2013. *Food Packaging: Principles and Practice, 3rd Edition*. CRC Press, Boca Raton.
- Rojas-Grau, M. A., Soliva-Fortuny, R., dan Martin-Belloso, O. 2009. Edible coatings to incorporate active ingredients to fresh cut fruits: a review. *Trends in Food Science and Technology*, 20: 438-447.
- Rusli, A., Metusalach, Salengke, dan Tahir, M. M. 2017. Karakterisasi edible film karagenan dengan pemlastis gliserol. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20 (2): 219-229.
- Sanla-Ead, N., Jangchud, A., Chonhencob, V., dan Suppakul, P. 2011. Antimicrobial activity of cinnamaldehyde and eugenol and their activity after incorporation into cellulose-based packaging films. *Packaging Technology and Science Packaging Technology Sci.*, 25 (1): 7-17.
- Santoso, B., Hilda, Z., Priyanto, G., dan Pambayun, R. 2017. Perbaikan sifat laju transmisi uap air dan antibakteri edible film dengan menggunakan minyak sawit dan jeruk kunci. *AGRITECH*, 37(3): 263-270.

- Sanyang, M. L., Ilyas, R.A., Sapuan, S. M., dan Jumaidin, R. 2018. Sugar Palm Starch-Based Composites for Packaging Applications. *Bionanocomposites for Packaging Applications*. Springer International Publishing AG.
- Schirmer, M., Höchstötter, A., Jekle, M., Arendt, E., dan Becker, T. 2013. Physicochemical and morphological characterization of different starches with variable amylose/amyllopectin ratio. *Food Hydrocolloids*, 32(1): 52-63.
- Setiadi, Sianny Priskila. 2017. Characterization of Edible Film of Lesser Yam Starch-Plasticizer Added With Sodium Benzoate or Oregano Oil and Its Application as Edible Coating to Strawberry. Skripsi, Universitas Pelita Harapan.
- Shabrina, A. N., Abduh, S. B. M., Hintono, A., dan Pratama, Y. 2017. Sifat fisik edible film yang terbuat dari tepung pati umbi garut dan minyak sawit. *Jurnal Aplikasi Teknologi Pangan*, 6 (3): 138-142.
- Siburian, P. W., Falah, M. A. F., dan Mangunwikarta, J. 2021. Alginate-based edible coatings enriched with cinnamon essential oil extend storability and maintain the quality of strawberries under tropical condition. *Planta Tropika: Jurnal Agrosains (Journal of Agro Science)*, 9 (1): 58-70.
- Singh, Gobinder. 2021. Pengaruh Rasio Pati Kacang Hijau-Pati Biji Nangka dan Asam Oleat Terhadap Karakteristik Film Edibel dan Aplikasi Pelapisan Edibel pada Stroberi. Skripsi, Universitas Pelita Harapan.
- Siskawardani, D. D., Warkoyo, Hidayat, R., dan Sukardi. 2020. Physic-mechanical properties of edible film based on taro starch (*Colocasia esculenta* L. Schoott) with glycerol addition. *IOP Conf. Series: Earth and Environmental Science*, 458 (2020) 012039.
- Sismaini, Nasution, I. S., dan Putra, B. S. 2022. Kuat Tarik Edible Film Bahan Dasar Pati Sagu dengan Penambahan Gliserol sebagai Plasticizer. *Jurnal Ilmiah Mahasiswa Pertanian*, 7 (2): 2615-2878.
- Souza, A.C., Goto, G.E.O., Mainardi, J.A., Coelho, A.C.V and Tadini, C.C. 2013. Cassava starch composite films incorporated with cinnamon essential oil: antimicrobial activity, microstructure, mechanical, and barrier properties. *LWT - Food Science and Technology*, 54: 346-352.

- Stevens, N. dan Allred, K. 2022. Antidiabetic Potential of Volatile Cinnamon Oil: A Review and Exploration of Mechanisms Using In Silico Molecular Docking Simulations. *Molecules*, 27 (853): 1-19.
- Sudhakar, P., Thenmozhi, V., Srivignesh, S., dan Dhanalakshmi, M. 2020. Colocasia esculenta (L.) Schott: pharmacognostic and pharmacological review. *Journal of Pharmacognosy and Phytochemistry*, 9 (4): 1382-1386. <https://doi.org/10.22271/phyto.2020.v9.i4s.11937>.
- Suliman, R. S., Ali, H., Nurulain, I., NurShamiha, N., Nizam, M., Budiasih, S., Suliman, R., dan Al-Gebaly, A. 2017. Cinnamon bark extract for the formulation and characterisation of antimicrobial cream. *Int. J. Res. Ayurveda Pharm*, 8 (2): 1-7.
- Syafiq, R., Sapuan, S. M., Zuhri, M. Y. M., Ilyas, R. A., Nazrin, A., Sherwani, S. F. K., dan Khalina, A. 2020. Antimicrobial Activities of Starch-Based Biopolymers and Biocomposites Incorporated with Plant Essential Oils: A Review. *Polymers*, 12(10):2403.
- Tattiyakul, J., Asavasaksakul, S., dan Pradipasena, P. 2006. Chemical and Physical Properties of Flour Extracted from Taro Colocasia esculenta (L.) Schott Grown in Different Regions of Thailand. *ScienceAsia*, 32(3): 279-284.
- Tahmasebi, M., Golmohammadi, A., Nematollahzadeh, A., Davari, M., Chamani, E. 2020. Control of nectarine fruits postharvest fungal rots caused by Botrytis Cinerea and Rhizopus Stolonifer via some essential oils. *J Food Sci Technol*, 57(5):1647-1655. doi: 10.1007/s13197-019-04197-4.
- Temesgen, M. dan Retta, M. 2015. Nutritional potential, health and food security benefits of taro Colocasia esculenta (L.): a review. *Food Science and Quality Management*, 36: 23-31.
- Thawien, W., dan Nawapat, D. 2012. Effect of UV-treatment on the properties of biodegradable rice starch films. *International Food Research Journal*, 19(1): 279-285.
- Trinetta, V. 2016. *Edible Packaging, Reference Module in Food Science*. USA: Elsevier Inc.

- Wattimena, D., Ega, L., dan Polnaya, F. J. 2016. Karakteristik edible film pati sagu alami dan pati sagu fosfat dengan penambahan gliserol. *AGRITECH*, 36 (3): 247-252.
- Winarti, C., Miskiyah, dan Widaningrum. 2012. Teknologi produksi dan aplikasi pengemas edible antimikroba berbasis pati. *Jurnal Penelitian dan Pengembangan Pertanian*, 31 (3): 85-93.
- Wongsagonsup, R., Nateelerdpaisan, T., Gross, C., Suphantharika, M., Belur, P. D., Agoo, E. M. G., dan Janairo, J. I. B. 2020. Physicochemical properties and in vitro digestibility of flours and starches from taro cultivated in different regions of Thailand. *International Journal of Food Science & Technology*, 56 (5): 2395-2406.
- Wulandari, Y., Harini, N., dan Warkoyo. 2018. Characterization of Edible Film from Starch of Taro (*Colocasia esculenta* (L.) Schott) with Addition of Chitosan on Dodol Substituted Seaweed (*Eucheuma cottonii* L.). *Food Technology and Halal Science Journal*, 1(1): 22-32.
- Xing, Y., Li, X., Xu, Q., Yun, J., dan Lu, Y. 2010. Antifungal activities of cinnamon oil against *Rhizopus nigricans*, *Aspergillus flavus* and *Penicillium expansum* in vitro and in vivo fruit test. *International Journal of Food Science and Technology* 2010, 45: 1837-1842.
- Yin, J., Jiang, L., Wang, L., Han, X., Guo, W., Li, C., Zhou, Y., Denton, M., dan Zhang, P. 2020. A high-quality genome of taro (*Colocasia esculenta* (L.) Schott), one of the world's oldest crops. *Molecular Ecology Resources*, 21 (1): 68-77.
- Yousef, A. E. dan Carlstrom, C. 2003. *Food Microbiology: A Laboratory Manual*. USA: John Wiley & Sons.
- Zhang, Y., Liu, X., Wang, Y., Jiang, P., dan Quek, S. Y. 2016. Antibacterial activity and mechanism of cinnamon essential oil against *Escherichia coli* and *Staphylococcus aureus*. *Food Control*, 59: 282-289.
- Zhou, Y., Wu, X., Chen, J., dan He, J. 2021. Effects of cinnamon essential oil on the physical, mechanical, structural and thermal properties of cassava starch-based edible films. *International Journal of Biological Macromolecules*, 184: 574-583.