

BIBLIOGRAPHY

- Abd-Elrahman, M. G., El-Desouky, A. L., Ghazal, G. I. A., Mohamed, M. H. and Abd El-Salam, A. M. (2016). Effect of use of the enzymes on the quality of pan bread made from Egyptian wheat flour. *Annals of Agric. Sci.* 54(3), 609-620.
- Afoakwa, E. O., Budu, A. S., Asiedu, C., Chiwona-Karitun, L. and Nyirenda, D. B. (2012). Viscoelastic Properties and Physico-Functional Characterization of Six High Yielding Cassava Mosaic Disease-Resistant Cassava (*Manihot esculenta Crantz*) Genotypes. *J. Nutrs. Food. Sci.* 2(2).
- Agustin, N. D., Saragih, B. and Prabowo, S. (2019). Pengaruh Lama Blansir Terhadap Karakteristik Fisiokimia dan Sensoris Tepung Kentang Udara (*Dioscorea bulbifera L.*). *Journal of Tropical AgriFood.* 1(1), 29-35.
- Alamri, M. S., Mohamed, A. A., Hussain, S., Ibraheem, M. A., Qasem, A. A. A., Shamlan, G., Hakeem, M. J., and Ababtain, I. A. (2022). Functionality of Cordia and Ziziphus Gums with Respect to the Dough Properties and Baking Performance of Stored Pan Bread and Sponge Cakes. *Foods.* 11(3).
- Al-Hamdani, H. M. S. and Al-Temmehi, S. S. H. (2015). The Effect of Substitution of Wheat Flour in Different Proportions of Barley Flour in the Rheological Properties of Dough and Bread's Sensual Properties. *International Journal of Science and Research (IJSR).* 6(2).
- Ali, N. A., K. K. Dash, and W. Routray. (2020). Physicochemical characterization of modified lotus seed starch obtained through acid and heat moisture treatment. *Food Chemistry:* 1-10.
- American Association of Cereal Chemist International (AACC International). (2000). Approved Methods of the Americal Association of Cereal Chemists. 10th ed. USA: AACC International.
- Amr, A. and Ajo, R. (2005). Production of Two Types of Pocket-Forming Flat Bread by the Sponge and Dough Method. *Cereal Chemistry Journal.* 82(5), 499-503.
- Arendt, E. K., Morrissey, A., Moore, M. M. and Bello, F. D. (2008). Gluten-Free Cereal Products and Beverages. *Food Science and Technology.* 289-319.
- Ariyantoro, A. A., Amanto, B. S. and Kiswuri. (2020). Effect of Heat Moisture Treatment (HMT) on Physicochemical Characteristics of Sorghum Flour (*Sorghum Bicolor L. moench*). *IOP Connf. Series: Earth and Environmental Science.* 518.

Asmaningrum, H. P., Betaubun, M., Naraswati and Irianto. O. (2022). *Booklet Bahan Pangan Lokal Kabupaten Merauke*. Yogyakarta: Deepublish Publisher.

Asranudin, Holilah, Syarifin, A. N. K., Purnomo, A. S., Ansharullah and Fudholi, A. (2021). The effect of heat moisture treatment on crystallinity and physicochemical-digestibility properties of purple yam flour. *Food Hydrocolloids*. 120, 106889.

Association of Official Analytical Chemists (AOAC). (2005). *Official Methods of Analysis of the Association Analytical Chemists*. AOAC International, Washington DC.

Ayuningtyas, L. P., Benita, A. M. and Triastuti, D. (2021). Functional properties of hydrothermally modified lesser yam (*Dioscorea esculenta*) starch. *IOP Conference Series: Earth and Environmental Science*. 746.

Badan Pusat Statistik (BPS). (2022, April). *Data Ekspor Impor HS 2 Digit April 2022*.

Badan Standardisasi Nasional (BSN). 1995. Roti. SNI 01-3840-1995. Jakarta: BSN.

Buksa, K., Nowotna, A., Praznik, W., Gambus, H., Ziobro, R. and Krawontka, J. (2010). The role of pentosans and starch in baking of wholemeal rye bread. *Food Research International*. 43, 2045-2051.

Bunyani, N. A., Roman, M. and Naisanu, J. (2020). Utilization of Forest Plants as Local Food Sources for the Oben Village Community, Nekameise District, Kupang Regency. *Jurnal Biologi Tropis*.

Callejo, M. J. (2011). Present Situation on The Descriptive Sensory Analysis of Bread. *Journal of Sensory Studies*. 26(4), 255-268.

Cauvain, S. P. (2020). *Breadmaking: Improving Quality*, 3rd ed. Woodhead Publishing Series in Food Science, Technology and Nutrition.

Cauvain, S. P. and Young, L. S. (2007). *Technology of Breadmaking*. Netherlands: Springer US.

Chinachoti, P. (2003). 27 – Preventing bread staling. *Bread Making: Improving Quality*. Woodhead Publishing Series in Food Science, Technology and Nutrition. 562-574.

Chusak, C., Henry, C. J., Chantarasinlapin, P., Techasukthavorn, V. and Adisakwattana, S. (2018). Influence of *Clitoria ternatea* Flower Extract on the IN Vitro Enzymatic Digestibility of Starch and Its Application in Bread. *Foods*. 7(102).

- Collar, C., Bollain, C. and Angioloni, A. (2005). Significance of Microbial Transglutaminase on the Sensory, Mechanical and Crumb Grain Pattern of Enzyme Supplemented Fresh Pan Breads. *Journal of Food Engineering*. 70(4), 479-488.
- Copeland, L., Blazek, J., Salman, H. and Tang, C. (2009). Form and functionality of starch. *Food Hydrocolloids*. 23, 1527-1534.
- Correia, P. M. R., Guine, R. P. F., Fonseca, M. and Batista, L. (2021). ANALYSIS OF TEXTURAL PROPERTIES OF GLUTEN FREE BREADS. *Journal of Hygienic Engineering and Design*.
- Cornejo-Ramirez, Y. I., Martinez-Cruz, O., Toro-Sanchez, C. L. D., Wong-Corral, F. J., Borboa-Flores, J. and Cinco-Moroyoqui, F. J. (2018). The structural characteristics of starches and their functional properties. *CyTA – Journal of Food*. 16(1), 1003-1017.
- Deak, T. (2003). *Encyclopedia of Food Sciences and Nutrition*. 2nd ed. Academic Press.
- Dooshima, I. B., Julius, A. and Abah, O. (2014). Quality evaluation of composite bread produced from wheat, defatted soy and banana flours. *International Journal of Nutrition and Food Sciences*. 3(5), 471-476.
- Dudu, O. E., Oyedeqi, A. B., Oyeyinka, S. A. and Ma, Y. (2019). Impact of Steam-Heat Moisture Treatment on Structural and Functional Properties of Cassava Flour and Starch. *International Journal of Biological Macromolecules*. 1056-1064.
- Ekelman, K. B. and Dannan, G. A. (2005). *Konjac Flour*. WHO Food Additives Series 32. Retrieved from <http://www.inchem.org/documents/jecfa/jecmono/v32je10.htm>
- Ervietasari, N. and Larasaty, F. A. (2021). Cookies Berbahan Umbi Gembili sebagai Inovasi Pangan yang Bernilai Ekonomi, Kaya Gizi, dan Menyehatkan. *Journal Science Innovation and Technology (SINTECH)*. 1(2), 15-22.
- Faridah, A., Widjanarko, S. B. and Siutrisno, A. (2011). Optimisasi Peningkatan Kadar Glukomanan dan Penurunan Kalsium Oksalat Pada Proses Penepungan Dari Chip Porang (*Amorphallus oncophyllus*) dengan Metode Mekanis. *Seminar Nasional PATPI*.
- Finnie, S. M., Jeannotte, R., Morris, C. F., Giroux, M. J. and Faubion, J. M. (2010). Variation in polar lipids located on the surface of wheat starch. *Journal of Cereal Science*. 51, 73-80.

- Flach, M. and Rumawas, F. (1996). *Plant Resources of South East Asia No. 9. Plants Yielding Non Seed Carbohydrates*. Bogor: Prosea Foundation.
- Fradani, A. C., Ningrum, I. K., Stevani, F. and Asror, A. G. (2020). Pengolahan Umbi Gembili dalam Peningkatan Nilai Tambah di Desa Kasiman Kabupaten Bojonegoro. *Jurnal Pengabdian Masyarakat*. 4(1).
- Goel, C., Semwal, A. D., Khan, A., Kumar, S., & Sharma, G. K. (2020). Physical Modification of Starch: Changes in Glycemic Index, Starch Fractions, Physicochemical and Functional Properties of Heat-Moisture Treated Buckwheat Starch. *Journal of Food Science and Technology*.
- Gunaratne, A. (2018). *Heat-Moisture Treatment of Starch*. In: Sui, Z and Kong, X. (eds.) *Physical Modifications of Starch*. Singapore: Springer.
- Harijono, Estiasih, T., Sunarharum, W. B. and Rakhmita, I. S. (2010). KARAKTERISTIK KIMIA EKSTRAK POLISAKARIDA LARUT AIR DARI UMBI GEMBILI (*Dioscorea esculenta*) YANG DITUNASKAN. *Jurnal Teknologi Pertanian*. 11(3), 162-169.
- Harijono, Estiasih, T., Saputri, D. S. and Kusnadi, J. (2013). Effect of Blanching on Properties of Water Yam (*Disocoreea alata*) Flour. *Advance Journal of Food Science and Technology*. 5(10), 1342-1350.
- Hedegaard, R. V. and Skibsted, L. H. (2013). *Handbook of Food Powders: 16 – Shelf-life of Food Powders*. Cambridge: Woodhead Publishing. 409-434.
- Herlina. (2010). KARAKTERISASI SIFAT FISIK, KIMIA, DAN FUNGSIONAL BAHAN PATI UMBI GEMBILI (*Dioscorea esculenta* L.) TERMODIFIKASI SECARA IKATAN SILANG DENGAN NATRIUM TRIPOLIFOSFAT. *AGROTEK*. 4(1), 60-67.
- Herlina, Harijono, Subagio, A. and Estiasih, T. (2013). Potensi Hipolipidemik Polisakarida Larut Air Umbi Gembili (*Dioscorea esculenta* L.) Pada Tikus Hiperlipidemia. *Agritech*. 33(1).
- Hormdok, R. and Noomhorm, A. (2007). Hydrothermal treatments of rice starch for improvement of rice noodle quality. *LWT – Food Science and Technology*. 40(10), 1723-1731.
- Hortsman, S. W., Lynch, K. M. and Arendt, E. K. (2017). Starch Characteristics Linked to Gluten-Free Products. *Foods*. 6(4), 29.
- Ishida, P. M. G. and Steel, C. J. (2014). Physicochemical and sensory characteristics of pan bread samples available in the Brazilian market. *Food Science and Technology*. 34(4), 746-754.

- Jalali, M., Sheikholeslami, Z., Elhamirad, A. H., Kodaparast, M. H. H. and Karimi, M. (2019). The effect of the ultrasound process and pre-gelatinization of the corn flour on the textural, visual, and sensory properties in gluten-free pan bread. *J Food Sci Technol.*
- Janowski, T. (2007). Influence of starch retrogradation on the texture of cooked potato tuber. *International Journal of Food Science & Technology.* 27(6), 637-642.
- Jayakody, L., Liu, H. Q. and Donner, E. (2007). Studies on Tuber Starches. II. Molecular Structure Composition and Physicochemical Properties of Yam (*Dioscorea* Sp.) Starches Grown in Sri Lanka. *Carbohydrate Polymers.* 69(1), 148-163.
- Kotoki, D. and Deka, S. C. (2010). Baking loss of bread with special emphasis on increasing water holding capacity. *J Food Sci Technol.* 47(1), 128-131.
- Kumoro, A. C., Retnowati, D. S., Ratnawati, R. and Widiyawanti, M. (2019). Effect of Temperature and Reaction Time on the Swelling Power and Solubility of Gadung (*Dioscorea hispida* Dennst) Tuber Starch during Heat Moisture Treatment Process. *IOP Conf. Series: Journal of Physics.* 1295.
- Kwasniewska-karolak, I., Rosicka-kaczmarek, J. and Krala, L. (2014). Factors Influencing Quality and Shelf Life of Baking Products. *Journal on Processing and Energy in Agriculture.* 18(1).
- Laoli, N. (2017, Feb 27). *Impor Gandum Diprediksi Tembus 8,79 juta ton.* Retrieved from <https://industri.kontan.co.id/news/impor-gandum-2017-diprediksi-tembus-879-juta-ton>
- Lestari, E., Sandri, D., Fatimah, F. and Umaira, U. (2019). VOLUME KEMBANG ADONAN DAN SENSORY ROTI MANIS YANG DIBUAT DARI MODIFIED TALIPUK FLOUR (MOTAF). *Jurnal Teknologi & Industri Hasil Pertanian.* 24(2).
- Lv, Y., Ma, S., Yan, J., Sun, B. and Wang, X. Effect of Heat-Moisture Treatment on the Physicochemical Properties, Structure, Morphology, and Starch Digestibility of Highland Barley (*Hordeum vulgare* L. var. *nudum* Hook. F) Flour. *Foods.* 11, 3511.
- Marchais, L. P. D., Foisy, M., Mercier, S., Villeneuve, S. and Mondor, M. (2011). Bread-making potential of pea protein isolate produced by a novel ultrafiltration/diafiltration process. *Procedia Food Science.* 1, 1425-1430.
- Masbernat, L., Berland, S., Almeida, G. and Michon, C. (2021). Stabilizing highly hydrated wheat flour doughs by adding water in two steps. *Journal of Cereal Science.* 98.

- Myoda, T., Matsuda, Y., Suzuki, T., Nakagawa, T., Nagai, T. and Nagashima, T. (2006). Identification of soluble proteins and interaction with mannan in mucilage of Dioscorea opposite Thunb. (Chinese yam tuber). *Food science and technology research*. 12(4), 299-302.
- Nasrollahzadeh, M., Sajjadi, M., Sajadi, S. M. and Issaabadi, Z. (2019). *Chapter 5 – Green Nanotechnology. Interface Science and Technology*. Elsevier Science. 28, 145-198.
- Nawaz, H., Waheed, R., Nawaz, M. and Shahwar, D. (2020). Physical and Chemical Modifications in Starch Structure and Reactivity. *Chemical Properties of Starch*.
- Oloniyo, R., Omoba, O., Awolu, O. and Esan, Y. (2022). Functional Properties, Fourier Transform Infrared of Cream and Orang Fleshed Sweet Potato Flour and Sensory Evaluation of Its Dough Meal. *Journal of Culinary Science & Technology*. 1(17).
- Ouazib, M., Dura, A., Zaidi, F. and Rosell, C. M. (2016). Effect of Partial Substitution of Wheat Flour by Processed (Germinated, Toasted, Cooked) Chickpea on Bread Quality: Impact of Processed Chickpea Flour on Bread Quality. *International Journal of Agricultural Science and Technology*. 4(1).
- Pangesti, Y. D., Parnanto., N. H. R. and Ridwan, A. A. (2014). KAJIAN SIFAT FISIKOKIMIA TEPUNG BENGKUANG (*Pachyrhizus erosus*) DIMODIFIKASI SECARA HEAT MOISTURE TREATMENT (HMT) DENGAN VARIASI SUHU. *Jurnal Teknosains Pangan*. 3(3).
- Pepe, L. S., Moraes, J., Albano, K. M., Telis, V. R. N. and Franco, C. M. L. (2015). Effect of heat-moisture treatment on the structural physicochemical, and rheological characteristics of arrowroot starch. *Food Science and Technology International*. 22(3), 256-265.
- Pico, J., Bernal, J. L. and Gomez, M. (2017). Influence of different flours and starches on gluten-free bread aroma. *J Food Sci Technol*. 54(6), 1433-1441.
- Pinasthi, W. (2011). The Effect of Heat Moisture Treatment (HMT) Method with Microwave Radiation on Physicochemical and Functional Properties in Tapioca and Maizena. Bogor Agricultural Institute.
- Pokatong, W. D. R. and Julista E. P. (2022). Heat-Moisture Treatment to Sweet Potato (*Ipomoea batatas* L.) Flour Increased Volume Expansion and Other Characteristics of Pan Bread Prepared with Wheat flour Partially Substituted. *Global Conference on Innovation in Science and Technology Engineering and Mathematics 2021*. 1.

- Pokatong, W. D. R., Lestari, C. and Mastuti, T. S. (2014). Pemanfaatan Pati Gembili (*Dioscorea esculenta* Lour. Burkil) dengan Penambahan Plasticizer sebagai Edible Coating pada Stroberi (*Fragaria ananassa*). *Jurnal Prosiding Seminar Nasional Sains Dan Teknologi*. 86-95.
- Prabowo, A. Y., Estiasih, T. and Purwantiningrum, I. (2014). Umbi Gembili (*Dioscorea esculenta* L.) Sebagai Bahan Pangan Mengandung Senyawa Bioaktif: Kajian Pustaka. *Jurnal Pangan dan Agroindustri*. 2(3), 129-135.
- Rathnayake, H. A., Navaratne, S. B. and Navaratne, C. M. (2018). Porous Crumb Structure of Leavened Baked Products. *International Journal of Food Science*.
- Retnowati, D. S., Ratnawati, R. and Kumoro, A. C. (2018). Physical, thermal and functional properties of flour derived from Ubi Gembili (*Dioscorea esculenta* L.) tubers grown in Indonesia. *Potravinarstvo Slovak Journal of Food Sciences*. 12(1).
- Rosida and Rizki, D. W. (2012). PEMBUATAN MIE DARI TEPUNG KOMPOSIT TERIGU (*Triticum vulgare*) DAN GEMBILI (*Dioscorea esculenta*) DAN PENAMBAHAN TELUR. *Jurnal Teknologi Pangan*.
- Ribeiro, C. P. and Passos, M. L. (2016). Innovation in Food Engineering: New Techniques and Products. United States: CRC Press.
- Richana, N. and Sunarti, T. C. (2004). KARAKTERISASI SIFAT FISIKOKIMIA TEPUNG UMBI DAN TEPUNG PATI DARI UMBI GANYONG, SUWEG, UBI KELAPA, DAN GEMBILI. *J. Pascapanen*. 1(1), 29-37.
- Rusell, C. M. (2011). The Science of Doughs and Bread Quality. *Flour and Breads and Their Fortification in Health and Disease Prevention*. 3-14.
- Rukmini,P. and Santosa, I. (2019). Utilization of Gembili Starch (*Dioscorea esculenta*) into Glucose by Acid Hydrolysis Method Using HCl Catalyst. *Konversi*. 8(1), 49-58.
- Russel, C. M. (2011). *The Science of Doughs and Bread Quality. Flour and Breads and their Fortification in Health and Disease Prevention*. United States: Academic Press.
- Sabda, M., Wulanningtyas, H. S., Ondikeleuw, M. and Baliadi, Y. (2019). Karakterisasi Potensi Gembili (*Dioscorea esculenta* L.) Lokal Asal Papua Sebagai Alternatif Bahan Pangan Pokok. *Bul. Plasma Nutfah*. 25(1), 25-32.
- Senanayake, S., Gunaratne, A., Ranaweera, K. K. D. S. and Bamunuarachchi, A. (2013). Effect of Heat Moisture Treatment Conditions on Swelling Power and Water Soluble Index of Different Cultivars of Sweet Potato (*Ipomea batatas* L. Lam) Starch. *ISRN Agronomy*.

- Setiyoko, A., Nugraeni, and S. Hartutik. 2018. Optimasi Pemanasan dan Kadar Air pada Proses Produksi Tepung Bengkuang Termodifikasi dengan Teknik Heat Moisture Treatment sebagai Bahan Baku Mie Basah. Seminar Nasional Inovasi Pangan Lokal untuk Mendukung Ketahanan Pangan. Shen, Y., Tebben, L., Chen, G. and Li, Y. (2018). Effect of amino acid on Maillard reaction product formation and total antioxidant capacity in white pan bread. *International Journal of Food Science and Technology*.
- Shi, M., Cheng, Y., Wang, F., Ji, X., Liu, Y. and Yan, Y. (2022). Rheological Properties of Wheat Flour Modified by Plasma-Activated Water and Heat Moisture Treatment and *in vitro* Digestibility of Steamed Bread. *Front Nutr.* 9, 850227.
- Simonato, B. (ed.). (2021). Improving the Sensory, Nutritional and Technological Profile of Conventional and Gluten-Free Pasta and Bakery Products. Switzerland: MDPI AG.
- Siwi, K. S. (2012). Study of Chemical Physical Changes in White Sweet Potato Flour (*Ipopomea batatas* Var. Sukuh) as a Modified Effect Using the Heat Moisture Treatment Method. *Brawijaya University*.
- Smith, J. S. and Hui, Y. H. (2008). *Food Processing: Principles and Applications*. Germany: Wiley.
- Subejo, al-Arif, N. S. and Mustofa, M. H. (2014). *Lima pilar kedaulatan pangan Nusantara*. Indonesia: Gadjah Mada University Press.
- Subroto, E., R. Indiarto, H. Marta, and S. Shalihah. (2019). Effect of Heat-Moisture Treatment on Functional and Pasting Properties of Potato (*Solanum tuberosum* L. var. Granola) Starch. *Food Research*: 496-476.
- Suhardi. (2002). *Hutan dan Kebun Sebagai Sumber Pangan Nasional*. Yogyakarta: Kanisius.
- Sunarti. (2017). *Serat Pangan Dalam Penanganan Sindrom Metabolik*. Indonesia: Gadjah Mada University Press.
- Tanak, Y. (2016). Modifikasi Secara Heat Moisture Treatment Pada Pati Ubi Jalar Ungu Untuk Pangan Fungsional. *Jurnal Sains dan Teknologi Tadulako*. 5(1), 39-49.
- Trinh, L., Campbell, G. M. and Martin, P. J. (2016). Scaling down bread production for quality assessment using a breadmaker: Are results from a breadmaker representative of other breadmaking methods?. *Food and Bioproducts Processing*. 100(A), 54-60.

- Udomkun, P., Masso, C., Swennen, R., ROmuli, S., Innawong, B., Kuate, A. F., Akin-Idowu, P. E., Alakonya, A. and Vanlauwe, B. (2021). Comparative study of physicochemical, nutritional, phytochemical, and sensory properties of bread with plantain and soy flour replacing wheat flour. *Food Sci. Nutr.* 10, 3085-3097.
- Upabi, U. J. (2010). Farmstead bread making potential of lesser yam (*Dioscorea esculenta*) flour in Nigeria. *Australian Journal of Crop Science.* 4(2), 68-73.
- Utomo, S., Adnan, A. Z., Lestari R. S. D. and Sari, D. K. (2019). Pengaruh Rasio Pelarut dan Waktu Ekstraksi terhadap Kadar Glukomanan pada Ekstraksi Umbi Gembili (*Dioscorea esculenta* L.) Berbantu Gelombang Mikro. *Pengembangan Teknologi Kimia untuk Pengolahan Sumber Daya Alam Indonesia.*
- Vermeylen, R., Goderis, B. and Delcour, J. A. (2006). An X-ray study of hydrothermally treated potato starch. *Carbohydrate Polymers.* 64(2), 364-375.
- Wahyuni, S. and Indradewi, F. (2015). Nilai Gizi, Fitokimia dan Kadar Total Fenol dari Beberapa Umbi Lokal Sulawesi Tenggara. *Chem. Prog.* 8(2).
- Wijanarka, A., Toto, S., Eni, H. and Yustinus, M. (2017). Effect of Heat-Moisture Treatment in Physicochemical and Functional Properties of Gayam (*Inocarpus fagifer* Forst.) Flour. *American Journal of Food Technology.* 12, 178-185.
- Wang, X., Lao, X., Bao, Y., Guan, X. and Li, C. (2021). Effect of whole quinoa flour substitution on the texture and *in vitro* starch digestibility of wheat bread. *Food Hydrocolloids.* 119.
- Wijayanti, R. E., Mulyati, A. and Winarti, C. (2017). Modifikasi Pati Umbi Gembili (*Dioscorea esculenta* L.) dan Gembolo (*Dioscorea bulbifera*) sebagai Pati Nanopartikel Melalui Hidrolisis Asam. *Jurnal Universitas Pakuan Bogor,* 1-12.
- Wrigley, C. W., Corke, H., Faubion, J. and Seetharaman, K. (2015). *Encyclopedia of Food Grains* (Vol. 1). Netherlands: Elsevier Science.
- Yang, L., Wang, S., Li, S., Zhao, G. and Du, C. (2022). Effect of Heat-Moisture Treatment on the Physicochemical Properties and Starch Digestibility of Mix Powder (Wheat Flour-Black Soybean Flour) and Corresponding Cookies. *Gels.* 8(7), 429.
- Yaseen, A. A., Abd El-Hafeez, A. S. and Ramada, M. T. (2010). Corn-Wheat Pan Bread Quality as Affected by Hydrocolloids. *Journal of American Science.* 6(10).

Yeh, Y. and Lai, L. S. (2021). Effect of Single and Dual Hydrothermal Treatments on the Resistant Starch Content and Physicochemical Properties of Lotus Rhizome Starches. *Molecules*. 26(14), 4339.

Yousif, E. S. I., Yaseen. A. A., Abdel-Fatah, A., Shouk, A. H. A., Gadlla, M. G. and Mohammad, A. A. (2020). Pan bread quality as affected by some nano and fermented-nano food industries by-products. *Bulletin of the National Research Centre*. 44(61).

Zavareze, E. R. and Dias, A. R. G. (2011). Impact of heat-moisture treatment and annealing in starches: A review. *Carbohydrate Polymers*. 83(2), 317-328.

Zghal, M. C., Scanlon, M. G. and Sapirstein, H. D. (2001). Effects of Flour Strength, baking Absorption, and Processing Conditions on the Structure and Mechanical Properties of Bread Crumb. *Cereal Chemistry*. 78(1), 1-7.

