

DAFTAR PUSTAKA

- Azhar, S. H. M., Abdulla, R., Jambo, S. A., Marbawi, H., Gansau, J. A., Mohd Faik, A. A., & Rodrigues, K. F. 2017. Yeasts in sustainable bioethanol production: A review. *Biochemistry and biophysics reports*, 10: 52–61.
- Bellemain, E., Carlsen, T., Brochmann, C., Coissac, E., Taberlet, P., & Kauserud, H. 2010. ITS as an environmental DNA barcode for fungi: an in silico approach reveals potential PCR biases. *BMC Microbiology*, 10: 1-9.
- Browne, P. D., Nielsen, T. K., Kot, W., Aggerholm, A., Gilbert, M. T. P., Puetz, L., Rasmussen, M., Zervas, A., & Hansen, L. H. 2020. GC bias affects genomic and metagenomic reconstructions, underrepresenting GC-poor organisms. *GigaScience*, 9: 1-14.
- Center for Disease Control and Prevention. 2022. *Whole Genome Sequencing*. Retrieved from: <https://www.cdc.gov/pulsenet/pathogens/wgs.html>
- Center for Genetic Medicine. 2023. *Nanopore Long-Reads Sequencing*. Retrieved from: <https://www.cgm.northwestern.edu/cores/nuseq/services/next-generation-sequencing/nanopore-sequencing.html>
- Chen, Y. C., Liu, T., Yu, C. H., Chiang, T. Y., & Hwang, C. C. 2013. Effects of GC bias in next-generation-sequencing data on *de novo* genome assembly. *PloS one*, 8: 1-20.
- Citaresmi, T. I. 2015. Pengaruh Konsentrasi Urea dan *Saccharomyces cerevisiae* terhadap Pertumbuhan *Saccharomyces cerevisiae* pada Produk Ragi Tape. Bachelor thesis, Universitas Pasundan.
- Coutouné, N., Mulato, A. T., Riaño-Pachón, D. M., & Oliveira, J. V. 2017. Draft Genome Sequence of *Saccharomyces cerevisiae* Barra Grande (BG-1), a Brazilian Industrial Bioethanol-Producing Strain. *Genome announcements*, 5: 1-2.
- Darling, A. C., Mau, B., Blattner, F. R., & Perna, N. T. 2004. Mauve: multiple alignment of conserved genomic sequence with rearrangements. *Genome research*, 14: 1394–1403.
- EMBL's European Bioinformatics Institute. 2023. *Phylogenetics an Introduction*. Retrieved from: <https://www.ebi.ac.uk/training/online/courses/introduction-to-phylogenetics/what-is-a-phylogeny/aspects-of-phylogenies/root/>
- Engel, S. R., Wong, E. D., Nash, R. S., Aleksander, S., Alexander, M., Douglass, E., Karra, K., Miyasato, S. R., Simison, M., Skrzypek, M. S., Weng, S., & Cherry, J. M. 2022. New data and collaborations at the *Saccharomyces*

- Genome Database: updated reference genome, alleles, and the Alliance of Genome Resources. *Genetics*, 220: 1-11.
- EPI2ME Labs. 2023. *Assembly of small genomes*. Retrieved from: https://labs.epi2me.io/notebooks/Assembly_Tutorial.html.
- Sravanthi Goud, B., & Ulaganathan, K. 2015. Draft Genome Sequence of *Saccharomyces cerevisiae* Strain NCIM3186 Used in the Production of Bioethanol from Sweet Sorghum. *Genome announcements*, 3: 1-2.
- Hall, R. A., & Noverr, M. C. 2017. Fungal interactions with the human host: exploring the spectrum of symbiosis. *Current opinion in microbiology*, 40: 58–64.
- Illumina. 2017. *An introduction to Next-Generation Sequencing Technology*. Retrieved from: https://www.illumina.com/content/dam/illumina-marketing/documents/products/illumina_sequencing_introduction.pdf.
- Illumina. 2023. *Sequencing Read Length*. Retrieved from: <https://www.illumina.com/science/technology/next-generation-sequencing/plan-experiments/read-length.html>.
- Istace, B., Friedrich, A., d'Agata, L., Faye, S., Payen, E., Beluche, O., Caradec, C., Davidas, S., Cruaud, C., Liti, G., Lemainque, A., Engelen, S., Wincker, P., Schacherer, J., & Aury, J. M. 2017. de novo assembly and population genomic survey of natural yeast isolates with the Oxford Nanopore MinION sequencer. *GigaScience*, 6: 1–13.
- Joanne, P. 2021. *Analisis bioinformatika gen dengan aktivitas amilolitik dari isolat jamur aspergillus sp. Tm3*. Bachelor thesis, Universitas Pelita Harapan.
- Kinene, T., Wainaina, J., Maina, S., & Boykin, L. M. 2016. Rooting Trees, Methods for. *Encyclopedia of Evolutionary Biology*, 3: 489–493.
- Muller, L. A., Lucas, J. E., Georgianna, D. R., & McCusker, J. H. 2011. Genome-wide association analysis of clinical vs. nonclinical origin provides insights into *Saccharomyces cerevisiae* pathogenesis. *Molecular ecology*, 20: 4085–4097.
- Mardanov, A. V., Beletsky, A. V., Eldarov, M. A., Tanashchuk, T. N., Kishkovskaya, S. A., & Ravin, N. V. 2018. Draft Genome Sequence of the Wine Yeast Strain *Saccharomyces cerevisiae* I-328. *Genome announcements*, 6: 1-2.

National Human Genome Research Institute. 2023. *Nanopore DNA Sequencing*. Retrieved from: <https://www.genome.gov/genetics-glossary/Nanopore-DNA-Sequencing>.

Nilsson, R. H., Tedersoo, L., Ryberg, M., Kristiansson, E., Hartmann, M., Unterseher, M., Porter, T. M., Bengtsson-Palme, J., Walker, D. M., de Sousa, F., Gamper, H. A., Larsson, E., Larsson, K. H., Köljalg, U., Edgar, R. C., & Abarenkov, K. 2015. A Comprehensive, Automatically Updated Fungal ITS Sequence Dataset for Reference-Based Chimera Control in Environmental Sequencing Efforts. *Microbes and environments*, 30: 145–150.

Okuhama, S., Nakasone, K., Yamanaka, K., Miyazaki, C., Nakamoto, T., Nakashima, Y., & Kusube, M. 2022. Draft Genome Sequence of *Saccharomyces cerevisiae* DJJ01, Isolated from Dojoji Temple in Gobo, Wakayama, Japan. *Microbiology resource announcements*, 11: 1-2.

Oxford Nanopore Technologies. 2023. *Flow cells and nanopores*. Retrieved from: <https://nanoporetech.com/how-it-works/flow-cells-and-nanopores>.

Parapouli, M., Vasileiadis, A., Afendra, A. S., & Hatziloukas, E. 2020. *Saccharomyces cerevisiae* and its industrial applications. *AIMS microbiology*, 6: 1–31.

Pavlopoulos, G. A., Soldatos, T. G., Barbosa-Silva, A., & Schneider, R. 2010. A reference guide for tree analysis and visualization. *BioData mining*, 3: 1-16.

Pray, L. 2008. Transposons: The Jumping Genes. *Nature Education*, 1: 204.

Rissman, A. I., Mau, B., Biehl, B. S., Darling, A. E., Glasner, J. D., & Perna, N. T. 2009. Reordering contigs of draft genomes using the Mauve Aligner. *Bioinformatics*, 25: 2071–2073.

Röttig, A., Wenning, L., Bröker, D., & Steinbüchel, A. (2009). Fatty acid alkyl esters: perspectives for production of alternative biofuels. *Applied Microbiology and Biotechnology*, 85: 1713–1733.

Salazar, A. N., Gorter de Vries, A. R., van den Broek, M., Wijsman, M., de la Torre Cortés, P., Brickwedde, A., Brouwers, N., Daran, J. G., & Abeel, T. 2017. Nanopore sequencing enables near-complete de novo assembly of *Saccharomyces cerevisiae* reference strain CEN.PK113-7D. *FEMS yeast research*, 17: 1-11.

Sampaio, J. P., & Gonçalves, P. 2008. Natural populations of *Saccharomyces kudriavzevii* in Portugal are associated with oak bark and are sympatric with

S. cerevisiae and *S. paradoxus*. *Applied and environmental microbiology*, 74: 2144–2152.

Schwietzke, S., Ladisch, M., Russo, L., Kwant, K., Mäkinen, T., Kavalov, B., Maniatis, K., Zwart, R., Shahanan, G., Sipila, K., Grabowski, P., Telenius, B., White, M., dan Brown, A. Analysis and Identification of Gaps in Research for the Production of Second-Generation Liquid Transporation Biofuels. *IEA: Bioenergy*, 41: 1-22.

Sniegowski, P. D., Dombrowski, P. G., & Fingerman, E. 2002. *Saccharomyces cerevisiae* and *Saccharomyces paradoxus* coexist in a natural woodland site in North America and display different levels of reproductive isolation from European conspecifics. *FEMS yeast research*, 1: 299–306.

Sophiano, T. 2022. *Uji potensi isolat khamir asal ragi wine sebagai agen dekolorisasi*. Bachelor thesis, Universitas Pelita Harapan.

Sahara, T., Fujimori, K. E., Nezuo, M., Tsukahara, M., Tochigi, Y., Ohgiya, S., & Kamagata, Y. 2014. Draft Genome Sequence of *Saccharomyces cerevisiae* IR-2, a Useful Industrial Strain for Highly Efficient Production of Bioethanol. *Genome announcements*, 2: 1-2.

Kanamasa, S., Yamaguchi, D., Machida, C., Fujimoto, T., Takahashi, A., Murase, M., Fukuyoshi, S., Oda, A., Satou, K., & Takahashi, H. 2019. Draft Genome Sequence of *Saccharomyces cerevisiae* Strain Pf-1, Isolated from *Prunus mume*. *Microbiology resource announcements*, 8: 1-2.

Takahashi, H., Sakagawa, E., Sakakibara, I., Machida, C., Miyaki, S., Takahashi, A., Onai, S., Fukuyoshi, S., Ohta, A., Satou, K., & Kanamasa, S. 2018. Draft Genome Sequence of *Saccharomyces cerevisiae* Strain Hm-1, Isolated from Cotton Rosemallow. *Microbiology resource announcements*, 7: 1-2.

Thrash, A., Hoffman, F., & Perkins, A. 2020. Toward a more holistic method of genome assembly assessment. *BMC Bioinformatics*, 21: 1-8.

De Ullivarri, M. F., Mendoza, L. M., & Raya, R. R. 2014. Killer activity of *Saccharomyces cerevisiae* strains: partial characterization and strategies to improve the biocontrol efficacy in winemaking. *Antonie van Leeuwenhoek*, 106: 865–878.

Wood, V., Gwilliam, R., Rajandream, M-A, Lyne, M., Stewart, A., Sgouros, J., Peat, N., Hayles, J., Baker, S., Basham, D., Bowman, S., Brooks, K., Brown, D., Brown, S., Chillingworth, T., Churcher, Collins, M., Connor, R., ... Nurse, P. 2002. The genome sequence of *Schizosaccharomyces pombe*. *Nature*, 415: 871-880.

Zhang, G., Sun, Y., Sadiq, F. A., Sakandar, H. A., & He, G. 2018. Evaluation of the effect of *Saccharomyces cerevisiae* on fermentation characteristics and volatile compounds of sourdough. *Journal of food science and technology*, 55: 2079–2086.

