

REFERENCES

- [1] I. Puji, A. Utami, M. Fakultas, H. Universitas, S. Maret, and D. A. Adiasuti, "LETTER OF CREDIT (L/C) SEBAGAI CARA PEMBAYARAN TRANSAKSI PERDAGANGAN INTERNASIONAL DALAM KERANGKA ASEAN ECONOMIC COMMUNITY," 2016.
- [2] R. Luis and F. García, "THE AUTONOMY PRINCIPLE OF LETTERS OF CREDIT," 2009.
- [3] J. Ulph, "The UCP 600 : documentary credits in the twenty-first century. The Legal and Ethical Status of Museum Collections View project," 2007. [Online]. Available: <https://www.researchgate.net/publication/30053492>
- [4] S. E. Chang, H. L. Luo, and Y. Chen, "Blockchain-enabled trade finance innovation: A potential paradigm shift on using letter of credit," *Sustainability (Switzerland)*, vol. 12, no. 1, Jan. 2020, doi: 10.3390/su12010188.
- [5] S. v. Scott and M. Zachariadis, "Origins and development of SWIFT, 1973-2009," *Bus Hist*, vol. 54, no. 3, pp. 462–482, 2012, doi: 10.1080/00076791.2011.638502.
- [6] A. Goyal, V. Gupta, and M. Kumar, "Recent Named Entity Recognition and Classification techniques: A systematic review," *Computer Science Review*, vol. 29. Elsevier Ireland Ltd, pp. 21–43, Aug. 01, 2018. doi: 10.1016/j.cosrev.2018.06.001.
- [7] M. Brisinello and M. Pul, "Improving Optical Character Recognition performance for low quality images," 2017.
- [8] B. Kumar Shukla, G. Kumar, and A. Kumar, "An approach for Skew Detection using Hough Transform," 2016.
- [9] Samuel Lukas, Pujianto Yugopustito, and Dion Krisnadi, "Identification of Indonesian Vehicle Registration Plate by Adaptive Thresholding and Region Labeling Algorithm," IEEE, 2013.
- [10] S. Aladhadh, H. U. Rehman, A. M. Qamar, and R. U. Khan, "Recurrent convolutional neural network MSER-based approach for payable document processing," *Computers, Materials and Continua*, vol. 69, no. 3, pp. 3399–3410, 2021, doi: 10.32604/cmc.2021.018724.
- [11] M. R. Phangtriastu, J. Harefa, and D. F. Tanoto, "Comparison between Neural Network and Support Vector Machine in Optical Character Recognition," in *Procedia Computer Science*, 2017, vol. 116, pp. 351–357. doi: 10.1016/j.procs.2017.10.061.
- [12] S. Khan, H. Ali, Z. Ullah, N. Minallah, S. Maqsood, and A. Hafeez, "KNN and ANN-based Recognition of Handwritten Pashto Letters using Zoning Features," Apr. 2019, doi: 10.14569/IJACSA.2018.091070.
- [13] Kazuhiro Kayashima and Hisao Niwa, "POSTPROCESSING FOR CHARACTER RECOGNITION USING KEYWORD INFORMATION," 1992.

- [14] B. v. Bojinov, "Risk Management in the Banking Basic Principles and Approaches," *SSRN Electronic Journal*, Jun. 2017, doi: 10.2139/ssrn.2905821.
- [15] D. Adeabah, C. Andoh, S. Asongu, and A. Gemegah, "Reputational Risks in Banks: A Review of Research Themes, Frameworks, Methods, and Future Research Directions," *SSRN Electronic Journal*, May 2021, doi: 10.2139/ssrn.3844453.
- [16] "https://www.libf.ac.uk/study/professional-qualifications/trade-finance/certificate-for-documentary-credit-specialists-(cdcs)," *Accessed on March, 2022*.
- [17] Mark S Blodgett and Jerry W Wilson, "The Impact of Transaction Fraud: Strategies for the International Letter of Credit," *Review of Business*, vol. 14, no. 3, p. 42, 1993.
- [18] R. Grishman, "Message Understanding Conference- 6: A Brief History," 1996.
- [19] K. Shaalan, "Rule-based Approach in Arabic Natural Language Processing Ontology based Arabic Question Answering System View project The International Conference on Information Systems and Intelligent Applications (ICISIA 2022) View project," 2010. [Online]. Available: <https://www.researchgate.net/publication/206005947>
- [20] S. Sarawagi, "Information Extraction," *Foundations and Trends R in Databases*, vol. 1, no. 3, pp. 261–377, 2007, doi: 10.1561/1500000003.
- [21] M. Majumder, U. Barman, R. Prasad, K. Saurabh, and S. K. Saha, "A Novel Technique for Name Identification from Homeopathy Diagnosis Discussion Forum," *Procedia Technology*, vol. 6, pp. 379–386, 2012, doi: 10.1016/j.protcy.2012.10.045.
- [22] K. Shaalan, "Rule-based Approach in Arabic Natural Language Processing Ontology based Arabic Question Answering System View project The International Conference on Information Systems and Intelligent Applications (ICISIA 2022) View project," 2010. [Online]. Available: <https://www.researchgate.net/publication/206005947>
- [23] V. Gupta, "Named Entity Recognition for Punjabi Language Text Summarization," 2011.
- [24] A. S. Wibawa and A. Purwarianti, "Indonesian Named-entity Recognition for 15 Classes Using Ensemble Supervised Learning," in *Procedia Computer Science*, 2016, vol. 81, pp. 221–228. doi: 10.1016/j.procs.2016.04.053.
- [25] P. Král and V. Matoušek, Eds., *Text, Speech, and Dialogue*, vol. 9302. Cham: Springer International Publishing, 2015. doi: 10.1007/978-3-319-24033-6.
- [26] C. Patel Smt Chandaben Mohanbhai, A. Patel, S. Chandaben Mohanbhai, and D. Patel Smt Chandaben Mohanbhai, "Optical Character Recognition by Open Source OCR Tool Tesseract: A Case Study," 2012.

- [27] R. Smith, "An Overview of the Tesseract OCR Engine," *Ninth International Conference on Document Analysis and Recognition (ICDAR 2007)*, 2007, [Online]. Available: <http://code.google.com/p/tesseract-ocr>.
- [28] T. Hegghammer, "OCR with Tesseract, Amazon Textract, and Google Document AI: a benchmarking experiment," *J Comput Soc Sci*, Nov. 2021, doi: 10.1007/s42001-021-00149-1.
- [29] M. Athimethphat, "A Review on Global Binarization Algorithms for Degraded Document Images," 2011.
- [30] Payel Roy, Saurab Dutta, Nilanjan Dey, Goutami Dey, Sayan Chakraborty, and Ruben Ray, "Adaptive Thresholding: A comparative study," *2014 International Conference on Control, Instrumentation, Communication and Computational Technologies (ICCICCT)*, 2014.
- [31] S. Mori, C. Y. Suen, and K. Yamamoto, "Historical Review of OCR Research and Development," 1992.
- [32] Archana A Shinde and D. G. Chougule, "Text Pre-processing and Text Segmentation for OCR," 2012.
- [33] Tapan Kumar Hazra, Dharendra pratap singh, and Nikunj Daga, "Optical Character Recognition using KNN on Custom Image Dataset," 2017.
- [34] T. M. Breuel, "High Performance Text Recognition Using a Hybrid Convolutional-LSTM Implementation," in *Proceedings of the International Conference on Document Analysis and Recognition, ICDAR*, Jul. 2017, vol. 1, pp. 11–16. doi: 10.1109/ICDAR.2017.12.
- [35] T. M. Breuel, A. Ul-Hasan, M. A. Al-Azawi, and F. Shafait, "High-performance OCR for printed english and fraktur using lstm networks," in *Proceedings of the International Conference on Document Analysis and Recognition, ICDAR*, 2013, pp. 683–687. doi: 10.1109/ICDAR.2013.140.
- [36] R. W. Smith, "History of the Tesseract OCR engine: what worked and what didn't," in *Document Recognition and Retrieval XX*, Feb. 2013, vol. 8658, p. 865802. doi: 10.1117/12.2010051.
- [37] "https://tesseract-ocr.github.io/tessdoc/ReleaseNotes." <https://tesseract-ocr.github.io/tessdoc/ReleaseNotes> (accessed Feb. 28, 2023).
- [38] Ahmad P. Tafti, Ahmadreza Baghaie, Mehdi Assef, Hamid R. Arabnia, Zeyun Yu, and Peggy Peissig, "OCR as a Service: An Experimental Evaluation of Google Docs OCR, Tesseract, ABBYY FineReader, and Transym," Springer International Publishing, Cham, 2016. doi: 10.1007/978-3-319-50835-1.
- [39] J. Matas, O. Chum, M. Urban, and T. Pajdla, "Robust Wide Baseline Stereo from Maximally Stable Extremal Regions," 2004.

- [40] Rajesh CVS and M. Padmanabham, "Basics and Features of Artificial Neural Networks," *International Journal of Trend in Scientific Research and Development (IJTSRD)*, vol. 2, no. 2, 2018.
- [41] S.-H. Han, K. W. Kim, S. Kim, and Y. C. Youn, "Artificial Neural Network: Understanding the Basic Concepts without Mathematics," *Dement Neurocogn Disord*, vol. 17, no. 3, p. 83, 2018, doi: 10.12779/dnd.2018.17.3.83.
- [42] D. Gupta, "Introduction to Recurrent Neural Networks," *Analytics Vidhya*, accessed on March, 2022, 2017. <https://www.analyticsvidhya.com/blog/2017/12/introduction-to-recurrent-neural-networks/>
- [43] W. de Mulder, S. Bethard, and M. F. Moens, "A survey on the application of recurrent neural networks to statistical language modeling," *Computer Speech and Language*, vol. 30, no. 1. Academic Press, pp. 61–98, 2015. doi: 10.1016/j.csl.2014.09.005.
- [44] K. Greff, R. K. Srivastava, J. Koutnik, B. R. Steunebrink, and J. Schmidhuber, "LSTM: A Search Space Odyssey," *IEEE Trans Neural Netw Learn Syst*, vol. 28, no. 10, pp. 2222–2232, Oct. 2017, doi: 10.1109/TNNLS.2016.2582924.
- [45] Ahmet Özlü, "Overlapped handwritten signature extraction from scanned documents," 2018. https://github.com/ahmetozlu/signature_extractor (accessed Mar. 20, 2022).
- [46] Sigurdur Mar Valsson and Aaronsnoswell, "https://stackoverflow.com/questions/16702966/rotate-image-and-crop-out-black-borders." <https://stackoverflow.com/questions/16702966/rotate-image-and-crop-out-black-borders> (accessed Apr. 10, 2022).
- [47] Y. Li, W. Jia, C. Shen, and A. van den Hengel, "Characterness: An indicator of text in the wild," *IEEE Transactions on Image Processing*, vol. 23, no. 4, pp. 1666–1677, 2014, doi: 10.1109/TIP.2014.2302896.
- [48] K. Abdulwahhab Hamad and M. Kaya, "A Detailed Analysis of Optical Character Recognition Technology," 2013. [Online]. Available: <http://ijamec.atscience.org>
- [49] H. Snyder, "Literature review as a research methodology: An overview and guidelines," *J Bus Res*, vol. 104, pp. 333–339, Nov. 2019, doi: 10.1016/j.jbusres.2019.07.039.
- [50] B. Gatos, D. Danatsas, I. Pratikakis, and S. J. Perantonis, "Automatic Table Detection in Document Images," *International Conference on Pattern Recognition and Image Analysis*, 2005.
- [51] D. Sporici, E. Cuşnir, and C. A. Boiangiu, "Improving the accuracy of Tesseract 4.0 OCR engine using convolution-based preprocessing," *Symmetry (Basel)*, vol. 12, no. 5, May 2020, doi: 10.3390/SYM12050715.

- [52] A. Kumar, "An Efficient Approach for Text Extraction in Images and Video Frames Using Gabor Filter," *International Journal of Computer and Electrical Engineering*, vol. 6, no. 4, pp. 316–320, 2014, doi: 10.7763/ijcee.2014.v6.845.
- [53] John G. Daugman, "Efficient Approach for Text Extraction in Images and Video Frames Using Gabor Filter," *International Journal of Computer and Electrical Engineering*, vol. 6, 2014.
- [54] Syed Saqib Bukhari, Mayce Ibrahim Ali Al Azawi, Faisal Shafait, and Thomas M. Breuel, "Document Image Segmentation using Discriminative Learning over Connected Components," 2010, p. 490.
- [55] F. D. Julca-Aguilar, A. L. L. M. Maia, and N. S. T. Hirata, "Text/Non-Text Classification of Connected Components in Document Images," in *Proceedings - 30th Conference on Graphics, Patterns and Images, SIBGRAPI 2017*, Nov. 2017, pp. 450–455. doi: 10.1109/SIBGRAPI.2017.66.
- [56] P. Yugopuspito, "Recognition of Indonesian Vehicle Registration Plate by Discrete Cosine Transform and Radial Basis Function Network," *International Journal of Information and Electronics Engineering*, 2015, doi: 10.7763/ijjee.2015.v5.544.
- [57] Y. Bassil and M. Alwani, "OCR POST-PROCESSING ERROR CORRECTION ALGORITHM USING GOOGLE'S ONLINE SPELLING SUGGESTION," 2012. [Online]. Available: http://www.cisjournal.org/journalofcomputing/archive/vol3no1/vol3no1_7.pdf
- [58] C. M. Strohmaier, C. Ringlstetter, K. U. Schulz, and S. Mihov, "Lexical Postcorrection of OCR-Results: The Web as a Dynamic Secondary Dictionary?," 2003.
- [59] W. Zhu, Y. Liu, and L. Hao, "A novel OCR approach based on document layout analysis and text block classification," in *Proceedings - 12th International Conference on Computational Intelligence and Security, CIS 2016*, Jan. 2017, pp. 91–94. doi: 10.1109/CIS.2016.28.
- [60] S. Karthikeyan, A. G. Seco de Herrera, F. Doctor, and A. Mirza, "An OCR Post-correction Approach using Deep Learning for Processing Medical Reports," *IEEE Transactions on Circuits and Systems for Video Technology*, 2021, doi: 10.1109/TCSVT.2021.3087641.