

DAFTAR PUSTAKA

- Achermann, Y., Goldstein, E. J. C., Coenye, T., & Shirtliff, M. E. (2014). Propionibacterium Acnes: From Commensal To Opportunistic Biofilm-Associated Implant Pathogen. *Clinical Microbiology Reviews*, 27(3), 419–440. <https://doi.org/10.1128/CMR.00092-13>.
- Adiningsih, W., Vifta, R. L., & Yuswantina, R. (2021). Uji aktivitas antibakteri ekstrak etanol 70% dan ekstrak etanol 96% buah strawberry. *Generics: Journal of Research in Pharmacy*, 1(1), 1–9.
- Aekthammarat, D., Pannangpetch, P., & Tangsucharit, P. (2019). Moringa Oleifera Leaf Extract Lowers High Blood Pressure By Alleviating Vascular Dysfunction And Decreasing Oxidative Stress In L-NAME Hypertensive Rats. *Phytomedicine*, 54, 9–16. <https://doi.org/10.1016/J.Phyomed.2018.10.023>.
- Agustin, B. A., Puspawaty, N., Rukmana, R. M., (2018). Aktivitas Antibakteri Kombinasi Ekstrak Etanolik Daun Beluntas (*Pluchaea indica* Less.) dan Meniran (*Phyllanthus niruri* L.). *Biomedika*, 11(2), 79–87.
- Ahn, K. (2017). The Worldwide Trend Of Using Botanical Drugs And Strategies For Developing Global Drugs. *BMB Reports*, 50(3), 111–116. <https://doi.org/10.5483/Bmbrep.2017.50.3.221>.
- Alara, O. R., Nour, A., Ukaegbu, C. I., Kabbashi, N. A. (2019). Extraction and Characterization of Bioactive Compounds in Vernonia Amygdalina Leaf Ethanolic Extract Comparing Soxhlet and Microwave-assisted Extraction Techniques. *Journal of Research Gate*.
- Albuquerque, R. G. R., Rocha, M. A. D., Bagatin, E., Tufik, S., & Andersen, M. L. (2014). Could Adult Female Acne Be Associated With Modern Life?. *Archives Of Dermatological Research*, 306(8), 683–688. <https://doi.org/10.1007/S00403-014-1482-6>
- Aliah, A. I., Wahyuni, W., & Bachri, N. (2019). Uji Daya Hambat Formula Gel Ekstrak Etanol Daun Murbei (*Morus Alba* L.) Sebagai Anti Acne Terhadap Bakteri Propionibacterium Acne. *Jurnal Farmasi Galenika (Galenika Journal Of Pharmacy) (E-Journal)*, 5(2), 206–213. <https://doi.org/10.22487/J24428744.2019.V5.I2.13663>.
- Anggraeni, Y., Hendradi, E., Purwanti, T. (2012). Karakteristik Sediaan dan Pelepasan Natrium Diklofenak Dalam Sistem Niosom Dengan Basis Gel Carbomer 940. *PharmaScientia*, 1, (1), 1–15.
- Apriani, E. F., Rosana, Y., & Iskandarsyah. (2019). Of Azelaic Acid Ethosome - Based Cream Against Propionibacterium Acnes For The Treatment Of Acne. *Journal Of Advanced Pharmaceutical Technology And Research*, 10(2), 75–80. <https://doi.org/10.4103/Japtr.JAPTR>.
- Arsa, A. K., Achmad, Z., & Kimia, J. T. (2020). Ekstraksi Minyak Atsiri Dari Rimpang Temu Ireng (*Curcuma aeruginosa* Roxb.) Dengan Pelarut Etanol Dan N-Heksana. *Jurnal Teknologi Technoscientia*, 13(1), 83–94.
- Arum, D. R. (2019). Skripsi: Uji Efektivitas Formula Gel Ekstrak Bunga Cengkeh (*Syzygium aromaticum* (L.) Merr. & L. M. Perry) sebagai Anti Jerawat

- Terhadap Bakteri *Staphylococcus aureus*. Universitas Muhammadiyah Magelang.
- Astuti, D. P., Husni, P., & Hartono, K. (2017). Formulasi Dan Uji Stabilitas Fisik Sediaan Gel Antiseptik Tangan Minyak Atsiri Bunga Lavender (*Lavandula angustifolia* Miller). *Farmaka*, 15(1), 176–184.
- Azkiya, Z., Ariyani, H., & Setia Nugraha, T. (2017). Evaluasi Sifat Fisik Krim Ekstrak Jahe Merah (*Zingiber officinale* Rosc. var. rubrum) Sebagai Anti Nyeri. *Journal of Current Pharmaceutica Sciences*, 1(1), 2598–2095.
- Azwanida, N. N. (2015). A Review of the Extraction Methods Use in Medicinal Plants, Principle, Strength, And Limitation. *Journal of Medicinal and Aromatic Plants*, 4, 196.
- Balouiri, M., Sadiki, M., Ibsouda, S. K. (2016). A review: Methods for in vitro evaluating antimicrobial activity, *Journal of Pharmaceutical Analysis*, 6 (2), 71-79, <https://doi.org/10.1016/j.jpha.2015.11.005>.
- Bankar, A. M., & Dole, M. N. (2016). Formulation And Evaluation Of Herbal Antimicrobial Gel Containing Musa Acuminata Leaves Extract. *Journal Of Pharmacognosy And Phytochemistry*, 5(1), 1–3.
- Barnard, E., & Li, H. (2017). Shaping Of Cutaneous Function By Encounters With Commensals. *Journal Of Physiology*, 595(2), 437–450. <https://doi.org/10.1113/JP271638>
- Bartoletti, M., Giannella, M., Tedeschi, S., & Viale, P. (2018). Multidrug-Resistant Bacterial Infections In Solid Organ Transplant Candidates And Recipients. *Infectious Disease Clinics Of North America*, 32(3), 551–580. <https://doi.org/10.1016/J.Idc.2018.04.004>
- Becker, L. C. (2014). Safety Assessment of Glycerin As Used In Cosmetics Status. *Cosmetic Ingredient Review*, 202–331.
- Cahyaningsih, N. (2018). Formulasi Dan Evaluasi Sediaan Gel Minyak Atsiri Daun Jeruk Purut (*Citrus Hystrix* Dc.) Dengan Basis HPMC Sebagai Antibakteri Terhadap *S.taphylococcus aureus*. Universitas Muhammadiyah Surakarta.
- Chang, R. K., Raw, A., Lionberger, R., & Yu, L. (2013). Generic development of topical dermatologic products: Formulation development, process development, and testing of topical dermatologic products. *AAPS Journal*, 15(1), 41–52. <https://doi.org/10.1208/s12248-012-9411-0>.
- Chen, C. N., Liang, C. M., Lai, J. R., Tsai, Y. J., Tsay, J. S., & Lin, J. K. (2003). Capillary Electrophoretic Determination Of Theanine, Caffeine, And Catechins In Fresh Tea Leaves And Oolong Tea And Their Effects On Rat Neurosphere Adhesion And Migration. *Journal Of Agricultural And Food Chemistry*, 51(25), 7495–7503. <https://doi.org/10.1021/Jf034634b>
- Chen, M. X., Alexander, K. S., & Baki, G. (2016). Formulation And Evaluation Of Antibacterial Creams And Gels Containing Metal Ions For Topical Application. *Journal Of Pharmaceutics*, 2016, 1–10. <https://doi.org/10.1155/2016/5754349>.
- Chu, C., Deng, J., Man, Y., & Qu, Y. (2017). Green Tea Extracts Epigallocatechin-3-Gallate For Different Treatments. *Biomed Research International*, 2017. <https://doi.org/10.1155/2017/5615647>.
- Chularojanamontri, L., Tuchinda, P., Kulthanan, K., & Pongparit, K. (2014).

- Moisturizers For Acne: What Are Their Constituents?. *Journal Of Clinical And Aesthetic Dermatology*, 7(5), 36–44.
- Corcoran, M. P., Mckay, D. L., & Blumberg, J. B. (2012). Flavonoid Basics: Chemistry, Sources, Mechanisms Of Action, And Safety. *Journal Of Nutrition In Gerontology And Geriatrics*, 31(3), 176–189. <https://doi.org/10.1080/21551197.2012.698219>.
- Cosmetic Ingredients Review. (2018). Amended Safety Assessment of a of Acrylates Copolymers as Used in Cosmetics. *Cosmetic Ingredient Review*, 10. <https://www.cir-safety.org/sites/default/files/mcimi092019TAR.pdf>.
- Ćujić, N., Šavikin, K., Janković, T., Pljevljakušić, D., Zdunić, G., Ibrić, S. (2016). Optimization of Polyphenols Extraction from Dried Chokeberry Using Maceration as Traditional Technique. *Food Chemistry*, 194, 135.
- Depkes RI. (2000). Parameter Standar Umum Ekstrak Tumbuhan Obat Edisi I. *Direktorat Jendral POM*, Jakarta.
- Devi, R. (2019). Formulation and Evaluation of Antiacne Herbal Gel Using *Vigna radiata* And *Aloe barbadensis*. *Respository The Tamil Nadu Dr. M.G.R. Medical University*.
- Dewi, I. K., Pramono, S., Rohman, A., Martien, R. (2021). Optimasi Sediaan Gel Fraksi Etil Asetat Tongkol Jagung. *Jurnal Jamu Kusuma*, 1(2), 57–66. <https://doi.org/10.37341/jurnaljamukusuma.v1i2.15>
- Dewi, N. P. (2020). Uji Kualitatif dan Kuantitatif Ekstrak Etanol Daun Awar-Awar (*Ficus septica* Burm.) Dengan Metode Spektrofotometer UV-Vis. *Jurnal Acta Holister Pharm*, 2(1), 16-24.
- Dharma, M. A., Nocianitri, K. A., & Yusasrini, N. L. A. (2020). Pengaruh Metode Pengeringan Simplisia Terhadap Kapasitas Antioksidan Wedang Uwuh. *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 9(1), 88. <https://doi.org/10.24843/itepa.2020.v09.i01.p11>.
- Douglas, I. J. (2018). *Propionibacterium spp.*. In: Bacterial Pathogens and Their Virulence Factors. *Springer*.
- Dwika, W., Putra, P., Agung, A., Oka Dharmayudha, G., & Sudimartini, L. M. (2016). Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L) di Bali. *Indonesia Medicus Veterinus Oktober*, 5(5), 464–473.
- Eduardo, L. G., Ramirez, B. S., Maribel, C. F., Pescador, M. G. N., & Cruz, F. J. M. (2018). Low accuracy of the McFarland method for estimation of bacterial populations. *African Journal of Microbiology Research*, 12(31), 736-740.
- Ermawati, D. E., & Ramadhani, C. I. (2020). Formulation Of Anti-Acne Gel Of *Moringa Oleifera*, L. Ethanolic Extract And Antibacterial Test On *Staphylococcus Epidermidis*. *Majalah Farmaseutik*, 16(2), 154. <https://doi.org/10.22146/Farmaseutik.V16i2.50319>.
- Farnsworth NR. (1966). Biological and Phytochemical Screening of Plants. *Journal of Pharmaceutical Sciences*, 55(3), 225-269.
- Fiume, M. M., Heldreth, B., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D., Marks Jr, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., Andersen, F. A. (2013). Safety Assessment of Triethanolamine and Triethanolamine-Containing Ingridient as Used in Cosmetic. *International Journal of Toxicology*. 32(1), 59S–83S.

- Fox, L., Csongradi, C., Aucamp, M., Du Plessis, J., & Gerber, M. (2016). Treatment Modalities For Acne. *Molecules*, 21(8), 1–20. <https://doi.org/10.3390/Molecules21081063>
- Fransina, E. G., Tanasale, M. F. J. D. P., Latupeirissa, J., Malle, D., & Tahapary, R. (2019). Phytochemical screening of water extract of gayam (*Inocarpus edulis*) Bark and its amylase inhibitor activity assay. *IOP Conference Series: Materials Science and Engineering*, 509(1), 0–7. <https://doi.org/10.1088/1757-899X/509/1/012074>.
- Fujiastuti, N. S. (2015). Physical Properties And Irritation Degree of Ethanolic Extract Gel of *Centella asiatica* L. With Variation Type of Gelling Agent. *Pharmacy Medical*, 12(01), 11–20.
- Fuuta, S. (2016). KTI: Formulasi Lotion Dan Penentuan Nilai *Sun Protection Factor* (SPF) Ekstrak Kulit Buah Naga Super Merah (*Hylocereus Costaricensis*). Kendari: Akademi Farmasi Bina Husada Kendari.
- Garg, A., Aggarwal, D., Garg, S., & Sigla, A. K. (2002). Spreading of Semisolid Formulation: An Update. *Pharmaceutical Technology*, 84–102.
- Gilbert, L., Picard, C., Savary, G., & Grisel, M. (2012). Impact Of Polymers On Texture Properties Of Cosmetic Emulsions: A Methodological Approach. *Journal of Sensory Studies*, 27(5), 392–402. <https://doi.org/10.1111/Joss.12001>.
- González-Trujano, M. E., Martínez-González, C. L., Flores-Carrillo, M., Luna-Nophal, S. I., Contreras-Murillo, G., & Magdaleno-Madrigal, V. M. (2018). Behavioral And Electroencephalographic Evaluation Of The Anticonvulsive Activity Of Moringa Oleifera Leaf Non-Polar Extracts And One Metabolite In PTZ-Induced Seizures. *Phytomedicine*, 39(101), 1–9. <https://doi.org/10.1016/J.Phymed.2017.12.009>
- Goodfellow, M., Kämpfer, P., Busse, H.-J., Trujillo, M.E., Suzuki, K.-i., Ludwig, W. & Whitman, W.B. (2012). Bergey's Manual of Systematic Bacteriology, Second Edition, Volume Five, The Actinobacteria Part A. *Springer-Verlag, New York*, 1–1034.
- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). Moringa Oleifera: A Review On Nutritive Importance And Its Medicinal Application. *Food Science And Human Wellness*, 5(2), 49–56. <https://doi.org/10.1016/J.Fshw.2016.04.001>
- Gupta, S., Jain, R., Kachhwaha, S., & Kothari, S. L. (2018). Nutritional And Medicinal Applications Of Moringa Oleifera Lam.—Review Of Current Status And Future Possibilities. *Journal Of Herbal Medicine*, 11, 1–11. <https://doi.org/10.1016/J.Hermed.2017.07.003>
- Handayani, F. W. & Muhtadi, A. (2013). Review Artikel: Aktivitas Antibakteri Ekstrak Kulit Buah Manggis (*Garcinia Mangostana* L.) Terhadap Bakteri Penyebab Jerawat. *Farmaka*, 4, 322–328.
- Handayani, M., Mita, N., & Ibrahim, A. (2015). *Formulasi Dan Optimasi Basis Emulgel Carbopol 940 Dan Trietanolamin Dengan Berbagai Variasi Konsentrasi*. 53–60. <https://doi.org/10.25026/Mpc.V1i1.8>.
- Hanifa, N. I., Wirasisya, D. G., Muliani, A. E., & Utami, S. B. (2021). Phytochemical Screening of Decoction and Ethanolic Extract of *Amomum*

- dealbatum* Roxb. Leaves. *Jurnal Biologi Tropis*. 21(2), 510–518. <http://dx.doi.org/10.29303/jbt.v21i2.2758>.
- Harborne, J. B. (1984). *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis*. Springer, Netherlands.
- Harborne, J. B. (1987). *Metode Fitokimia Jilid 2*. Penerbit Institut Teknologi Bandung.
- Hayat, K., Iqbal, H., Malik, U., Bilal, U., & Mushtaq, S. (2015). Tea And Its Consumption: Benefits And Risks. In *Critical Reviews In Food Science And Nutrition* (Vol. 55, Issue 7). <https://doi.org/10.1080/10408398.2012.678949>
- Herwin, H., Sari, Z. P., & Nuryanti, S. (2018). Aktivitas Antibakteri Ekstrak Etanol Daun Dan Ampas Teh Hijau (*Camellia Sinensis* L.) Terhadap Bakteri Penyebab Jerawat (*Propionibacterium Acne* Dan *Staphylococcus Epidermidis*) Secara Difusi Agar. *Jurnal Ilmiah As-Syifaa*, 10(2), 247–254. <https://doi.org/10.33096/Jifa.V10i2.448>.
- Hidayah, N., Hisan, A. K., Solikin, A., Mustikaningtyas, D., Matematika, F., Alam, P., & Semarang, U. N. (2016). Aktivitas *Staphylococcus aureus*. 1(1).
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software Sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/Mfarmasetika.V6i1.27842>
- Ikalinus, R., Sri., K. W., Setiasih, N., L., E. (2015). Skrining Fitokimia Ekstrak Etanol Kulit Batang Kelor (*Moringa oleifera*). *Indonesia Medicus Veterinus*, 4 (1), 71–79.
- Ikhsanudin, A., & Mardhiyah, S. (2017). Formulasi dan Uji Antijerawat Gel Ekstrak Etanol 70 % Buah Belimbing Wuluh (*Averrhoa bilimbi* Lin.) terhadap Bakteri *Propionibacterium acnes*. *Pharmaceutical Journal of Indonesia*, 5, 416–426.
- Indarto, Narulita, W., Anggoro, B. S., & Novitasari, A. (2019). Aktivitas Antibakteri Ekstrak Daun Binahong terhadap *Propionibacterium acnes*. *Jurnal Tadris Biologi*, 10 (1), 74.
- Indrati, O., Martien, R., Rohman, A., & Nugroho, A. K. (2020). Application of Simplex Lattice Design on The Optimization of Andrographolide Self Nanoemulsifying Drug Delivery System (SNEDDS). *Indonesian Journal Of Pharmacy*, 31(2), 124–130. <https://doi.org/10.14499/Indonesianjpharm31iss2pp124>.
- Isitua, C. C., Ibeh, I. N., & Olayinka, J. N. (2016). Antibacterial Activity Of *Moringa Oleifera* Lam Leaves On Enteric Human Pathogens. *Indian Journal Of Applied Research*, 6(8), 553–557.
- Jamadar, M. J., & Husen Shaikh, R. (2017). Preparation And Evaluation Of Herbal Gel Formulation. *Research Article Journal Of Pharmaceutical Research & Education Journal Homepage*, 1(2), 201–224. <https://www.gyanvihar.org/Researchjournals/>.
- James, W. D., Elston, D. M., Treat J. R., Rosenbach, M. A., Neuhaus, I. M. (2020). *Andrews' Diseases of the Skin, Clinical Dermatology 13th Edition*. Elsevier, 13, 231–251.
- Jannah, R. R. (2021). Kajian Variasi Konsentrasi CMC-Na (*Sodium-Carboxymethyle Cellulose*) Terhadap pH, Daya Sebar, Daya Lekat dan

- Viskositas Pada Sediaan Gel. Repository Universitas Ngudi Waluyo.
- Jawetz, E., Melnick, J. L., Adelberg, E. A. (2012). Mikrobiologi Kedokteran Edisi 25, diterjemahkan oleh Aryandhito Widhi Nugroho. *EGC Penerbit Buku Kedokteran*, Jakarta.
- Juhl, C. R., Bergholdt, H. K. M., Miller, I. M., Jemec, G. B. E., Kanters, J. K., & Ellervik, C. (2018). Dairy Intake And Acne Vulgaris: A Systematic Review And Meta-Analysis Of 78,529 Children, Adolescents, And Young Adults. *Nutrients*, 10(8), 1–13. <https://doi.org/10.3390/Nu10081049>
- Kemenkes RI. (2017). Farmakope Herbal Indonesia Edisi II. Jakarta: Kementerian Kesehatan RI.
- Kindangen, O. C., Yamlean, P. V. Y., & Wewengkang, D. S. (2018). Formulasi Gel Antijerawat Ekstrak Etanol Daun Kemangi (*Ocimum basilicum* L.) dan Uji Aktivitasnya terhadap Bakteri *Staphylococcus aureus* secara in vitro. *Jurnal Ilmiah Farmasi*, 7, 3, 283–293.
- Khopkar, S. M. (2007). *Konsep Dasar Kimia Analitik*. Terjemahan oleh Saptohardjo, A. Jakarta: UI Press.
- Khumaidi, A., Nugrahani, A. W., & Gunawan, F. (2020). Aktivitas Antibakteri Ekstrak Etanol Daun Kapas (*Gossypium Barbadense* L.) Terhadap *Staphylococcus Epidermidis* Dan *Propionibacterium Acnes*. *Jurnal Farmasi Udayana*, 9(1), 52. <https://doi.org/10.24843/Jfu.2020.V09.I01.P08>.
- Koskinen, P., Deptula, P., Smolander, O. (2015). Complete genome sequence of *Propionibacterium freudenreichii* DSM 20271. *Stand in Genomic Science*, 10, 83.
- Koyama, N., Inokoshi, J., & Tomoda, H. (2013). Anti-Infectious Agents Against MRSA. *Molecules*, 18(1), 204–224. <https://doi.org/10.3390/Molecules18010204>.
- Kumar, N., Pratibha, & Pareek, S. (2021). Bioactive Compounds Of Moringa (*Moringa Species*). *Reference Series In Phytochemistry, February*, 503–524. https://doi.org/10.1007/978-3-030-57415-4_28.
- Kumesan, Y. A. N., Yamlean, P. V. Y., Supriati, H. S., Studi, P., & Unsrat, F. (2013). Formulasi Dan Uji Aktivitas Gel Antijerawat Ekstrak Umbi Bakung (*Crinum Asiaticum* L.) Terhadap Bakteri *Staphylococcus Aureus* Secara In Vitro. *Pharmacon*, 2(02), 18–27.
- Kurniawati, E. (2015). Daya Antibakteri Ekstrak Etanol Tunas Bambu Apus Terhadap Bakteri *Escherichia coli* dan *Staphylococcus aureus* Secara In Vitro. *Jurnal Wiyata*, 2(2), 193–199.
- Kuswana, W. W., Gadri, A., & Suparman, A. (2017). Optimasi formula sediaan lipstik dengan kombinasi basis Beeswax dan Carnauba Wax menggunakan metode SLD (*Simplex Lattice Design*). 3(2), 142–149.
- Lachman. (1994). Teori dan Praktek Farmasi Industri II. Jakarta, *Universitas Indonesia Press*.
- Latifa, N.N., Mulqie, L., Hazar, S.. (2022). Penetapan Kadar Sari Larut Air dan Kadar Sari Larut Etanol Simplisia Buah Tin (*Ficus carica* L.). *Bandung Conference Series: Pharmacy*, 2(2). <https://doi.org/10.29313/bcsp.v2i2.4575>.
- Lee, L. S., Kim, S. H., Kim, Y. B., & Kim, Y. C. (2014). Quantitative Analysis Of Major Constituents In Green Tea With Different Plucking Periods And Their

- Antioxidant Activity. *Molecules*, 19(7), 9173–9186. <https://doi.org/10.3390/Molecules19079173>.
- Lee, T., Pang, S., Abraham, S., & Coombs, G. W. (2019). Antimicrobial-Resistant CC17 Enterococcus Faecium: The Past, The Present And The Future. *Journal Of Global Antimicrobial Resistance*, 16, 36–47. <https://doi.org/10.1016/J.Jgar.2018.08.016>
- Lenaini, I. (2021). Teknik Pengambilan Sampel Purposive Dan. *Jurnal Kajian, Penelitian & Pengembangan Pendidikan Sejarah*, 6(1), 33–39.
- Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., & Bertoli, S. (2015). Cultivation, Genetic, Ethnopharmacology, Phytochemistry And Pharmacology Of Moringa Oleifera Leaves: An Overview. *International Journal Of Molecular Sciences*, 16(6), 12791–12835. <https://doi.org/10.3390/Ijms160612791>
- Li, F., Wang, Y., Li, D., Chen, Y., Qiao, X., Fardous, R., Lewandowski, A., Liu, J., Chan, T., Dou, Q. P., Tumor, A., & Kong, H. (2019). *HHS Public Access*. 13(7), 643–660. <https://doi.org/10.1080/17460441.2018.1465923>. Perspectives.
- Lisdiana, L., & Rifda. (2017). *Efektivitas Kombinasi Ekstrak Etanol Daun Kersen dan Kunyit sebagai Antibakteri Propionibacterium acnes*. *Lentera*, 11, 586–593.
- Liu, Y., & Breukink, E. (2016). The Membrane Steps Of Bacterial Cell Wall Synthesis As Antibiotic Targets. *Antibiotics*, 5(3). <https://doi.org/10.3390/Antibiotics5030028>.
- Lodén, M., Von Scheele, J., & Michelson, S. (2013). The Influence Of A Humectant-Rich Mixture On Normalz Skin Barrier Function And On Once-And Twice-Daily Treatment Of Foot Xerosis. A Prospective, Randomized, Evaluator-Blind, Bilateral And Untreated-Control Study. *Skin Research And Technology*, 19(4), 438–445. <https://doi.org/10.1111/Srt.12066>.
- Lohidas, L. J., Manjusha, S., Jothi, G. G. G. (2015). Antimicrobial Acivities of Carica Papaya. *Plant Archives*, 15(2), 1179–1186.
- Loranza, B. (2012). Uji Penghambatan Aktivitas Enzim Alfa-Glukosidase dan Identifikasi Golongan Senyawa Kimia dari Fraksi Teraktif Daun Buni (*Antidesma bunius* L.)
- Lubtikulthum, P., Kamanamool, N., & Udompataikul, M. (2019). A Comparative Study On The Effectiveness Of Herbal Extracts Vs 2.5% Benzoyl Peroxide In The Treatment of Mild To Moderate Acne Vulgaris. *Journal Of Cosmetic Dermatology*, 18(6), 1767–1775. <https://doi.org/10.1111/Jocd.12962>.
- Maakh, F.Y., Kapitan, L.A.V., & Penasti, Y. (2021). Standar Ekstrak Etanol Mesocarp Buah Lontar (*Borrassus sp.*). *Jurnal FarmasiKoe*, 4(2), 19–25.
- Magaretta, S., Handayani, S. dewi, Indraswati, N., & Hindarso, H. (2011). Ekstraksi Senyawa Phenolic Pandanus Amaryllifolius. *Widya Teknik*, 10(1), 21–30.
- Mahmood, T., Akhtar, N., & Khan, B. A. (2010). The Morphology, Characteristics, And Medicinal Properties Of Camellia Sinensis Tea. *Journal Of Medicinal Plants Research*, 4(19), 2028–2033. <https://doi.org/10.5897/Jmpr10.010>.
- Maria, B., Sikawin, B., Yamlean, P. V. Y., & Sudewi, S. (2018). Formulasi Sediaan Gel Antibakteri Ekstrak Etanol Tanaman Sereh (*Cymbopogon citrus* (DC.)

- Stapf) dan Uji Aktivitas Antibakteri (*Staphylococcus aureus*) secara Invitro. *Jurnal Ilmiah Farmasi*, 7(3), 302–310.
- Marpaung, M. P., & Septiyani, A. (2020). Penentuan Parameter Spesifik Dan Nonspesifik Ekstrak Kental Etanol Batang Akar Kuning (*Fibraurea chloroleuca* Miers). *Journal of Pharmacopolium*, 3(2), 58–67.
- Maryam, F., Taebe, B., & Toding, D. P. (2020). Pengukuran Parameter Spesifik Dan Non Spesifik Ekstrak Etanol Daun. *Jurnal Mandala Pharmacon Indonesia*, 6(1), 1–12.
- Mayasari, U., & Laoli, M. T. (2018). Karakterisasi Simplisia Dan Skrining Fitokimia Daun Jeruk Lemon (*Citrus Limon* (L.) Burm.F.). *Klorofil: Jurnal Ilmu Biologi Dan Terapan*, 2(1), 7. <https://doi.org/10.30821/kfl:jibt.v2i1.1802>.
- Mishra, S. C., & Jain, S. (2021). Review On Antimicrobial And Anti Acne Potential Of *Kaempferia* Spp. *Plant Archives*, 21 (1), 1033–1043. <https://doi.org/10.51470/Plantarchives.2021.V21.No1.112>.
- Moncrieff, G., Van Onselen, J., & Young, T. (2015). The Role Of Emollients In Maintaining Skin Integrity. *Wounds UK*, 11(1), 68–74.
- Manoi, F. (2006). Pengaruh Cara Pengeringan Terhadap Mutu Simplisia Sambiloto. *Bul Littro*, 17(1), 1–5.
- Montgomery, D. C. (2017). *Design And Analysis Of Experiments Ninth Edition*. <https://Lccn.Loc.Gov/2017002355>.
- Morze, J., Przybylowicz, K. E., Danielewicz, A., Golebiowska, M. O. (2017). Diet in Acne Vulgaris: Open or Solved Problem?. *Journal Public Health*, 46(3), 428–430.
- Mozer, H. (2015). Uji Aktivitas Antifungi Ekstrak Etanol 96% Kulit Batang Kayu Jawa (*Lannea Coromandelica*) Terhadap *Aspergillus Niger*, *Candida Albicans*, Dan *Trichophyton Rubrum*. *Skripsi, Fakultas Kedokteran Dan Ilmu Kesehatan UIN Syarif Hidayatullah*, 69(2), 283–291.
- Mursyidi, A. (2002). Alkohol dalam obat dan kosmetika. *Tarjih*, 26–36.
- Muthukumarasamy, R., Ilyana, A., Fithriyaani, N. Afi, Najihah, N. A., Asyiqin, N., & Sekar, M. (2016). Formulation And Evaluation of Natural Antioxidant Cream Comprising Methanolic Peel Extract of *Dimocarpus longan*. *International Journal of Pharmaceutical and Clinical Research*, 8(9), 1305–1309.
- Nabillah, S., Noval, N., & Hidayah, N. (2022). Formulasi Dan Evaluasi Nano Hidrogel Ekstrak Daun Serunai (*Chromolaena Odorata* L.) Dengan Variasi Konsentrasi Polimer Carbopol 980. *Jurnal Ilmiah Ibnu Sina (JIIS): Ilmu Farmasi Dan Kesehatan*, 7(2), 340–349. <https://doi.org/10.36387/jiis.v7i2.995>
- Napitupulu, H. G., Rumengan, I. F. M., Wullur, S., Ginting, E. L., Rimper, J. R. T. S. L., & Toloh, B. H. (2019). *Bacillus* Sp. As A Decomposition Agent In The Maintenance Of *Brachionus Rotundiformis* Which Uses Raw Fish As A Source Of Nutrition. *Jurnal Ilmiah Platax*, 7(1), 158. <https://doi.org/10.35800/Jip.7.1.2019.22627>.
- Natasya, D., Wahdaningsih, S., Nurbaeti, S. N. (2013). Skripsi: Optimasi Kombinasi Karbopol 940 Dan Hidroksipropil Metilselulosa (Hpmc) Terhadap Efektivitas Gel Antiseptik Fraksi Etil Asetat Daun Kesum (*Polygonum Minus*

- Huds.) Dengan Metode Simplex Lattice Design. *Universitas Tanjungpura Pontianak*.
- Nassar, M. S. M., Hazzah, W. A., & Bakr, W. M. K. (2019). Evaluation of antibiotic susceptibility test results: How guilty a laboratory could be? *Journal of the Egyptian Public Health Association*, 94(1), 1–5. <https://doi.org/10.1186/s42506-018-0006-1>.
- NCBI. (2022). PubChem Taxonomy Summary for Taxonomy 4442, *Camellia sinensis*. *PubChem*. Diakses pada tanggal 21 October 2022 dari [https://pubchem.ncbi.nlm.nih.gov/taxonomy/Camellia sinensis](https://pubchem.ncbi.nlm.nih.gov/taxonomy/Camellia%20sinensis).
- Nguyen, T. L. A., & Bhattacharya, D. (2022). Antimicrobial Activity Of Quercetin: An Approach To Its Mechanistic Principle. *Molecules*, 27(8). <https://doi.org/10.3390/Molecules27082494>.
- Ninsih, A. U., Lambogo, T. B., A., Imaniar, M., Hasrawati, A., & Program Studi Sarjana Farmasi, Ah. (2022). Formulasi Gel Ekstrak Etanol Daun Sirih Cina Serta Aktivasnya Terhadap Pertumbuhan Bakteri Penyebab Jerawat *Propionibacterium acne* Dan *Staphylococcus aureus*. 14(1), 2085–4714.
- Nugraheni, Z. V., Rachman, T. M., & Fadlan, A. (2022). Ekstraksi Senyawa Fenolat dalam Daun Teh Hijau (*Camellia Sinensis* L.). 7(1), 69–76.
- Nurhayati, L. S., Yahdiyani, N., Hidayatulloh, A. (2020). Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt Dengan Metode Difusi Sumuran Dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41-46.
- Nwabanne, J. T. (2012). Kinetics and Thermodynamics Study of Oil Extraction from Fluted Pumpkin Seed. *International Journal of Multidisciplinary Sciences and Engineering*, 3(6), 11–15. www.ijmse.org.
- Oladeji, O. S., Odelade, K. A., & Oloke, J. K. (2020). Phytochemical Screening And Antimicrobial Investigation Of Moringa Oleifera Leaf Extracts. *African Journal Of Science, Technology, Innovation And Development*, 12(1), 79–84. <https://doi.org/10.1080/20421338.2019.1589082>.
- Olivares, G. C. (2020). Final Degree Project of Biotechnology Studies on the Inhibitory Potential of Orchid Extracts Against Acne Associated Bacteria. *Semantic Scholar*.
- Paikra, B. K., Dhongade, H. K. J., & Gidwani, B. (2017). Phytochemistry And Pharmacology Of Moringa Oleifera Lam. *Journal Of Pharmacopuncture*, 20(3), 194–200. <https://doi.org/10.3831/KPI.2017.20.022>.
- Paju, N., Yamlean, P. V. Y., & Kojong, N. (2013). Uji Efektivitas Salep Ekstrak Daun Binahong (*Anredera Cordifolia* (Ten.) Steenis) Pada Kelinci (*Oryctolagus Cuniculus*) Yang Terinfeksi Bakteri *Staphylococcus Aureus*. *Jurnal Ilmiah Farmasi, UNSRAT*, 2(01), 51–61.
- Pandey, A. & Tripathi, S. (2014). Concept Of Standardization, Extraction, and Pre-phytochemical Screening Strategies for Herbal Drug. *Journal Pharmacognosy Phytochemical*, 2, 115.
- Patel, P., Patel, N., Patel, D., Desai, S., Meshram, D. (2014). Phytochemical Analysis And Antifungal Activity Of Moringa Oleifera. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(5), 144–147.
- Popoola, J. O., & Obembe, O. O. (2013). Local Knowledge, Use Pattern And Geographical Distribution Of *Moringa Oleifera* Lam. (Moringaceae) In

- Nigeria. *Journal Of Ethnopharmacology*, 150(2), 682–691. <https://doi.org/10.1016/J.Jep.2013.09.043>.
- Prasanth, M. I., Sivamaruthi, B. S., Chaiyasut, C., & Tencomnao, T. (2019). A Review Of The Role Of Green Tea (*Camellia Sinensis*) In Antiphotaging, Stress Resistance, Neuroprotection, And Autophagy. *Nutrients*, 11(2). <https://doi.org/10.3390/Nu11020474>
- Purba, E. C. (2020). Kelor (*Moringa Oleifera* Lam.): Pemanfaatan Dan Bioaktivitas. *Pro-Life*, 7(1), 1–12.
- Qiu, H., Si, Z., Luo, Y., Feng, P., Wu, X., Hou, W., Zhu, Y., Chan-Park, M. B., Xu, L., & Huang, D. (2020). The Mechanisms And The Applications Of Antibacterial Polymers In Surface Modification On Medical Devices. *Frontiers In Bioengineering And Biotechnology*. <https://doi.org/10.3389/Fbioe.2020.00910>
- Raja, R. R., Sreenivasulu, M., Vaishnavi, S., Navyasri, D. M., Samatha, G., & Geethalakshmi, S. (2016). *Moringa Oleifera*-An Overview. *Research And Analysis Journal Of Applied Research*. <https://doi.org/10.18535/Rajar/V2i9.05>.
- Renzetti, A., Betts, J. W., Fukumoto, K., & Rutherford, R. N. (2020). Antibacterial Green Tea Catechins From A Molecular Perspective: Mechanisms Of Action And Structure-Activity Relationships. *Food And Function*, 11(11), 9370–9396. <https://doi.org/10.1039/D0fo02054k>.
- Reygaert, W. C. (2014). The Antimicrobial Possibilities Of Green Tea. *Frontiers In Microbiology*, 5(AUG), 1–8. <https://doi.org/10.3389/Fmicb.2014.00434>
- Roanisca, O., & Mahardika, R. G. (2020). *Citrus X Microcarpa* Bunge Fruit Extract As Antibacterial Against *Staphylococcus Aureus*. *IOP Conference Series: Earth And Environmental Science*, 599(1). <https://doi.org/10.1088/1755-1315/599/1/012043>.
- Roanisca, O., Rani, R., & Mahardika, R. G. (2021). Phytochemical Screening And Antibacterial Potency Of Jeruk Kunci Fruit Waste (*Citrus X Microcarpa* Bunge) Extract Against *Propionibacterium Acnes*. *Jurnal Pijar Mipa*, 16(3), 387–392. <https://doi.org/10.29303/Jpm.V16i3.2587>.
- Safitri, F. I., Nawangsari, D., & Febrina, D. (2021). *Overview: Application Of Carbopol 940 In Gel*. 34, 80–84. <https://doi.org/10.2991/Ahsr.K.210127.018>
- Safitri, S., Rofiza, Y., & Eti, M. (2015). Studi Etnobotani Tumbuhan Obat Di Kecamatan Rambah Kabupaten Rokan Hulu. *Ejournal*, 2(2), 2–3. <https://doi.org/10.1182/Blood-2014-01-551671>.
- Saifudin, A., Rahayu, V., Teruna, H.Y. (2011). Standarisasi Bahan Obat Alam. Yogyakarta, Graha Ilmu.
- Saini, R. K., Sivanesan, I., & Keum, Y. S. (2016). Phytochemicals Of *Moringa Oleifera*: A Review Of Their Nutritional, Therapeutic And Industrial Significance. *3 Biotech*, 6(2), 1–14. <https://doi.org/10.1007/S13205-016-0526-3>
- Salah, N. M., Saafan, A. E., Salem, E. H., El Rabey, H. A., Alsieni, M. A., Alatawi, F. A., Alalawy, A. I., & Abeer Mohammed, A. B. (2022). Inhibition Of The Vancomycin Resistance In *Staphylococcus Aureus* In Egypt Using Silver Nanoparticles. *Biomed Research International*, 2022.

<https://doi.org/10.1155/2022/7380147>

- Salaheldeen, M., Aroua, M. K., Mariod, A. A., Cheng, S. F., Abdelrahman, M. A., & Atabani, A. E. (2015). Physicochemical Characterization And Thermal Behavior Of Biodiesel And Biodiesel-Diesel Blends Derived From Crude Moringa Peregrina Seed Oil. *Energy Conversion And Management*, 92, 535–542. <https://doi.org/10.1016/J.Enconman.2014.12.087>
- Samala, M. L. & Sridevi, G. (2016). Role Of Polymers As Gelling Agents In The Formulation Of Emulgels. *Imedpub Journals*, 1–8. <https://doi.org/10.4172/2471-9935.100010>.
- Sambode, Y. C., Simbala, H. E. I., & Rumondor, E. M. (2022). Penentuan Skrining Fitokimia, Parameter Spesifik Dan Non Spesifik Ekstrak Umbi Bawang Hutan (*Eleutherine americana* Merr.). *Pharmacoin*, 11, 0–5.
- Saragih, D. F., Opod, H., & Pali, C. (2016). Hubungan Tingkat Kepercayaan Diri Dan Jerawat (*Acne Vulgaris*) Pada Siswa-Siswi Kelas XII Di SMA Negeri 1 Manado. *Jurnal E-Biomedik*, 4(1), 0–7. <https://doi.org/10.35790/Ebm.4.1.2016.12137>
- Sari, A. W. (2010). Skripsi: Karakterisasi Ekstrak Etanolik Daun Teh Hijau (*Camellia Sinensis* L.). *Universitas Sanata Dharma*, 1–108.
- Sari, E. M., Maruf, W. F., Sumardianto. (2014). Kajian Senyawa Bioaktif Ekstrak Teripang Hitam (*Holothuria Edulis*) Basah Dan Kering Sebagai Antibakteri Alami. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 3(4), 16–24.
- Sari, R., Nurbaeti, S. N., & Pratiwi, L. (2016). Optimasi Kombinasi Karbopol 940 Dan HPMC Terhadap Sifat Fisik Gel Ekstrak Dan Fraksi Metanol Daun Kesum (*Polygonum Minus* Huds.) Dengan Metode *Simplex Lattice Design*. *Pharmaceutical Sciences And Research*, 3(2), 72–79. <https://doi.org/10.7454/Psr.V3i2.3288>.
- Sari, K. P., Fadraersada, J., Prasetya, F. (2020). Karakteristik Gel Sariawan Ekstrak Daun Sirih Hitam sebagai Antimikroba dengan Variasi Konsentrasi Carbopol. *Mulawarman Pharmaceuticals Conferences*. 26–27.
- Sasanti, T.J., Wibowo, M.S., Fidrianny, I.& Caroline, S. (2012). Formulasi Gel Ekstrak Air Teh Hijau Dan Penentuan Aktivitas Antibakterinya Terhadap *Propionibacterium acnes*. Penelitian Gedung Laboratorium Teknologi VII *School of Pharmacy ITB*.
- Sawyer, S. F. (2009). Analysis Of Variance: The Fundamental Concepts. *Journal Of Manual & Manipulative Therapy*, 17(2), 27E-38E. <https://doi.org/10.1179/Jmt.2009.17.2.27e>.
- Sayuti, N. A. (2015). Artikel Riset Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *Jurnal Kefarmasian Indonesia*, 5(2), 74–82.
- Senduk, T. W., Montolalu, L. A. D. Y., & Dotulong, V. (2020). The Rendement Of Boiled Water Extract Of Mature Leaves Of Mangrove *Sonneratia Alba*. *Jurnal Perikanan Dan Kelautan Tropis*, 11(1), 9. <https://doi.org/10.35800/Jpkt.11.1.2020.28659>
- Senthilkumar, A., Karuvantevida, N., Rastrelli, L., Kurup, S. S., & Cheruth, A. J. (2018). A Review Traditional Uses, Pharmacological Efficacy, And Phytochemistry Of *Moringa Peregrina* (Forssk.) Fiori. *Frontiers In*

- Pharmacology*, 1–17. <https://doi.org/10.3389/Fphar.2018.00465>
- Setyoprato, P. (2014). Extraction Of Phenolic Compounds From Green Tea Using Ethanol. *ARNP Journal Of Engineering And Applied Sciences*, 9(9), 1516–1521.
- Shabri & Rohdiana, D. (2016). Optimasi dan karakterisasi ekstrak polifenol teh hijau dari berbagai pelarut. *Jurnal Penelitian Teh dan Kina*, 19 (1), 57-66.
- Sharma, M.C., Nagori, K., Soni, S., Swarnakar, H., Vaishnav, S.K., Khan, N., & Pandey, T. (2014). Review Article Phytochemical Constituents and Pharmacological Profile of Green Tea: An Overview.
- Sharma, P. P. (2014). Formulation, Manufacturing and Quality Control 5th edition. Delhi: *Vandana publications*, 149–152.
- Sheskey, P. J., Cook, W. G., & Cable, C. G. (2017). Handbook Of Pharmaceutical Excipients Eight Edition, *Pharmaceutical Press*.
- Shu, M. (2013). Formulasi Sediaan Gel Hand Sanitizer Dengan Bahan Aktif Triklosan 0,5% Dan 1%. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 2(1), 1–14.
- Siriwong, S., Teethaisong, Y., Thumanu, K., Dunkhunthod, B., & Eumkeb, G. (2016). The Synergy And Mode Of Action Of Quercetin Plus Amoxicillin Against Amoxicillin-Resistant Staphylococcus Epidermidis. *BMC Pharmacology And Toxicology*, 17(1), 1–14. <https://doi.org/10.1186/S40360-016-0083-8>
- Supomo, & Supriningrum, R. (2016). Karakterisasi Dan Skrining Fitokimia Daun Kerehau (*Callicarpa longifolia* Lamk.). *Jurnal Kimia Mulawarman*, 13(2), 89–96.
- Stokes, J. M., Lopatkin, A. J., Lobritz, M. A., & Collins, J. J. (2019). Bacterial Metabolism And Antibiotic Efficacy. *Cell Metabolism*, 30(2), 251–259. <https://doi.org/10.1016/J.Cmet.2019.06.009>
- Sujono, T. A., Honniasih, M., & Pratimasari, Y. R. (2012). Pengaruh Konsentrasi Gelling Agent Carbomer 934 Dan HPMC Pada Formulasi Gel Lendir Bekicot (*Achatina Fulica*) Terhadap Kecepatan Penyembuhan Luka Bakar Pada Punggung Kelinci, *Pharmacon*, 13(1), 6–11.
- Sukaesih, D. A. (2021). Skripsi, *Characterization of Catechin From Green Tea Leaf (Camellia Sinensis (L.) Kuntze) and Antibacterial Activity Tests. Universitas Islam Indonesia*.
- Sumule, A., Kuncahyo, I., & Leviana, F. (2020). Optimasi Carbopol 940 dan Gliserin dalam Formula Gel Lendir Bekicot (*Achatina fulica* Ferr) sebagai Antibakteri *Staphylococcus aureus* dengan Metode Simplex Lattice Design. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(1), 108. <https://doi.org/10.30595/pharmacy.v17i1.56406>.
- Supriningrum, R., Handayani, F., & Liya. (2017). Karakterisasi Dan Skrining Fitokimia Daun Singkil (*Premna corymbosa* Rottl & Willd). *Jurnal Ilmiah Ibnu Sina*, 2(September), 232–244.
- Supriningrum, R., Fatimah, N., & Purwanti, Y. E. (2019). Karakterisasi Spesifik Dan Non Spesifik Ekstrak Etanol Daun Putat (*Planchonia valida*). *Al Ulum Jurnal Sains Dan Teknologi*, 5(1), 6. <https://doi.org/10.31602/ajst.v5i1.2468>
- Susanti, N. M. P., Budiman, I. N., & Warditiani, N. K. (2015). Skrining Fitokimia

- Ekstrak Etanol 90 % Daun Katuk (*Sauropus androgynus* (L.) Merr.). *Repository Universitas Udayana*, 83–86.
- Syahbudin, A., Widyastuti, A., Masruri, N. W., & Meinata, A. (2019). Morphological Classification Of Tea Clones (*Camellia Sinensis*, Theaceae) At The Mount Lawu Forest, East Java, Indonesia. *IOP Conference Series: Earth And Environmental Science*, 394(1). <https://doi.org/10.1088/1755-1315/394/1/012014>
- Tiwle, D. K. S. And R. (2016). Formulation And Characterization Of Herbal Face Wash/Scruber. *European Journal Of Pharmaceutical And Medical Research*, 3(11), 274–278.
- Tosti, A., Pandova, M. P., Farbbrocini, G., & Beer, K. R. (2019). Acne Scars: Classification and Treatment, 2nd Edition. *CRC Press*.
- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer, Propilen Glikol, Dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia Diversifolia*). *Majalah Farmaseutik*, 16(2), 111. <https://doi.org/10.22146/Farmaseutik.V16i2.45666>.
- Tuchayi, S. M., Makrantonaki, E., Ganceviciene, R., Dessinioti, C., Feldman, S. R., & Zouboulis, C. C. (2015). Acne Vulgaris. *Nature Reviews. Disease Primers*, 1, 15029. <https://doi.org/10.1038/Nrdp.2015.29>.
- Utami, Y. P., Umar, A. H., Syahrini, R., & Kadullah, I. (2017). Standardisasi Simplisia dan Ekstrak Etanol Daun Leilem (*Clerodendrum minahassae* Teijsm. & Binn.). *Journal of Pharmaceutical and Medicinal Sciences*, 2(1), 32–39.
- Vargas, P. R., Costa, C. M., Fonseca, B. S., Naccache, M. F., & De Souza Mendes, P. R. (2019). Rheological Characterization Of Carbopol ® Dispersions In Water And In Water/Glycerol Solutions. *Fluids*, 4(1). <https://doi.org/10.3390/Fluids4010003>.
- Vergara-Jimenez, M., Almatrafi, M. M., & Fernandez, M. L. (2017). Bioactive Components In Moringa Oleifera Leaves Protect Against Chronic Disease. *Antioxidants*, 6(4), 1–13. <https://doi.org/10.3390/Antiox6040091>.
- Vongsak, B., Sithisarn, P., & Gritsanapan, W. (2014). Simultaneous HPLC Quantitative Analysis Of Active Compounds In Leaves Of Moringa Oleifera Lam. *Journal Of Chromatographic Science*, 52(7), 641–645. <https://doi.org/10.1093/Chromsci/Bmt093>.
- Wahyuningsih, E. S., Sumaryono, W., Buana, U., & Karawang, P. (2021). Aktivitas Kombinasi Ekstrak Daun Kelor (*Moringa oleifera* L.) Dan Ekstrak Daun Sirih Merah (*Piper crocatum*) Sebagai Antijerawat. *Journal Of Pharmacopolium*, 4(3), 123–129.
- Wahyuningsih, E. S., Sumaryono, W., & Chaidir, C. (2021). Combination Gel Formulation Extracts Of Moringa Leaf And Red Betel Leaf As An Inhibitor Of Acne-Causing Bacteria (*Propionibacterium Acne* And *Staphylococcus Aureus*). *Jurnal Fitofarmaka Indonesia*, 8(3), 18–23. <https://doi.org/10.33096/Jffi.V8i3.727>.
- Warnis, M., Salsabila, J., & Rulianti, M. R. (2021). Pemeriksaan Rendemen, Kadar Sari Larut Air, Dan Kadar Sari Larut Etanol Dari Ekstrak Batang Brotowali.

- Jurnal Kesehatan Pharmasi*, 3(2), 118–123.
- Widayanti, S. M., A. W. Permana, H. D. Kusumaningrum. (2009). Kapasitas Kadar Antosianin Ekstrak Tepung Kulit Buah Manggis (*Garcinia mangostana* L.) pada Berbagai Pelarut Dengan Metode Maserasi. *Universitas Udayana*, 6 (2): 61-68.
- Widiani, P. I., Pinatih, K. J. P. (2020). Uji Daya Hambat Ekstrak Etanol Daun Kelor (*Moringa Oleifera*) Terhadap Pertumbuhan Bakteri Methicillin Resistant *Staphylococcus Aureus* (MRSA). *Jurnal Medika Udayana*, 9(3).
- Wierzejska R. (2014). Tea and health--a review of the current state of knowledge. *Przegląd epidemiologiczny*, 68(3), 501–599
- Widyaningrum N. (2013). Epigallocatechin-3-Gallate (EGCG) Pada Daun Teh Hijau Sebagai Antijerawat. *Majalah Farmasi dan Farmakologi*, 17(3).
- Wijayanti, N. Wirasti, W., Waznah, U., Nur, A. V. (2021). Penetapan Kadar Tanin pada Teh Hitam Kering Pekalongan dengan Metode Spektrofotometri UV-Vis. *Prosiding Seminar Nasional Kesehatan*. 905–914.
- Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne Vulgaris. *The Lancet*, 379(9813), 361–372. [https://doi.org/10.1016/S0140-6736\(11\)60321-8](https://doi.org/10.1016/S0140-6736(11)60321-8).
- Wolkenstein, P., Misery, L., Amici, J. M., Maghia, R., Branchoux, S., Cazeau, C., Voisard, J. J., & Taïeb, C. (2015). Smoking And Dietary Factors Associated With Moderate-To-Severe Acne In French Adolescents And Young Adults: Results Of A Survey Using A Representative Sample. *Dermatology*, 230(1), 34–39. <https://doi.org/10.1159/000366195>
- Wulandari, A., Farida, Y., & Taurhesia, S. (2020). Perbandingan Aktivitas Ekstrak Daun Kelor Dan Teh Hijau Serta Kombinasi Sebagai Antibakteri Penyebab Jerawat. *Jurnal Fitofarmaka Indonesia*, 7(2), 23–29. <https://doi.org/10.33096/Jffi.V7i2.535>.
- Xia, Y. (2020). Correlation and association analyses in microbiome study integrating multiomics in health and disease. In J. Sun (1st Ed.), *Progress in Molecular Biology and Translational Science: The Microbiome in Health and Disease* (pp. 309–491). *Academic Press*. <https://doi.org/https://doi.org/10.1016/bs.pmbts.2020.04.003>.
- Yamin, M., Ayu, D. F., Hamzah, F. (2017). Lama Pengerinan terhadap Aktivitas Antioksidan dan Mutu Teh Herbal Daun Ketepeng Cina (*Cassia alata* L.). *Jom Faperta*. 4(2), 1–15.
- Yandri, O. & Setyani, W. (2021). Optimization of Carbopol 940 and Propylene Glycol Concentration on The Characteristic and Inhibitory Effect of Ethanol Extract Gel of Papaya (*Carica Papaya* L.) Seeds Against *Staphylococcus aureus*. *Jurnal Farmasi Sains Dan Komunitas*, 18(1), 15–25.
- Yang, J. H., Yoon, J. Y., Kwon, H. H., Min, S., Moon, J., & Suh, D. H. (2017). Seeking New Acne Treatment From Natural Products, Devices And Synthetic Drug Discovery. *Dermato-Endocrinology*, 9(1), E1356520. <https://doi.org/10.1080/19381980.2017.1356520>.
- Yuliantari, N. W. A., Widarta, I. W. R., & Permana, I. D. G. M. (2017). Pengaruh Suhu dan Waktu Ekstraksi Terhadap Kandungan Flavonoid dan Aktivitas Antioksidan Daun Sirsak (*Annona muricata* L.) Menggunakan Ultrasonik. *Media Ilmiah Teknologi Pangan*, 4(1), 35–42.

- Yusuf, A. L., Nurawaliah, E., & Harun, N. (2017). Uji efektivitas gel ekstrak etanol daun kelor (*Moringa oleifera* L.) sebagai antijamur *Malassezia furfur*. *Kartika: Jurnal Ilmiah Farmasi*. 5(2), 62–67. <https://doi.org/10.26874/kjif.v5i2.119>.
- Zatalini, D. F. (2017). Skripsi: Formulasi dan Aktivitas Gel HPMC-Kitosan Terhadap Proses Penyembuhan Luka Bakar Derajat IIA pada Tikus Putih (*Ratus norvegicus*) Galur Wistar. *Central Library of Maulana Malik Ibrahim State Islamic University of Malang*.

