

DAFTAR PUSTAKA

- Ajay, A., Kumar M, R., Badhusha PA, S., Baby, B., K, A., Gowda, S. K., & Ramesh, B. (2021). Pharmacological Importance of Chromolaena odorata: a review. *International Journal of Pharmaceutics and Drug Analysis*, 9(1), 8–11.
- Annisa, R., Firdausy, A. F., Alawiyah, I. M., & Reformasiska, F. (2021). Formulation and Characterization of SNEDDS of Dayak Onion Extract with Comparative Variations of Surfactants, Co-Surfactants, and Palm Oil. *Proceedings of International Pharmacy Ulul Albab Conference and Seminar (PLANAR)*, 1, 15. <https://doi.org/10.18860/planar.v1i0.1455>
- Argudín, M. Á., Mendoza, M. C., & Rodicio, M. R. (2010). Food Poisoning and *Staphylococcus aureus* Enterotoxins. *Toxins*, 2(7), 1751–1773. <https://doi.org/10.3390/toxins2071751>
- Artanti, A. N., Febriyanty, A., Prihapsara, F., & Ermawati, D. E. (2021). Formulation Optimization and Antioxidant Test For Self-Nanoemulsifying Drug Delivery System of Soursop Leaves (*Annona muricata L.*) Chloroform Extract Using Candlenut Oil as Oil Phase. *Pharmaciana*, 11(1), 143. <https://doi.org/10.12928/pharmaciana.v11i1.17805>
- Atindehou, M., Lagnika, L., Guérol, B., Strub, J. M., Zhao, M., Dorsselaer, A. Van, Marchioni, E., Prévost, G., Haikel, Y., Taddéi, C., Sanni, A., & Metz-Boutigue, M.-H. (2013). Isolation and Identification of Two Antibacterial Agents from Chromolaena odorata L. Active against Four Diarrheal Strains. *Advances in Microbiology*, 03(01), 115–121. <https://doi.org/10.4236/aim.2013.31018>
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- BPOM. (2019). Peraturan Badan Pengawas Obat dan Makanan Nomor 32 Tahun 2019 Tentang Persyaratan Keamanan dan Mutu Obat Tradisional. *Bpom Ri*, 11, 1–16.
- Charles, J. I., & Minakiri, I. S. (2018). Evaluation of the Antibacterial Activity of Chromolaena Odorata in Wistar Rats and its Chemical Characterization. *Technology, and Sciences (ASRJETS) American Scientific Research Journal for Engineering*, 42(1), 111–129. <http://asrjestsjournal.org/>
- Date, A. A., Desai, N., Dixit, R., & Nagarsenker, M. (2010). Self-nanoemulsifying drug delivery systems: Formulation insights, applications and advances. *Nanomedicine*, 5(10), 1595–1616. <https://doi.org/10.2217/nnm.10.126>

- Depkes RI. (1985). Cara Pembuatan Simplisia. *Departemen Kesehatan Republik Indonesia*, vii.
- Depkes RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat* (Cetakan Pe). Departemen Kesehatan RI.
- Effendi, F., Roswiem, A. P., & Stefani, E. (2014). Uji Aktivitas Antibakteri Teh Kombucha Probiotik Terhadap Bakteri Escherichia coli dan Staphylococcus aureus. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 4(2).
- Fadia, F., Nurlailah, N., Helmiah, T. E., & Lutpiyatina, L. (2020). Efektivitas Ekstrak Etanol Daun Kirinyuh (Chromolaena Odorata L) Sebagai Antibakteri Salmonella Typhi Dan Staphylococcus Aureus. *Jurnal Riset Kefarmasian Indonesia*, 2(3), 158–168. <https://doi.org/10.33759/jrki.v2i3.104>
- Félicien, A., Alain, A., Sébastien, D., Fidèle, T., Boniface, Y., Chantal, M., & Dominique, S. (2012). Chemical composition and Biological activities of the Essential oil extracted from the Fresh leaves of Chromolaena odorata (L. Robinson) growing in Benin. *ISCA Journal of Biological Sciences*, 1(3), 7–13.
- Fisher, E. L., Otto, M., & Cheung, G. Y. C. (2018). Basis of Virulence in Enterotoxin-Mediated Staphylococcal Food Poisoning. *Frontiers in Microbiology*, 9(MAR), 1–18. <https://doi.org/10.3389/fmicb.2018.00436>
- Handa, S. S., Fermeglia, M., Singh, J., Singh, A. K., Tandon, S., Rane, S., Katiyar, C. K., Pangarkar, V. G., Harlalka, R. K., Bertucco, A., Franceschin, G., Gupta, M. M., Shanker, K., Chattopadhyay, S. K., Srivastava, S. K., & Vasishtha, K. (2008). *Extraction Technologies for Medicinal and Aromatic Plants* (S. S. Handa, S. P. S. Khanuja, G. Longo, & D. D. Rakesh (eds.)). International Centre For Science and High Technology.
- Hanphanphoom, S., Thophon, S., Waranusantigul, P., Kangwanrangsar, N., & Krajangsang, S. (2016). Antimicrobial Activity of Chromolaena odorata Extracts against Bacterial Human Skin Infections. *Modern Applied Science*, 10(2), 159. <https://doi.org/10.5539/mas.v10n2p159>
- Hart, C. A., Batt, R. M., & Saunders, J. R. (1993). Diarrhoea Caused by Escherichia coli. *Annals of Tropical Paediatrics*, 13(2), 121–131. <https://doi.org/10.1080/02724936.1993.11747636>
- Hastuti, E. D., & Sukarno. (2020). Formulasi Sediaan Self Nanoemulsifying Drug Delivery System (SNEDDS) Ekstrak Etil Asetat Buah Parijoto (Medinilla speciosa Blume) Serta Uji Stabilitas Fisik. *Jurnal Farmasi Cendekia*, 4(2), 131–137.
- Hayati, L. N., Tyasningsih, W., Praja, R. N., Chusniati, S., Yunita, M. N., & Wibawati, P. A. (2019). Isolasi dan Identifikasi Staphylococcus aureus pada Susu Kambing Peranakan Etawah Penderita Mastitis Subklinis di Kelurahan Kalipuro, Banyuwangi. *Jurnal Medik Veteriner*, 2(2), 76.

- <https://doi.org/10.20473/jmv.vol2.iss2.2019.76-82>
- Huda, N., & Wahyuningsih, I. (2018). Karakterisasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Buah Merah (Pandanus conoideus Lam.). *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 3(2), 49. <https://doi.org/10.20473/jfiki.v3i22016.49-57>
- Hudzicki, J. (2012). Kirby-Bauer Disk Diffusion Susceptibility Test Protocol Author Information. *American Society For Microbiology, December 2009*, 1–13. <https://www.asm.org/Protocols/Kirby-Bauer-Disk-Diffusion-Susceptibility-Test-Pro>
- Indratmoko, S., Suratmi, & Issusilaningtyas, E. (2021). Formulasi, Karakterisasi Dan Evaluasi Self-Nano Emulsifying Drug Delivery System (Snedds) Ekstrak Etanol Kulit Buah Nanas Sebagai Antibakteri Streptococcus Mutans. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 11(1), 12–22. <https://doi.org/10.33751/jf.v11i1.2560>
- Issusilaningtyas, E., & Indratmoko, S. (2021). Formulasi Self Nano Emulsifying Drug Delivery System (Snedds) Ekstrak Etanol Daun Sukun (Artocarpus Altilis). *Pharmaqueous : Jurnal Ilmiah Kefarmasian*, 3(1), 18–25. <https://doi.org/10.36760/jp.v3i1.264>
- Kaur, H., & Kaur, G. (2014). A Critical Appraisal of Solubility Enhancement Techniques of Polyphenols. *Journal of Pharmaceutics*, 2014, 1–14. <https://doi.org/10.1155/2014/180845>
- Kazi, M., Alhajri, A., Alshehri, S. M., Elzayat, E. M., Al Meanazel, O. T., Shakeel, F., Noman, O., Altamimi, M. A., & Alanazi, F. K. (2020). Enhancing oral bioavailability of apigenin using a bioactive self-nanoemulsifying drug delivery system (Bio-SNEDDS): In vitro, in vivo and stability evaluations. *Pharmaceutics*, 12(8), 1–22. <https://doi.org/10.3390/pharmaceutics12080749>
- Kementerian Kesehatan RI. (2011). Situasi diare di Indonesia. *Jurnal Buletin Jendela Data & Informasi Kesehatan*, 2, 1–44.
- Kementerian Kesehatan RI. (2017). Farmakope Herbal Indonesia. In *Kementerian Kesehatan RI* (Edisi II). <https://doi.org/10.1201/b12934-13>
- Klau, M. H. C., & Hesturini, R. J. (2021). Pengaruh Pemberian Ekstrak Etanol Daun Dandang Gendis (*Clinacanthus nutans* (Burm F) Lindau) Terhadap Daya Analgesik Dan Gambaran Makroskopis Lambung Mencit. *Jurnal Farmasi & Sains Indonesia*, 4(1), 6–12. <https://doi.org/10.52216/jfsi.v4i1.59>
- Komala, O., Yulianita, & Rahmawati, R. (2021). Aktivitas Ekstrak Etanol 96% dan Fraksi Daun Kirinyuh (*Chromolaena odorata* L.) Terhadap *Propionibacterium acnes*. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 11(2), 97–105.
- Krstić, M., Medarević, Đ., Đuriš, J., & Ibrić, S. (2018). Self-nanoemulsifying

- drug delivery systems (SNEDDS) and self-microemulsifying drug delivery systems (SMEDDS) as lipid nanocarriers for improving dissolution rate and bioavailability of poorly soluble drugs. In *Lipid Nanocarriers for Drug Targeting*. <https://doi.org/10.1016/B978-0-12-813687-4.00012-8>
- Kurang, R. Y., & Penlaana, R. (2022). Daya Hambat Ekstrak Metanol dan Etil Asetat Daun Kirinyuh (*Chromolaena Odorata* L.) Terhadap Bakteri *Escherichia Coli*. *Jamb.J.Chem*, 4(2), 22–29.
- Liu, D. (2019). *Escherichia coli*. In *Encyclopedia of Microbiology* (Issue August). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-801238-3.02291-1>
- Lu'ma, A. D., & Anggarani, M. A. (2022). Determination of Flavonoid Concentration, Phenolic Concentration, and Antioxidant Activity of Allium cepa L Extract. *Prisma Sains : Jurnal Pengkajian Ilmu Dan Pembelajaran Matematika Dan IPA IKIP Mataram*, 10(3), 658. <https://doi.org/10.33394/j-ps.v10i3.5394>
- Mahiya, Ratnasari, D., & Utami, M. R. (2022). Optimasi Formula SNEDDS (Self-Nanoemulsifying Drug Delivery System) Ekstrak Daun Kejibeling Menggunakan Metode SLD (Simplex Lattice Design). *Jurnal Ilmiah Wahana Pendidikan*, 8(July), 124–129. <https://doi.org/10.5281/zenodo.6830330>
- Maulana, I., Harris, A., Fakhrurrazi, F., Dewi, M., Safika, S., Erina, E., & Jalaluddin, M. (2018). Antibacterial Test of Red Dragon Fruit Extract Peel (*Hylocereus polyrhizus*) Against Bacteria *Salmonella pullorum*. *Jurnal Medika Veterinaria*, 12(1), 9–14. <https://doi.org/10.21157/j.med.vet..v12i1.4241>
- Menteri Kesehatan RI. (2011). Peraturan Menteri Kesehatan Republik Indonesia Nomor 2406/MENKES/PER/XII/2011 Tentang Pedoman Umum Penggunaan Antibiotik. *Permenkes RI*, 34–44.
- Mondal, K. C., Bhargava, D., Shivaputri, J. N., & Kar, S. (2015). In vitro Antigonorrhoeal Activity and Extraction of Chemical Constituents from the Leaves of *Chromolaena odorata* (Lin.) Locally Known as “BANMARA.” *International Journal of Chemical and Analytical Science*, 2012(7), 1487–1495. www.ijcas.info
- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, Dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, VII(2), 361–367.
- Nurhayati, L. S., Yahdiyani, N., & Hidayatulloh, A. (2020). Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41. <https://doi.org/10.24198/jthp.v1i2.27537>
- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). *Dasar-Dasar Statistik Penelitian* (Cetakan ke). Sibuku Media.

- Odutayo, F., Ezeamagu, C., Kabiawu, T., Aina, D., & Mensah-Agyei, G. (2017). Phytochemical Screening and Antimicrobial Activity of Chromolaena odorata Leaf Extract against Selected Microorganisms. *Journal of Advances in Medical and Pharmaceutical Sciences*, 13(4), 1–9. <https://doi.org/10.9734/jamps/2017/33523>
- Oklo, A. D., Alimi, J. P., & Nwokedi, E. I. (2019). Phytochemical Screening, Anti-Microbial Activity And Some Physico-Chemical Analysis Of Awolowo Weed (Chromoleana Odorata Leaf) Extract. *International Journal of Advances in Scientific Research and Engineering*, 5(9), 43–52. <https://doi.org/10.31695/ijasre.2019.33487>
- Patil, U. S. (2012). Laboratory Methodologies for Bacterial Antimicrobial Susceptibility Testing. *OIE Terrestrial Manual*, 1–11.
- Pratiwi, L. (2021). Antibacterial Activity of Self-Nanoemulsifying Drug Delivery System (SNEDDS) Loaded with Mangosteen (*Garcinia mangostana* L.) Peels against *Bacillus subtilis*, *Bacillus cereus*, and *Staphylococcus aureus* isolated from Diabetic Foot Ulcer Patients. *Majalah Obat Tradisional*, 26(2), 93. <https://doi.org/10.22146/mot.58116>
- Prawiradiputra, B. R. (2007). Ki Rinyuh (Chromolaena Odorata (L) R.M. King Dan H. Robinson): Gulma Padang Rumput Yang Merugikan. *Balai Penelitian Ternak, PO Box 211, Bogor 16002*, 17(1), 46–52.
- Priani, S. E., Nurayyan, & Darusman, F. (2017). Formulation self nano emulsifying drug delivery system glimepiride using oleic acid as oil phase. *Pharmaciana*, 7(2), 267. <https://doi.org/10.12928/pharmaciana.v7i2.7387>
- Priani, S. E., Somantri, S. Y., & Aryani, R. (2020). Formulasi dan Karakterisasi SNEDDS (Self Nanoemulsifying Drug Delivery System) Mengandung Minyak Jintan Hitam dan Minyak Zaitun. *Jurnal Sains Farmasi & Klinis*, 7(1), 31. <https://doi.org/10.25077/jsfk.7.1.31-38.2020>
- Pujiaستuti, E., & El'Zeba, D. (2021). Perbandingan Kadar Flavonoid Total Ekstrak Etanol 70 % Dan 96 % Kulit Buah Naga Merah (*Hylocereus polyrhizus*) Dengan Spektrofotometri. *Cendekia Journal of Pharmacy*, 5(1), 28–43. <http://cjp.jurnal.stikescendekiautamakudus.ac.id/index.php/cjp/article/view/131>
- Putri, N. E., Nurahmanto, D., & Rosyidi, V. A. (2021). Optimasi Tween 80 dan Propilen Glikol dalam Self -Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Atsiri Daun Kemangi (*Ocimum basilicum*). *Journal Pustaka Ilmu Kesehatan*, 9(2), 78–83.
- Qureshi, K. A., Mohammed, S. A. A., Khan, O., Ali, H. M., El-Readi, M. Z., & Mohammed, H. A. (2022). Cinnamaldehyde-Based Self-Nanoemulsion (CA-SNEDDS) Accelerates Wound Healing and Exerts Antimicrobial, Antioxidant, and Anti-Inflammatory Effects in Rats' Skin Burn Model.

- Molecules*, 27(16). <https://doi.org/10.3390/molecules27165225>
- Rahmi, S., Rosidah, Widyawati, T., & Sumaiyah. (2022). Liposome Preparation of Tekelan Leaf (*Chromolaenaodorata L.*) Extract: Manufacturing and Evaluation. *Pharmacognosy Journal*, 14(1), 56–62. <https://doi.org/10.5530/pj.2022.14.8>
- Rasheed, N. A., & Hussein, N. R. (2021). *Staphylococcus aureus*: An Overview of Discovery, Characteristics, Epidemiology, Virulence Factors and Antimicrobial Sensitivity. *European Journal of Molecular & Clinical Medicine*, 08(03), 2021.
- Salasia, S. I. O., Khusnan, & Sugiyono. (2009). Distribusi Gen Enterotoksin *Staphylococcus aureus* dari Susu Segar dan Pangan Asal Hewan. *Vetiner*, 10 No. 3(3), 111–117.
- Sari, R., Pratiwi, L., & Apridamayanti, P. (2016). Efektivitas SNEDDS Ekstrak Kulit Manggis Terhadap Bakteri *P. mirabilis* dan *S. epidermidis* yang Terdapat pada Ulkus Diabetik. *Pharmaceutical Sciences and Research*, 3(3), 130–138. <https://doi.org/10.7454/psr.v3i3.3287>
- Sari, Z. A. A., & Febriawan, R. (2021). Perbedaan Hasil Uji Aktivitas Antibakteri Metode Well Diffusion Dan Kirby Bauer Terhadap Pertumbuhan Bakteri. *Jurnal Medika Hutama*, 2(04), 1156–1162.
- Shi, C.-Q., Lin, H.-Y., Zheng, J.-Q., Yang, F., Lartey, K. A., Kang, D., Wang, H.-C. R., Gooneratne, R., & Chen, J.-J. (2021). Potential Use of *Chromolaena odorata Linn*. Flavonoids against *Escherichia coli* Induced Diarrhoea in Mice. 1–9.
- Stanley, M. C., Ifeanyi, O. E., Nwakaego, C. C., & Esther, I. O. (2014). *Antimicrobial Effects of Chromolaena odorata on Some Human Pathogens*. 3(3), 1006–1012.
- Sutiknowati, L. I. (2016). “Bioindikator Pencemar, Bakteri *Escherichia coli*.” *Jurnal Oseana*, 41(4), 63–71. oseanografi.lipi.go.id
- Tammi, A. (2015). Aktifitas Antibakteri Buah Makasar (*Brucea javanica*) terhadap Pertumbuhan *Staphylococcus aureus*. *J Agromed Unila*, 2(2), 100.
- Tan, N. F. M. S., Fauzi, N. A. M., Razak, A. H. A., & Mansur, S. A. (2020). Qualitative Phytochemical Analysis and Antibacterial Potential of Chromolena Odorata Leaves as affected by Soxhlet and Maceration Extraction. *Journal of Advanced Industrial Technology and Application*, 1(2), 38–48. <https://doi.org/10.30880/ijie.2020.01.02.005>
- Truzzi, F., Tibaldi, C., Zhang, Y., Dinelli, G., & D'Amen, E. (2021). An Overview on Dietary Polyphenols and Their Biopharmaceutical Classification System (BCS). *International Journal of Molecular Sciences*, 22(11). <https://doi.org/10.3390/ijms22115514>
- Ujilestari, T., Martien, R., Ariyadi, B., Dono, N. D., & Zuprizal. (2019).

- Antibacterial effects of essential oils of Cymbopogon citratus and Amomum compactum under self-nanoemulsifying drug delivery system (SNEDDS). *IOP Conference Series: Earth and Environmental Science*, 387(1). <https://doi.org/10.1088/1755-1315/387/1/012071>
- Utomo, S. B., Fujiyanti, M., Lestari, W. P., & Mulyani, S. (2018). Uji Aktivitas Antibakteri Senyawa C-4-Metoksifenilkaliks[4]Resorsinarena Termodifikasi Hexadecyltrimethylammonium-bromide Terhadap Bakteri *Staphylococcus aureus* Dan *Escherichia coli*. *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*, 3(3), 201. <https://doi.org/10.20961/jkpk.v3i3.22742>
- Vijayaraghavan, K., Rajkumar, J., & Seyed, M. A. (2018). Phytochemical screening, free radical scavenging and antimicrobial potential of *Chromolaena odorata* leaf extracts against pathogenic bacterium in wound infections— a multispectrum perspective. *Biocatalysis and Agricultural Biotechnology*, 15, 103–112. <https://doi.org/10.1016/j.bcab.2018.05.014>
- Warnis, M., Salsabila, J., & Rulianti, M. R. (2021). Pemeriksaan Rendemen, Kadar Sari Larut Air, Dan Kadar Sari Larut Etanol Dari Ekstrak Batang Brotowali. *Jurnal Kesehatan Pharmasi*, 3(2), 118–123.
- WHO. (2005). The Treatment of Diarrhea : a manual for physicians and other senior health workers. *WHO Press*, 4th(8), 562–563.
- Whyte, L. A., & Jenkins, H. R. (2012). Pathophysiology of diarrhoea. *Paediatrics and Child Health (United Kingdom)*, 22(10), 443–447. <https://doi.org/10.1016/j.paed.2012.05.006>
- Wijaya, A., & Noviana. (2022). Penetapan Kadar Air Simplicia Daun Kemangi (*Ocimum basilicum* L.) Berdasarkan Perbedaan Metode Pengeringan. *Jurnal Riset Kefarmasian Indonesia*, 4(2), 185–199.
- Zahara, M. (2019). Description of *Chromolaena odorata* L. R.M King and H. Robinson as medicinal plant: A Review. *IOP Conference Series: Materials Science and Engineering*, 506(1). <https://doi.org/10.1088/1757-899X/506/1/012022>
- Zhang, J., Liu, D., Huang, Y., Gao, Y., & Qian, S. (2012). Biopharmaceutics classification and intestinal absorption study of apigenin. *International Journal of Pharmaceutics*, 436(1–2), 311–317. <https://doi.org/10.1016/j.ijpharm.2012.07.002>