

## REFERENSI

*A-La Park Can musical activities promote healthy ageing? Article (Published version) (Refereed).* (2015). <https://doi.org/10.4172/1522-4821.1000155>

Amri, Y., Rijanta, R., & Listyaningsih, U. (2022). FAKTOR SOSIAL DAN DEMOGRAFI YANG BERHUBUNGAN DENGAN PEKERJA LANSIA DI INDONESIA. *Jurnal Litbang Sukowati : Media Penelitian Dan Pengembangan*, 5(2), 1–11. <https://doi.org/10.32630/sukowati.v5i2.188>

AMTA. (2011). *What is Music Therapy?*.  
<https://www.musictherapy.org/about/musictherapy/>

Aylaz, R., Aktürk, Ü., Erci, B., Öztürk, H., & Aslan, H. (2012). Relationship between depression and loneliness in elderly and examination of influential factors. *Archives of Gerontology and Geriatrics*, 55(3), 548–554.  
<https://doi.org/10.1016/j.archger.2012.03.006>

Ayu, G., Sundariyati, H., Ratep, N., & Westa, W. (2022). GAMBARAN FAKTOR-FAKTOR YANG MEMPENGARUHI STATUS KOGNITIF PADA LANSIA DI WILAYAH KERJA PUSKESMAS KUBU II , JANUARI-FEBRUARI 2014.

Baird, A., & Thompson, W. F. (2018). The Impact of Music on the Self in Dementia. *Journal of Alzheimer's Disease*, 61(3), 827–841.  
<https://doi.org/10.3233/JAD-170737>

Batt-Rawden, K. B., & Stedje, K. (2020). Singing as a health-promoting activity

in elderly care: a qualitative, longitudinal study in Norway. *Journal of Research in Nursing*, 25(5), 404–418.

<https://doi.org/10.1177/1744987120917430>

Benz, S., Sellaro, R., Hommel, B., & Colzato, L. S. (2016). Music makes the world go round: The impact of musical training on non-musical cognitive functions-a review. In *Frontiers in Psychology* (Vol. 6, Issue JAN). Frontiers Media S.A. <https://doi.org/10.3389/fpsyg.2015.02023>

Bezdicek, O., Stepankova, H., Martinec Novakova, L., & Kopecek, M. (2016). Toward the processing speed theory of activities of daily living in healthy aging: normative data of the Functional Activities Questionnaire. *Aging Clinical and Experimental Research*, 28(2), 239–247. <https://doi.org/10.1007/s40520-015-0413-5>

Biasutti, M., & Mangiacotti, A. (2021). Music Training Improves Depressed Mood Symptoms in Elderly People: A Randomized Controlled Trial. *International Journal of Aging and Human Development*, 92(1), 115–133. <https://doi.org/10.1177/0091415019893988>

Bingham, M. C. (2019). Defining the therapeutic singing voice: An analysis of four music therapists' clinical work. *Music Therapy Perspectives*, 37(2), 176–186. <https://doi.org/10.1093/mtp/miz001>

BPS. (2021). *Data Lansia*.

<https://www.bps.go.id/publication/2021/12/21/c3fd9f27372f6ddcf7462006/statistik-penduduk-lanjut-usia>

- Brancatisano, O., Baird, A., & Thompson, W. F. (2020). Why is music therapeutic for neurological disorders? The Therapeutic Music Capacities Model. In *Neuroscience and Biobehavioral Reviews* (Vol. 112, pp. 600–615). Elsevier Ltd. <https://doi.org/10.1016/j.neubiorev.2020.02.008>
- Brazoloto, T. (2021). Musical interventions and music therapy in pain treatment: literature review. *Sociedade Brasileira Para o Estudo Da Dor*, 369–373.
- Bruscia, K. E. (2014). *DEFINING MUSIC THERAPY THIRD EDITION*.
- Carpente, J. A., & Kenneth, A. (2019). A Music-Centered Perspective On Music Therapy Assessment. In *The Oxford Handbook of Philosophical and Qualitative Assessment in Music* (pp. 243–244). Oxford University Press 2019.
- Chabot, J., Beauchet, O., Fung, S., & Peretz, I. (2019). Decreased risk of falls in patients attending music sessions on an acute geriatric ward: Results from a retrospective cohort study. *BMC Complementary and Alternative Medicine*, 19(1). <https://doi.org/10.1186/s12906-019-2484-x>
- Chmelo, E. A., Crotts, C. I., Newman, J. C., Brinkley, T. E., Lyles, M. F., Leng, X., Marsh, A. P., & Nicklas, B. J. (2015). Heterogeneity of physical function responses to exercise training in older adults. *Journal of the American Geriatrics Society*, 63(3), 462–469. <https://doi.org/10.1111/jgs.13322>
- Clark, I., & Harding, K. (2012). Psychosocial outcomes of active singing interventions for therapeutic purposes: A systematic review of the literature.

*Nordic Journal of Music Therapy*, 21(1), 80–98.

<https://doi.org/10.1080/08098131.2010.545136>

Clift, S., Gilbert, R., & Vella-Burrows, T. (2017). Health and well-being benefits of singing for older people. In *Music, Health and Wellbeing: Exploring Music for Health Equity and Social Justice* (pp. 97–120). Palgrave Macmillan. [https://doi.org/10.1057/978-1-349-95284-7\\_6](https://doi.org/10.1057/978-1-349-95284-7_6)

Courtin, E., & Knapp, M. (2017). Social isolation, loneliness and health in old age: a scoping review. In *Health and Social Care in the Community* (Vol. 25, Issue 3, pp. 799–812). Blackwell Publishing Ltd.

<https://doi.org/10.1111/hsc.12311>

Cudjoe, T. K. M., Roth, D. L., Szanton, S. L., Wolff, J. L., Boyd, C. M., & Thorpe, R. J. (2020). The Epidemiology of Social Isolation: National Health and Aging Trends Study. *Journals of Gerontology - Series B Psychological Sciences and Social Sciences*, 75(1), 107–113.

<https://doi.org/10.1093/geronb/gby037>

de Jong Gierveld, J., & Havens, B. (2004). Cross-national Comparisons of Social Isolation and Loneliness: Introduction and Overview. *Canadian Journal on Aging / La Revue Canadienne Du Vieillissement*, 23(2), 109–113.

<https://doi.org/10.1353/cja.2004.0021>

de Koning, J., Richards, S. H., Wood, G. E. R., & Stathi, A. (2021). Profiles of loneliness and social isolation in physically active and inactive older adults in rural England. *International Journal of Environmental Research and*

*Public Health*, 18(8). <https://doi.org/10.3390/ijerph18083971>

Elvers, P. (2016). Songs for the ego: Theorizing musical self-enhancement.

*Frontiers in Psychology*, 7(JAN). <https://doi.org/10.3389/fpsyg.2016.00002>

Evans, I. E. M., Llewellyn, D. J., Matthews, F. E., Woods, R. T., Brayne, C., & Clare, L. (2019). Social isolation, cognitive reserve, and cognition in older people with depression and anxiety. *Aging and Mental Health*, 23(12), 1691–1700. <https://doi.org/10.1080/13607863.2018.1506742>

Falikhah, N. (n.d.). *BONUS DEMOGRAFI PELUANG DAN TANTANGAN BAGI INDONESIA*. <https://media.neliti.com/media/publications/48298-ID->

Ferreri, L., Moussard, A., Bigand, E., & Tillmann, B. (2019). Music and the Aging Brain. In *The Oxford Handbook of Music and the Brain* (pp. 622–644). Oxford University Press.

<https://doi.org/10.1093/oxfordhb/9780198804123.013.25>

Fitri, D., & Ifdil, A. &. (2016). *Konsep Kecemasan (Anxiety) pada Lanjut Usia (Lansia)*. 5(2). <http://ejournal.unp.ac.id/index.php/konselor>

Förster, F., Stein, J., Löbner, M., Pabst, A., Angermeyer, M. C., König, H. H., & Riedel-Heller, S. G. (2018). Loss experiences in old age and their impact on the social network and depression—results of the Leipzig Longitudinal Study of the Aged (LEILA 75+). *Journal of Affective Disorders*, 241, 94–102. <https://doi.org/10.1016/j.jad.2018.07.070>

Gale, C. R., Allerhand, M., Sayer, A. A., Cooper, C., & Deary, I. J. (2014). The

dynamic relationship between cognitive function and walking speed: The English Longitudinal Study of Ageing. *Age*, 36(4).

<https://doi.org/10.1007/s11357-014-9682-8>

Galinha, I. C., Farinha, M., Lima, M. L., & Palmeira, A. L. (2020). Sing4Health: protocol of a randomized controlled trial of the effects of a singing group intervention on the well-being, cognitive function and health of older adults. *BMC Geriatrics*, 20(1), 1–16. <https://doi.org/10.1186/s12877-020-01686-6>

Gardstrom, S., & Sorel, S. (2015). Music Therapy Methods. In *Music Therapy Handbook* (pp. 116–120). The Guilford Press.

Gold, C., Eickholt, J., Assmus, J., Stige, B., Wake, J. D., Baker, F. A., Tamplin, J., Clark, I., Lee, Y. E. C., Jacobsen, S. L., Ridder, H. M. O., Kreutz, G., Muthesius, D., Wosch, T., Ceccato, E., Raglio, A., Ruggeri, M., Vink, A., Zuidema, S., ... Geretsegger, M. (2019). Music Interventions for Dementia and Depression in ELderly care (MIDDEL): Protocol and statistical analysis plan for a multinational cluster-randomised trial. *BMJ Open*, 9(3), 1–14. <https://doi.org/10.1136/bmjopen-2018-023436>

Groarke, J. M., & Hogan, M. J. (2019). Listening to self-chosen music regulates induced negative affect for both younger and older adults. *PLoS ONE*, 14(6). <https://doi.org/10.1371/journal.pone.0218017>

Grocke, D., & Wigram, T. (2007). *Receptive Methods in Music Therapy*. London: Jessica Kingsley.

Gupta, R., Sharma, S., & Bhatia, D. (2022). Ageing, Emotion Regulation and Effectiveness of Non-Pharmaceutical Interventions. *International Journal of Preventive Medicine and Health*, 2(5), 1–9.  
<https://doi.org/10.54105/ijpmh.E1020.072522>

Hadi Kartiko, B., Milas Siswanto, F., Ilmu Kesehatan, F., dan Teknologi, S., & Dhyana Pura, U. (2015). HORMON DALAM KONSEP ANTI AGING MEDICINE HORMONE ON ANTI AGING MEDICINE CONCEPT. In *Jurnal Virgin, Jilid* (Vol. 1, Issue 2).

Harada, C. N., Natelson Love, M. C., & Triebel, K. L. (2013). Normal cognitive aging. In *Clinics in Geriatric Medicine* (Vol. 29, Issue 4, pp. 737–752).  
<https://doi.org/10.1016/j.cger.2013.07.002>

Hill, M. M. Y. S., Yorgason, J. B., Nelson, L. J., & Miller, R. B. (2022). Social withdrawal and psychological well-being in later life: does marital status matter? *Aging and Mental Health*, 26(7), 1368–1376.  
<https://doi.org/10.1080/13607863.2021.1950620>

Holt-Lunstad, J., Smith, T. B., Baker, M., Harris, T., & Stephenson, D. (2015). Loneliness and Social Isolation as Risk Factors for Mortality: A Meta-Analytic Review. *Perspectives on Psychological Science*, 10(2), 227–237.  
<https://doi.org/10.1177/1745691614568352>

Huda, C., & Husna, A. (n.d.). *DEMOGRAFI LANSIA*.

Ikudome, S., Mori, S., Unenaka, S., Kawanishi, M., Kitamura, T., & Nakamoto,

H. (2017). Effect of Long-Term Body-Mass-Based Resistance Exercise on Cognitive Function in Elderly People. *Journal of Applied Gerontology*, 36(12), 1519–1533. <https://doi.org/10.1177/0733464815625834>

Katuuk, M., Wowor, M., Studi, P., Keperawatan, I., & Kedokteran, F. (2018). *HUBUNGAN KEMUNDURAN FISILOGIS DENGAN TINGKAT STRES PADA LANJUT USIA DI PUSKESMAS KAKASKASEN KECAMATAN TOMOHON UTARA* (Vol. 6, Issue 1).

Kendig, H., McDonald, P. F. (Peter F., & Piggott, J. (John R. . (n.d.). *Population ageing and Australia's future*.

Keough, L. A., King, B., & Lemmerman, T. (2016). Assessment-Based Small-Group Music Therapy Programming for Individuals with Dementia and Alzheimer's Disease: A Multi-Year Clinical Project. *Music Therapy Perspectives*, miw021. <https://doi.org/10.1093/mtp/miw021>

Kowal, P. (2016). *An Aging World: 2015*.  
<https://doi.org/10.13140/RG.2.1.1088.9362>

Laksmidewi, A. (2016). *COGNITIVE CHANGES ASSOCIATED WITH NORMAL AGING\**.

Lam, H. L., Li, W. T. V., Laher, I., & Wong, R. Y. (2020). Effects of music therapy on patients with dementia-A systematic review. In *Geriatrics (Switzerland)* (Vol. 5, Issue 3). MDPI AG.  
<https://doi.org/10.3390/GERIATRICALS5040062>



- Lathom, W. . & P. J. S. (2016). *Peter's Music therapy : an introduction: Vol. Third edition* (J. S. Peters (Ed.)). Charles C Thomas Publisher.
- Lee, A., McArthur, C., Veroniki, A. A., Kastner, M., Ioannidis, G., Griffith, L. E., Thabane, L., Adachi, J. D., & Papaioannou, A. (2021). Management of social isolation and loneliness in community-dwelling older adults: Protocol for a network meta-analysis of randomised controlled trials. *BMJ Open*, *11*(7). <https://doi.org/10.1136/bmjopen-2020-042828>
- Lekalakala-Mokgele, E. (2018). Death and dying: elderly persons' experiences of grief over the loss of family members. *South African Family Practice*, *60*(5), 151–154. <https://doi.org/10.1080/20786190.2018.1475882>
- Li, H. C., Wang, H. H., Chou, F. H., & Chen, K. M. (2015). The Effect of Music Therapy on Cognitive Functioning Among Older Adults: A Systematic Review and Meta-Analysis. *Journal of the American Medical Directors Association*, *16*(1), 71–77. <https://doi.org/10.1016/j.jamda.2014.10.004>
- Lim, W. M. (2013). REVISITING KUBLER-ROSS'S FIVE STAGES OF GRIEF: SOME COMMENTS ON THE IPHONE 5. *Journal of Social Sciences*, *9*(1), 11–13. <https://doi.org/10.3844/jsssp.2013.11.13>
- Lindblad, K. (2021). “No, I Guess it's kind of Sensitive” - Communication patterns in a music listening group with older men. *Nordic Journal of Music Therapy*, *30*(5), 424–439. <https://doi.org/10.1080/08098131.2020.1856171>
- Luo, Y., Hawkey, L. C., Waite, L. J., & Cacioppo, J. T. (2012). Loneliness,

health, and mortality in old age: A national longitudinal study. *Social Science and Medicine*, 74(6), 907–914.

<https://doi.org/10.1016/j.socscimed.2011.11.028>

Lyu, J., & Burr, J. A. (2016). Socioeconomic Status Across the Life Course and Cognitive Function among Older Adults: An Examination of the Latency, Pathways, and Accumulation Hypotheses. *Journal of Aging and Health*, 28(1), 40–67. <https://doi.org/10.1177/0898264315585504>

Milic, J., Saavedra Perez, H., Zuurbier, L. A., Boelen, P. A., Rietjens, J. A., Hofman, A., & Tiemeier, H. (2019). The Longitudinal and Cross-Sectional Associations of Grief and Complicated Grief With Sleep Quality in Older Adults. *Behavioral Sleep Medicine*, 17(1), 31–40. <https://doi.org/10.1080/15402002.2016.1276016>

Morgan, L. A., & Kunkel, S. R. (2016). *Aging, Society, and the Life Course*.

Nicholson, N. R. (2012). A review of social isolation: An important but underassessed condition in older adults. In *Journal of Primary Prevention* (Vol. 33, Issues 2–3, pp. 137–152). <https://doi.org/10.1007/s10935-012-0271-2>

Nylén, P., Favero, F., Glimne, S., Teär Fahnehjelm, K., & Eklund, J. (2014). Vision, light and aging: A literature overview on older-age workers. *Work*, 47(3), 399–412. <https://doi.org/10.3233/WOR-141832>

Papalia, D. E., & Martorell, G. (2015). *Experience human development*.

- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases. In *Indian Journal of Clinical Biochemistry* (Vol. 30, Issue 1, pp. 11–26). Springer India. <https://doi.org/10.1007/s12291-014-0446-0>
- Prihatsanti, U., Suryanto, S., & Hendriani, W. (2018). Menggunakan Studi Kasus sebagai Metode Ilmiah dalam Psikologi. *Buletin Psikologi*, 26(2), 126. <https://doi.org/10.22146/buletinpsikologi.38895>
- Raglio, A., Bellelli, G., Mazzola, P., Bellandi, D., Giovagnoli, A. R., Farina, E., Stramba-Badiale, M., Gentile, S., Gianelli, M. V., Ubezio, M. C., Zanetti, O., & Trabucchi, M. (2012). Music, music therapy and dementia: A review of literature and the recommendations of the Italian Psychogeriatric Association. In *Maturitas* (Vol. 72, Issue 4, pp. 305–310). <https://doi.org/10.1016/j.maturitas.2012.05.016>
- Rio, R. (2018). A community-based music therapy support group for people with alzheimer’s disease and their caregivers: A sustainable partnership model. *Frontiers in Medicine*, 5(NOV). <https://doi.org/10.3389/fmed.2018.00293>
- Rohaedi, S., Tuty Putri, S., & Dini Karimah, A. (2016). TINGKAT KEMANDIRIAN LANSIA DALAM ACTIVITIES DAILY LIVING DI PANTI SOSIAL TRESNA WERDHA SENJA RAWI. In *Jurnal Pendidikan Keperawatan Indonesia* (Vol. 2, Issue 1). <http://ejournal.upi.edu/index.php/JPKI>
- Ronoatmodjo, S., Tinggi Ilmu Kesehatan, S., Garawangi, K., & Barat, J. (2018).

FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KUALITAS  
HIDUP LANSIA DI DESA CIPASUNG KABUPATEN KUNINGAN  
TAHUN 2017. *Jurnal Kesehatan Reproduksi*, 9(1), 69–78.  
<https://doi.org/10.22435/kespro.v9i1.892.69-78>

Sakano, K., Ryo, K., Tamaki, Y., Nakayama, R., Hasaka, A., Takahashi, A.,  
Ebihara, S., Tozuka, K., & Saito, I. (2014). *Possible benefits of singing to the  
mental and physical condition of the elderly*.  
<http://www.bpsmedicine.com/content/8/1/11>

Santini, Z. I., Jose, P. E., York Cornwell, E., Koyanagi, A., Nielsen, L.,  
Hinrichsen, C., Meilstrup, C., Madsen, K. R., & Koushede, V. (2020). Social  
disconnectedness, perceived isolation, and symptoms of depression and  
anxiety among older Americans (NSHAP): a longitudinal mediation analysis.  
*The Lancet Public Health*, 5(1), e62–e70. [https://doi.org/10.1016/S2468-  
2667\(19\)30230-0](https://doi.org/10.1016/S2468-2667(19)30230-0)

Särkämö, T. (2018). Cognitive, emotional, and neural benefits of musical leisure  
activities in aging and neurological rehabilitation: A critical review. In  
*Annals of Physical and Rehabilitation Medicine* (Vol. 61, Issue 6, pp. 414–  
418). Elsevier Masson SAS. <https://doi.org/10.1016/j.rehab.2017.03.006>

Schwarzbach, M., Luppa, M., Forstmeier, S., König, H. H., & Riedel-Heller, S. G.  
(2014). Social relations and depression in late life - A systematic review. In  
*International Journal of Geriatric Psychiatry* (Vol. 29, Issue 1, pp. 1–21).  
<https://doi.org/10.1002/gps.3971>

- Sekyung, J. (2021). Developing Music-based Emotion Regulation (MBER): A theoretical model for age-related depression prevention. *Arts in Psychotherapy, 74*(January), 101769.  
<https://doi.org/10.1016/j.aip.2021.101769>
- Sepúlveda, C., Palomo, I., & Fuentes, E. (2015). Primary and secondary haemostasis changes related to aging. In *Mechanisms of Ageing and Development* (Vol. 150, pp. 46–54). Elsevier Ireland Ltd.  
<https://doi.org/10.1016/j.mad.2015.08.006>
- Solé, C., Mercadal-Brotons, M., Galati, A., & De Castro, M. (2014). Effects of group music therapy on quality of life, affect, and participation in people with varying levels of dementia. *Journal of Music Therapy, 51*(1), 103–125.  
<https://doi.org/10.1093/jmt/thu003>
- Stegemann, T., Geretsegger, M., Phan Quoc, E., Riedl, H., & Smetana, M. (2019). Music Therapy and Other Music-Based Interventions in Pediatric Health Care: An Overview. *Medicines, 6*(1), 25.  
<https://doi.org/10.3390/medicines6010025>
- Step toe, A., Shankar, A., Demakakos, P., & Wardle, J. (2013). Social isolation, loneliness, and all-cause mortality in older men and women. *Proceedings of the National Academy of Sciences of the United States of America, 110*(15), 5797–5801. <https://doi.org/10.1073/pnas.1219686110>
- Stewart, V. H., Saunders, D. H., & Greig, C. A. (2014). Responsiveness of muscle size and strength to physical training in very elderly people: A systematic

review. In *Scandinavian Journal of Medicine and Science in Sports* (Vol. 24, Issue 1). <https://doi.org/10.1111/sms.12123>

Stubbe, D. E. (2018). The Therapeutic Alliance: The Fundamental Element of Psychotherapy. *Focus*, *16*(4), 402–403.  
<https://doi.org/10.1176/appi.focus.20180022>

Suragarn, U., Hain, D., & Pfaff, G. (2021). Approaches to enhance social connection in older adults: an integrative review of literature. *Aging and Health Research*, *1*(3), 100029. <https://doi.org/10.1016/j.ahr.2021.100029>

Toprak, M., & Erden, M. (2019). Sleep quality, pain, anxiety, depression and quality of life in patients with frozen shoulder. *Journal of Back and Musculoskeletal Rehabilitation*, *32*(2), 287–291.  
<https://doi.org/10.3233/BMR-171010>

Treml, J., Linde, K., Engel, C., Glaesmer, H., Hinz, A., Luck, T., Riedel-Heller, S., Sander, C., & Kersting, A. (2022). Loss and grief in elderly people: Results from the LIFE-Adult-Study. *Death Studies*, *46*(7), 1621–1630.  
<https://doi.org/10.1080/07481187.2020.1824203>

Triyaningsih Suryaman, N., & Karneli, Y. (2020). Studi kasus: Konseling teknik empty chair dan reframing dalam mengatasi masalah kedukaan dan unfinished business. *Electronic) Pusat Kajian BK Unindra-IKI*, *101*(2), 101–111. <https://doi.org/10.26539/teraputik-42420>

Tsoi, K. K. F., Chan, J. Y. C., Ng, Y. M., Lee, M. M. Y., Kwok, T. C. Y., &

Wong, S. Y. S. (2018). Receptive Music Therapy Is More Effective than Interactive Music Therapy to Relieve Behavioral and Psychological Symptoms of Dementia: A Systematic Review and Meta-Analysis. *Journal of the American Medical Directors Association*, 19(7), 568-576.e3.  
<https://doi.org/10.1016/j.jamda.2017.12.009>

Uknowledge, U., & Lownds, K. M. (2015). *MUSIC THERAPY SONGWRITING PRACTICES WITH OLDER MUSIC THERAPY SONGWRITING PRACTICES WITH OLDER ADULTS ADULTS*.  
[https://uknowledge.uky.edu/music\\_etds/51](https://uknowledge.uky.edu/music_etds/51)

Utz, R. L., Swenson, K. L., Caserta, M., Lund, D., & DeVries, B. (2014). Feeling lonely versus being alone: Loneliness and social support among recently bereaved persons. *Journals of Gerontology - Series B Psychological Sciences and Social Sciences*, 69(1), 85–94. <https://doi.org/10.1093/geronb/gbt075>

Veldurthy, V., Wei, R., Oz, L., Dhawan, P., Jeon, Y. H., & Christakos, S. (2016). Vitamin D, calcium homeostasis and aging. In *Bone Research* (Vol. 4). Sichuan University. <https://doi.org/10.1038/boneres.2016.41>

Werner, J., Wosch, T., & Gold, C. (2017). Effectiveness of group music therapy versus recreational group singing for depressive symptoms of elderly nursing home residents: pragmatic trial. *Aging and Mental Health*, 21(2), 147–155.  
<https://doi.org/10.1080/13607863.2015.1093599>

WFMT. (2011). *Music therapy*

WHO. (2022). *Elderly Population*. <https://data.who.int/countries/360>

Yee Michael Jones Ken McRae, E. N. (2018). *Semantic Memory*. Psychology Publications.

<https://ir.lib.uwo.ca/psychologypub><https://ir.lib.uwo.ca/psychologypub/123>

Zali, M., Farhadi, A., Soleimanifar, M., Allameh, H., & Janani, L. (2017).

Loneliness, fear of falling, and quality of life in community-dwelling older women who live alone and live with others. *Educational Gerontology*, 43(11), 582–588. <https://doi.org/10.1080/03601277.2017.1376450>

Zhang, Y., Miyai, N., Abe, K., Utsumi, M., Uematsu, Y., Terada, K., Nakatani,

T., Takeshita, T., & Arita, M. (2021). Muscle mass reduction, low muscle strength, and their combination are associated with arterial stiffness in community-dwelling elderly population: the Wakayama Study. *Journal of Human Hypertension*, 35(5), 446–454. <https://doi.org/10.1038/s41371-020-0355-z>