

## ABSTRAK

**Latar Belakang:** Perundungan adalah hal yang sudah tidak asing lagi, terutama di kalangan anak-anak dan remaja. Banyak sekali dampak jangka panjang negatif yang dapat ditimbulkan oleh perundungan terhadap korban, salah satunya adalah *social anxiety*. Beberapa penelitian sebelumnya telah menemukan adanya hubungan antara perundungan pada masa anak-anak dan remaja awal dengan terbentuknya *social anxiety* pada masa remaja akhir dan dewasa. Namun, sampai sekarang belum ada penelitian mengenai hubungan antara perundungan pada masa anak-anak dan remaja awal dengan terbentuknya *social anxiety* pada masa remaja akhir dan dewasa pada Mahasiswa Kedokteran Universitas Pelita Harapan.

**Tujuan Penelitian:** Penelitian ini dilakukan untuk mengetahui hubungan antara perundungan pada masa anak-anak dan remaja awal dengan terbentuknya *social anxiety* pada masa remaja akhir dan dewasa pada mahasiswa kedokteran.

**Hipotesis:** Peneliti berhipotesis bahwa adanya hubungan antara perundungan pada masa anak-anak dan remaja awal dengan terbentuknya *social anxiety* pada masa remaja akhir dan dewasa.

**Metode Penelitian:** Penelitian ini menggunakan tipe studi analitik komparatif kategorik tidak berpasangan dengan desain studi *retrospective*. Sampel dari penelitian ini adalah 141 mahasiswa aktif Fakultas Kedokteran Universitas Pelita Harapan dengan umur diatas 17 tahun. Data dari responden diambil menggunakan kuesioner secara daring yang telah disebarluaskan. Uji statistic yang akan digunakan adalah *chi-square*, dengan pengolahan data menggunakan SPSS 24.0.

**Hasil dan Pembahasan:** Sebanyak 124 mahasiswa memenuhi kriteria inklusi dan menyutujui *informed consent* untuk menjadi bagian dari penelitian ini dengan mengisi kuesioner *Retrospective Bullying Questionnaire* dan *Lietzbow Social Anxiety Scale Questionnaire*. Hasil data ditemukan bahwa sebanyak 59 responden pernah menjadi korban perundungan dan 65 responden belum pernah menjadi korban perundungan. Dari kedua kelompok tersebut dibedakan jumlah responden dengan kecemasan social dan tidak ada kecemasan social. Metode analisa uji Chi-Square menunjukkan bahwa adanya hubungan yang bermakna antara perundungan pada

masa anak-anak dan remaja awal dengan *social anxiety* pada masa remaja akhir dan dewasa dengan p value = (0,001) dan OR = 11.3.

**Kesimpulan:** Hasil penelitian mendukung hipotesis kerja dengan adanya hubungan yang bermakna antara antara perundungan pada masa anak-anak dan remaja awal dengan *social anxiety* pada masa remaja akhir dan dewasa ( $P<0,05$ ) dengan kemungkinan 11.3 kali lebih sering terjadi kecemasan social masa remaja akhir dan dewasa karena perundungan pada masa anak-anak dan remaja awal.

**Kata Kunci:** Perundungan, *Social anxiety*

## ***ABSTRACT***

***Background:*** Bullying is something that is not foreign anymore, especially among kids and teenagers. There are many long term negative outcomes that can be caused by bullying toward the victim, one of them is social anxiety. Several studies have shown that there is a relationship between childhood and early adolescence bullying and social anxiety in late adolescence and adulthood. However, until now there has been no studies regarding relationship between childhood and early adolescence bullying and social anxiety in late adolescence and adulthood in medical students.

***Objective:*** This study is done to determine the relationship between childhood and early adolescence bullying and social anxiety in late adolescence and adulthood in medical students.

***Hypothesis:*** It is hypothesized that there is a relationship between being bullied in childhood and early adolescence and social anxiety in late adolescence and adulthood.

***Methods:*** This study uses categoric comparative analytic study with unpaired categories and a retrospective study design. The sample from this study are 141 active medical students from Universitas Pelita Harapan, with age above 17 years old. Data from this study is collected through questionnaires that have been distributed online. The statistical test that will be used is chi square method and the date will be analysed using SPSS 24.0.

***Results and Discussion:*** A total of 124 students who have met the inclusion criteria and consented to taking part of the study by filling out the Retrospective Bullying Questionnaire and the Lietzbow Social Anxiety Scale Questionnaire. The results shown that a total of 59 students have been a victim of bullying and 65 respondent have not. From the two groups, the number of respondent with social anxiety and no social anxiety was distinguished. The chi-square test showed a significant relationship between being bullied in childhood and early adolescence with social anxiety in late adolescence and adulthood with  $p$  value = (0.001) and  $OR = 11.3$

**Conclusion:** The result of the study supports the working hypothesis with a significant relationship between bullying in childhood and early adolescence with social anxiety in late adolescence and adulthood ( $p<0.05$ ), with  $OR = 11.3$  times greater likelihood of social anxiety in adolescence and adulthood due to being bullied in childhood and early adolescence.

**Keywords:** Bullying, Social anxiety

