

References

- Aboelenin, A. M., Hassan, R., & Abdelmeed, E. S. (2021). The effect of EDTA in combination with some antibiotics against clinical isolates of gram-negative bacteria in Mansoura, Egypt. *Microbial pathogenesis*, 154, 104840. <https://doi.org/10.1016/j.micpath.2021.104840>
- Alangaden, G. J., Manavathu, E. K., Vakulenko, S. B., Zvonok, N. M., & Lerner, S. A. (1995). Characterization of fluoroquinolone-resistant mutant strains of *Mycobacterium tuberculosis* selected in the laboratory and isolated from patients. *Antimicrobial agents and chemotherapy*, 39(8), 1700–1703. <https://doi.org/10.1128/AAC.39.8.1700>
- Alcock, B. P., Raphenya, A. R., Lau, T. T., Tsang, K. K., Bouchard, M., Edalatmand, A., Huynh, W., Nguyen, A.-L. V., Cheng, A. A., Liu, S., Min, S. Y., Miroshnichenko, A., Tran, H.-K., Werfalli, R. E., Nasir, J. A., Oloni, M., Speicher, D. J., Florescu, A., Singh, B., ... McArthur, A. G. (2019). CARD 2020: Antibiotic resistome surveillance with the comprehensive antibiotic resistance database. *Nucleic acids research*. <https://doi.org/10.1093/nar/gkz935>
- Ambler R. P. (1980). The structure of beta-lactamases. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 289(1036), 321–331. <https://doi.org/10.1098/rstb.1980.0049>
- Ammor, M. S., Belén Flórez, A., & Mayo, B. (2007). Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food microbiology*, 24(6), 559–570. <https://doi.org/10.1016/j.fm.2006.11.001>
- Ammor, M. S., Flórez, A. B., Alvarez-Martín, P., Margolles, A., & Mayo, B. (2008). Analysis of tetracycline resistance *tet(W)* genes and their flanking sequences in intestinal *Bifidobacterium* species. *The Journal of antimicrobial chemotherapy*, 62(4), 688–693. <https://doi.org/10.1093/jac/dkn280>
- Anderson, V. E., & Osheroff, N. (2001). Type II topoisomerases as targets for quinolone antibacterials: turning Dr. Jekyll into Mr. Hyde. *Current pharmaceutical design*, 7(5), 337–353. <https://doi.org/10.2174/1381612013398013>
- Antonio, M., McFerran, N., & Pallen, M. J. (2002). Mutations affecting the Rossman fold of isoleucyl-tRNA synthetase are correlated with low-level mupirocin resistance in *Staphylococcus aureus*. *Antimicrobial agents and chemotherapy*, 46(2), 438–442. <https://doi.org/10.1128/AAC.46.2.438-442.2002>
- Arthur, M., Molinas, C., Bugg, T. D., Wright, G. D., Walsh, C. T., & Courvalin, P. (1992). Evidence for in vivo incorporation of D-lactate into peptidoglycan precursors of vancomycin-resistant enterococci. *Antimicrobial agents and chemotherapy*, 36(4), 867–869. <https://doi.org/10.1128/AAC.36.4.867>
- Arthur, M., Reynolds, P., & Courvalin, P. (1996). Glycopeptide resistance in enterococci. *Trends in microbiology*, 4(10), 401–407. [https://doi.org/10.1016/0966-842X\(96\)10063-9](https://doi.org/10.1016/0966-842X(96)10063-9)

- Aubry, A., Veziris, N., Cambau, E., Truffot-Pernot, C., Jarlier, V., & Fisher, L. M. (2006). Novel gyrase mutations in quinolone-resistant and -hypersusceptible clinical isolates of *Mycobacterium tuberculosis*: functional analysis of mutant enzymes. *Antimicrobial agents and chemotherapy*, 50(1), 104–112. <https://doi.org/10.1128/AAC.50.1.104-112.2006>
- Avershina E., Shapovalova V. and Shipulin G. (2021). Fighting antibiotic resistance in hospital-acquired infections: current state and emerging technologies in disease prevention, diagnostics and therapy. *Frontier Microbiology.*, 12, 707330.doi: 10.3389/fmicb.2021.707330.
- Begg, S. L. (2019). The role of metal ions in the virulence and viability of bacterial pathogens. *Biochemical Society Transactions*, 47(1), 77–87.
- Binda, E., Marinelli, F., & Marcone, G. L. (2014). Old and New Glycopeptide Antibiotics: Action and Resistance. *Antibiotics (Basel, Switzerland)*, 3(4), 572–594. <https://doi.org/10.3390/antibiotics3040572>
- Broaders, E., Gahan, C. G. M., & Marchesi, J. R. (2013). Mobile genetic elements of the human gastrointestinal tract. *Gut Microbes*, 4(4), 271–280.
- Bugg, T. D., Wright, G. D., Dutka-Malen, S., Arthur, M., Courvalin, P., & Walsh, C. T. (1991). Molecular basis for vancomycin resistance in *Enterococcus faecium* BM4147: biosynthesis of a depsipeptide peptidoglycan precursor by vancomycin resistance proteins VanH and VanA. *Biochemistry*, 30(43), 10408–10415. <https://doi.org/10.1021/bi00107a007>
- Carneiro, L. A. M., Queiroz, M. L. P., & Merquior, V. L. C. (2004). Antimicrobial-resistance and enterotoxin-encoding genes among staphylococci isolated from expressed human breast milk. *Journal of medical microbiology*, 53(Pt 8), 761–768. <https://doi.org/10.1099/jmm.0.05453-0>
- Charteris, W. P., Kelly, P. M., Morelli, L., & Collins, J. K. (1998). Antibiotic susceptibility of potentially probiotic *Bifidobacterium* isolates from the human gastrointestinal tract. *Letters in applied microbiology*, 26(5), 333–337. <https://doi.org/10.1046/j.1472-765x.1998.00342.x>
- Charteris, W. P., Kelly, P. M., Morelli, L., & Collins, J. K. (2000). Effect of conjugated bile salts on antibiotic susceptibility of bile salt-tolerant *Lactobacillus* and *Bifidobacterium* isolates. *Journal of food protection*, 63(10), 1369–1376. <https://doi.org/10.4315/0362-028x-63.10.1369>
- Chaudhary, M., Kumar, S., & Payas, A. (2012) A novel approach to combat acquired multiple resistance in *Escherichia coli* by using EDTA as efflux pump inhibitor. *Journal of microbial & biochemical technology*. 4(6). <https://doi.org/10.4172/1948-5948.1000082>
- Chen, J., Chen, X., & Ho, C. L. (2021). Recent development of probiotic bifidobacteria for treating human diseases. *Frontiers in Bioengineering and Biotechnology*, 9. <https://doi.org/10.3389/fbioe.2021.770248>
- Chopra, I., & Roberts, M. (2001). Tetracycline antibiotics: mode of action, applications, molecular biology, and epidemiology of bacterial resistance.

- Microbiology and Molecular Biology Reviews*, 65(2), 232–260.
<https://doi.org/10.1128/MMBR.65.2.232-260.2001>
- Chopra, I., Hawkey, P. M., & Hinton, M. (1992). Tetracyclines, molecular and clinical aspects. *The Journal of antimicrobial chemotherapy*, 29(3), 245–277.
<https://doi.org/10.1093/jac/29.3.245>
- Clinical and Laboratory Standards Institute. (2023). M100 performance standards for antimicrobial susceptibility testing, 33rd edition. CLSI.
- Collado, M. C., Rautava, S., Aakko, J., Isolauri, E., & Salminen, S. (2016). Human gut colonisation may be initiated in utero by distinct microbial communities in the placenta and amniotic fluid. *Scientific reports*, 6, 23129.
<https://doi.org/10.1038/srep23129>
- Cox, G., & Wright, G. D. (2013). Intrinsic antibiotic resistance: Mechanisms, origins, challenges and solutions. *International Journal of Medical Microbiology*, 303(6-7), 287–292. <https://doi.org/10.1016/j.ijmm.2013.02.009>
- de Goffau, M. C., Lager, S., Sovio, U., Gaccioli, F., Cook, E., Peacock, S. J., Parkhill, J., Charnock-Jones, D. S., & Smith, G. C. S. (2019). Human placenta has no microbiome but can contain potential pathogens. *Nature*, 572(7769), 329–334. <https://doi.org/10.1038/s41586-019-1451-5>
- Delahaye, C., & Nicolas, J. (2021). Sequencing DNA with nanopores: Troubles and biases. *PloS One*, 16(10), e0257521.
<https://doi.org/10.1371/journal.pone.0257521>
- Delgado, S., Flórez, A.B. & Mayo, B. Antibiotic Susceptibility of *Lactobacillus* and *Bifidobacterium* Species from the Human Gastrointestinal Tract. *Current Microbiology* 50, 202–207 (2005).
<https://doi.org/10.1007/s00284-004-4431-3>
- Dosan, R. (2022). *Isolasi dan Identifikasi Bakteri Bifidobacterium sp. dari Feses Bayi*. Bachelor thesis, Universitas Pelita Harapan
- Drlica, K., Hiasa, H., Kerns, R., Malik, M., Mustaev, A., & Zhao, X. (2009). Quinolones: action and resistance updated. *Current topics in medicinal chemistry*, 9(11), 981–998. <https://doi.org/10.2174/156802609789630947>
- Duong, D. A., Nguyen, T. H., Nguyen, T. N., Dai, V. H., Dang, T. M., Vo, S. K., Do, D. A., Nguyen, V. V., Nguyen, H. D., Dinh, N. S., Farrar, J., & Caws, M. (2009). Beijing genotype of *Mycobacterium tuberculosis* is significantly associated with high-level fluoroquinolone resistance in Vietnam. *Antimicrobial agents and chemotherapy*, 53(11), 4835–4839.
<https://doi.org/10.1128/AAC.00541-09>
- Eltringham, I. J. (1997). Mupirocin resistance and methicillin-resistant *Staphylococcus aureus* (MRSA). *The Journal of hospital infection*. 35(1), 1–8.
[https://doi.org/10.1016/s0195-6701\(97\)90162-6](https://doi.org/10.1016/s0195-6701(97)90162-6)
- Esaiassen, E., Hjerde, E., Cavanagh, J. P., Simonsen, G. S., Klingenberg, C., & Norwegian Study Group on Invasive Bifidobacterial Infections (2017). *Bifidobacterium Bacteremia: Clinical Characteristics and a Genomic Approach*

- To Assess Pathogenicity. *Journal of clinical microbiology*, 55(7), 2234–2248. <https://doi.org/10.1128/JCM.00150-17>
- Farca, A. M., Nebbia, P., & Re, G. (1994). Potentiation of antibiotic activity by EDTA-tromethamine against three clinically isolated gram-positive resistant bacteria. An in vitro investigation. *Veterinary Research Communications*, 18(1), 1–6. <https://doi.org/10.1007/BF01839255>
- Farca, A. M., Piromalli, G., Maffei, F., & Re, G. (1997). Potentiating effect of EDTA-Tris on the activity of antibiotics against resistant bacteria associated with otitis, dermatitis and cystitis. *The Journal of Small Animal Practice*, 38(6), 243–245. <https://doi.org/10.1111/j.1748-5827.1997.tb03356.x>
- Fernandes, C. J., Fernandes, L. A., Collignon, P., & Australian Group on Antimicrobial Resistance (2005). Cefoxitin resistance as a surrogate marker for the detection of methicillin-resistant *Staphylococcus aureus*. *The Journal of Antimicrobial Chemotherapy*, 55(4), 506–510. <https://doi.org/10.1093/jac/dki052>
- Floss, H. G., & Yu, T. W. (2005). Rifamycin-mode of action, resistance, and biosynthesis. *Chemical reviews*, 105(2), 621–632. <https://doi.org/10.1021/cr030112j>
- Fontana, R., Cornaglia, G., Ligozzi, M., & Mazzariol, A. (2000). The final goal: penicillin-binding proteins and the target of cephalosporins. *Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases*, 6 Suppl 3, 34–40. <https://doi.org/10.1111/j.1469-0691.2000.tb02038.x>
- Foo, N. P., Ou Yang, H., Chiu, H. H., Chan, H. Y., Liao, C. C., Yu, C. K., & Wang, Y. J. (2011). Probiotics prevent the development of 1,2-dimethylhydrazine (DMH)-induced colonic tumorigenesis through suppressed colonic mucosa cellular proliferation and increased stimulation of macrophages. *Journal of agricultural and food chemistry*, 59(24), 13337–13345. <https://doi.org/10.1021/jf203444d>
- Food and Agriculture Organization of the United Nations. (2006). *Probiotics in food: Health and nutritional properties and guidelines for evaluation*.
- Fouhy, F., O'Connell Motherway, M., Fitzgerald, G. F., Ross, R. P., Stanton, C., van Sinderen, D., & Cotter, P. D. (2013). In silico assigned resistance genes confer *Bifidobacterium* with partial resistance to aminoglycosides but not to β -lactams. *PloS one*, 8(12), e82653. <https://doi.org/10.1371/journal.pone.0082653>
- Glick, M. C., Sall, T., Zilliken, F., & Mudd, S. (1960). Morphological changes of *Lactobacillus bifidus* var. *pennsylvanicus* produced by a cell-wall precursor. *Biochimica et Biophysica Acta*, 37, 361–363. [https://doi.org/10.1016/0006-3002\(60\)90251-1](https://doi.org/10.1016/0006-3002(60)90251-1)
- Goldstein B. P. (2014). Resistance to rifampicin: a review. *The Journal of antibiotics*, 67(9), 625–630. <https://doi.org/10.1038/ja.2014.107>

- Grundy, F. J., Haldeman, M. T., Hornblow, G. M., Ward, J. M., Chalker, A. F., & Henkin, T. M. (1997). The *Staphylococcus aureus* ileS gene, encoding isoleucyl-tRNA synthetase, is a member of the T-box family. *Journal of Bacteriology*, 179(11), 3767–3772. <https://doi.org/10.1128/jb.179.11.3767-3772.1997>
- Gueimonde, M., Sánchez, B., G. de los Reyes-Gavilán, C., & Margolles, A. (2013). Antibiotic resistance in probiotic bacteria. *Frontiers in Microbiology*, 4. <https://doi.org/10.3389/fmicb.2013.00202>
- Guyonnet, D., Woodcock, A., Stefani, B., Trevisan, C., & Hall, C. (2009). Fermented milk containing *Bifidobacterium lactis* DN-173 010 improved self-reported digestive comfort amongst a general population of adults. A randomized, open-label, controlled, pilot study. *Journal of Digestive Diseases*, 10(1), 61–70. <https://doi.org/10.1111/j.1751-2980.2008.00366.x>
- He, T., Priebe, M. G., Zhong, Y., Huang, C., Harmsen, H. J., Raangs, G. C., Antoine, J. M., Welling, G. W., & Vonk, R. J. (2008). Effects of yogurt and bifidobacteria supplementation on the colonic microbiota in lactose-intolerant subjects. *Journal of applied microbiology*, 104(2), 595–604. <https://doi.org/10.1111/j.1365-2672.2007.03579.x>
- Hill, C. J., Lynch, D. B., Murphy, K., Ulaszewska, M., Jeffery, I. B., O’Shea, C. A., Watkins, C., Dempsey, E., Mattivi, F., Tuohy, K., Ross, R. P., Ryan, C. A., O’Toole, P. W., & Stanton, C. (2017). Evolution of gut microbiota composition from birth to 24 weeks in the INFANTMET cohort. *Microbiome*, 5(1). <https://doi.org/10.1186/s40168-017-0240-3>
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., Morelli, L., Canani, R. B., Flint, H. J., Salminen, S., Calder, P. C., & Sanders, M. E. (2014). Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature reviews. Gastroenterology & hepatology*, 11(8), 506–514. <https://doi.org/10.1038/nrgastro.2014.66>
- Hinchliffe, P., Yang, Q. E., Portal, E., Young, T., Li, H., Tooke, C. L., Carvalho, M. J., Paterson, N. G., Brem, J., Niumsup, P. R., Tansawai, U., Lei, L., Li, M., Shen, Z., Wang, Y., Schofield, C. J., Mulholland, A. J., Shen, J., Fey, N., ... Spencer, J. (2017). Insights into the mechanistic basis of plasmid-mediated colistin resistance from crystal structures of the catalytic domain of MCR-1. *Scientific reports*, 7(1). <https://doi.org/10.1038/srep39392>
- Holzapfel, W. H., Haberer, P., Geisen, R., Björkroth, J., & Schillinger, U. (2001). Taxonomy and important features of probiotic microorganisms in food and nutrition. *The American journal of clinical nutrition*, 73(2 Suppl), 365S–373S. <https://doi.org/10.1093/ajcn/73.2.365s>
- Huang, Y., Liu, P., & Shih, P. (2020). *High-Quality Genomes of Nanopore Sequencing by Homologous Polishing*. National Chung Cheng University Chiayi.

- Husain, I., Poupart, J. A., & Norris, R. F. (1972). Influence of nutrition on the morphology of a strain of *Bifidobacterium bifidum*. *Journal of Bacteriology*, 111(3), 841–844. <https://doi.org/10.1128/jb.111.3.841-844.1972>
- Ishizuka, A., Tomizuka, K., Aoki, R., Nishijima, T., Saito, Y., Inoue, R., Ushida, K., Mawatari, T., & Ikeda, T. (2012). Effects of administration of *Bifidobacterium animalis* subsp. *lactis* GCL2505 on defecation frequency and bifidobacterial microbiota composition in humans. *Journal of bioscience and bioengineering*, 113(5), 587–591. <https://doi.org/10.1016/j.jbiosc.2011.12.016>
- Jungersen, M., Wind, A., Johansen, E., Christensen, J., Stuer-Lauridsen, B., & Eskesen, D. (2014). The Science behind the Probiotic Strain *Bifidobacterium animalis* subsp. *lactis* BB-12®. *Microorganisms*, 2(2), 92–110. <https://doi.org/10.3390/microorganisms2020092>
- Kapoor, G., Saigal, S., & Elongavan, A. (2017). Action and resistance mechanisms of antibiotics: A guide for clinicians. *Journal of Anaesthesiology Clinical Pharmacology*, 33(3), 300. https://doi.org/10.4103/joacp.JOACP_349_15
- Kechagia, M., Basoulis, D., Konstantopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N., & Fakiri, E. M. (2013). Health benefits of probiotics: a review. *ISRN nutrition*, 2013, 481651. <https://doi.org/10.5402/2013/481651>
- Khoshnood, S., Heidary, M., Asadi, A., Soleimani, S., Motahar, M., Savari, M., Saki, M., & Abdi, M. (2019). A review on mechanism of action, resistance, synergism, and clinical implications of mupirocin against *Staphylococcus aureus*. *Biomedicine & Pharmacotherapy*, 109, 1809–1818. <https://doi.org/10.1016/j.biopha.2018.10.131>
- Kim, S., Covington, A., & Pamer, E. G. (2017). The intestinal microbiota: Antibiotics, colonization resistance, and enteric pathogens. *Immunological reviews*, 279(1), 90–105. <https://doi.org/10.1111/imr.12563>
- Klenotic, P. A., Moseng, M. A., Morgan, C. E., & Yu, E. W. (2021). Structural and Functional Diversity of Resistance-Nodulation-Cell Division Transporters. *Chemical reviews*, 121(9), 5378–5416. <https://doi.org/10.1021/acs.chemrev.0c00621>
- Klijn, A., Mercenier, A., & Arigoni, F. (2005). Lessons from the genomes of bifidobacteria. *FEMS microbiology reviews*, 29(3), 491–509. <https://doi.org/10.1016/j.femsre.2005.04.010>.
- Kojima, M., Suda, S., Hotta, S., & Hamada, K. (1968). Induction of pleomorphism in *Lactobacillus bifidus*. *Journal of bacteriology*, 95(2), 710–711. <https://doi.org/10.1128/jb.95.2.710-711.1968>
- Kong, J., Wu, Z. X., Wei, L., Chen, Z. S., & Yoganathan, S. (2020). Exploration of Antibiotic Activity of Aminoglycosides, in Particular Ribostamycin Alone and in Combination with Ethylenediaminetetraacetic Acid Against Pathogenic Bacteria. *Frontiers in microbiology*, 11, 1718. <https://doi.org/10.3389/fmicb.2020.01718>

- Krause, K. M., Serio, A. W., Kane, T. R., & Connolly, L. E. (2016). Aminoglycosides: An Overview. *Cold Spring Harbor perspectives in medicine*, 6(6), a027029. <https://doi.org/10.1101/cshperspect.a027029>
- Lambert, R. J., Hanlon, G. W., & Denyer, S. P. (2004). The synergistic effect of EDTA/antimicrobial combinations on *Pseudomonas aeruginosa*. *Journal of Applied Microbiology*, 96(2), 244–253. <https://doi.org/10.1046/j.1365-2672.2004.02135.x>
- Leclercq R. (2002). Mechanisms of resistance to macrolides and lincosamides: nature of the resistance elements and their clinical implications. *Clinical infectious diseases: an official publication of the Infectious Diseases Society of America*, 34(4), 482–492. <https://doi.org/10.1086/324626>
- Lecomte, S., Baron, M. H., Chenon, M. T., Coupry, C., & Moreau, N. J. (1994). Effect of magnesium complexation by fluoroquinolones on their antibacterial properties. *Antimicrobial agents and chemotherapy*, 38(12), 2810–2816. <https://doi.org/10.1128/AAC.38.12.2810>
- Lee, J. H., & O'Sullivan, D. J. (2010). Genomic insights into bifidobacteria. *Microbiology and molecular biology reviews*, 74(3), 378–416. <https://doi.org/10.1128/MMBR.00004-10>
- Li, B., Yin, F., Zhao, X., Guo, Y., Wang, W., Wang, P., Zhu, H., Yin, Y., & Wang, X. (2020). Colistin Resistance Gene *mcr-1* Mediates Cell Permeability and Resistance to Hydrophobic Antibiotics. *Frontiers in microbiology*, 10, 3015. <https://doi.org/10.3389/fmicb.2019.03015>
- Li, M. C., Lu, J., Lu, Y., Xiao, T. Y., Liu, H. C., Lin, S. Q., Xu, D., Li, G. L., Zhao, X. Q., Liu, Z. G., Zhao, L. L., & Wan, K. L. (2021). *rpoB* Mutations and Effects on Rifampin Resistance in *Mycobacterium tuberculosis*. *Infection and drug resistance*, 14, 4119–4128. <https://doi.org/10.2147/IDR.S333433>
- Liu, M., & Douthwaite, S. (2002). Resistance to the macrolide antibiotic tylosin is conferred by single methylations at 23S rRNA nucleotides G748 and A2058 acting in synergy. *Proceedings of the National Academy of Sciences of the United States of America*, 99(23), 14658–14663. <https://doi.org/10.1073/pnas.232580599>
- Liu, Y., Yang, L., & Molin, S. (2010). Synergistic activities of an efflux pump inhibitor and iron chelators against *Pseudomonas aeruginosa* growth and biofilm formation. *Antimicrobial agents and chemotherapy*, 54(9), 3960–3963. <https://doi.org/10.1128/AAC.00463-10>
- Lokesh, D., Parkesh, R., & Kammara, R. (2018). *Bifidobacterium adolescentis* is intrinsically resistant to antitubercular drugs. *Scientific Reports*, 8(1), 11897. <https://doi.org/10.1038/s41598-018-30429-2>
- Manu, C., & Payasi Anurag. (2012). Ethylenediaminetetraacetic acid: A non-antibiotic adjuvant enhancing *Pseudomonas aeruginosa* susceptibility. *African Journal of Microbiology Research*, 6(39), 6799–6804. <https://doi.org/10.5897/ajmr12.1407>

- Margolles, A., Moreno, J. A., van Sinderen, D., & de Los Reyes-Gavilán, C. G. (2005). Macrolide resistance mediated by a *Bifidobacterium breve* membrane protein. *Antimicrobial agents and chemotherapy*, 49(10), 4379–4381. <https://doi.org/10.1128/AAC.49.10.4379-4381.2005>
- Martín, V., Maldonado-Barragán, A., Moles, L., Rodriguez-Baños, M., Campo, R. D., Fernández, L., Rodríguez, J. M., & Jiménez, E. (2012). Sharing of bacterial strains between breast milk and infant feces. *Journal of Human Lactation: Official Journal of International Lactation Consultant Association*, 28(1), 36–44. <https://doi.org/10.1177/0890334411424729>
- Martinez J. L. (2014). General principles of antibiotic resistance in bacteria. *Drug discovery today. Technologies*, 11, 33–39. <https://doi.org/10.1016/j.ddtec.2014.02.001>
- Martínez, N., Luque, R., Milani, C., Ventura, M., Bañuelos, O., & Margolles, A. (2018). A Gene Homologous to rRNA Methylase Genes Confers Erythromycin and Clindamycin Resistance in *Bifidobacterium breve*. *Applied and Environmental Microbiology*, 84(10), e02888-17. <https://doi.org/10.1128/AEM.02888-17>
- Maruri, F., Sterling, T. R., Kaiga, A. W., Blackman, A., van der Heijden, Y. F., Mayer, C., Cambau, E., & Aubry, A. (2012). A systematic review of gyrase mutations associated with fluoroquinolone-resistant *Mycobacterium tuberculosis* and a proposed gyrase numbering system. *The Journal of antimicrobial chemotherapy*, 67(4), 819–831. <https://doi.org/10.1093/jac/dkr566>
- Masco, L., Van Hoorde, K., De Brandt, E., Swings, J., & Huys, G. (2006). Antimicrobial susceptibility of *Bifidobacterium* strains from humans, animals and probiotic products. *The Journal of antimicrobial chemotherapy*, 58(1), 85–94. <https://doi.org/10.1093/jac/dkl197>.
- Moubareck, C., Gavini, F., Vaugien, L., Butel, M. J., & Doucet-Populaire, F. (2005). Antimicrobial susceptibility of bifidobacteria. *The Journal of antimicrobial chemotherapy*, 55(1), 38–44. <https://doi.org/10.1093/jac/dkh495>
- Nakama, T., Nureki, O., & Yokoyama, S. (2001). Structural basis for the recognition of isoleucyl-adenylate and an antibiotic, mupirocin, by isoleucyl-tRNA synthetase. *The Journal of biological chemistry*, 276(50), 47387–47393. <https://doi.org/10.1074/jbc.M109089200>
- Nøhr-Meldgaard, K., Struve, C., Ingmer, H., & Agersø, Y. (2021). The Tetracycline Resistance Gene, *tet(W)* in *Bifidobacterium animalis* subsp. *lactis* Follows Phylogeny and Differs From *tet(W)* in Other Species. *Frontiers in Microbiology*, 12, 658943. <https://doi.org/10.3389/fmicb.2021.658943>
- O'Callaghan, A., & van Sinderen, D. (2016). Bifidobacteria and Their Role as Members of the Human Gut Microbiota. *Frontiers in microbiology*, 7, 925. <https://doi.org/10.3389/fmicb.2016.00925>
- Ohishi, A., Takahashi, S., Ito, Y., Ohishi, Y., Tsukamoto, K., Nanba, Y., Ito, N., Kakiuchi, S., Saitoh, A., Morotomi, M., & Nakamura, T. (2010). *Bifidobacterium septicemia* associated with postoperative probiotic therapy in a

- neonate with omphalocele. *The Journal of pediatrics*, 156(4), 679–681. <https://doi.org/10.1016/j.jpeds.2009.11.041>
- Partridge, S. R., Kwong, S. M., Firth, N., & Jensen, S. O. (2018). Mobile Genetic Elements Associated with Antimicrobial Resistance. *Clinical microbiology reviews*, 31(4). <https://doi.org/10.1128/cmr.00088-17>
- Patangia, D. V., Ryan, C. A., Dempsey, E., Stanton, C., & Ross, R. P. (2022). Vertical transfer of antibiotics and antibiotic resistant strains across the mother/baby axis. *Trends in microbiology*, 30(1), 47–56. <https://doi.org/10.1016/j.tim.2021.05.006>
- Patel, J. B., Gorwitz, R. J., & Jernigan, J. A. (2009). Mupirocin resistance. *Clinical infectious diseases: an official publication of the Infectious Diseases Society of America*, 49(6), 935–941. <https://doi.org/10.1086/605495>
- Paterson, G. K., Harrison, E. M., & Holmes, M. A. (2014). The emergence of *mecC* methicillin-resistant *Staphylococcus aureus*. *Trends in microbiology*, 22(1), 42–47. <https://doi.org/10.1016/j.tim.2013.11.003>
- Picard, C., Fioramonti, J., Francois, A., Robinson, T., Neant, F., & Matuchansky, C. (2005). Review article: bifidobacteria as probiotic agents -- physiological effects and clinical benefits. *Alimentary pharmacology & therapeutics*, 22(6), 495–512. <https://doi.org/10.1111/j.1365-2036.2005.02615.x>
- Prestinaci, F., Pezzotti, P., & Pantosti, A. (2015). Antimicrobial resistance: a global multifaceted phenomenon. *Pathogens and global health*, 109(7), 309–318. <https://doi.org/10.1179/2047773215Y.0000000030>
- Price, C. E., Reid, S. J., Driessen, A. J., & Abratt, V. R. (2006). The *Bifidobacterium longum* NCIMB 702259T *ctr* gene codes for a novel cholate transporter. *Applied and environmental microbiology*, 72(1), 923–926. <https://doi.org/10.1128/AEM.72.1.923-926.2006>
- Ramirez, M. S., & Tolmisky, M. E. (2010). Aminoglycoside modifying enzymes. *Drug resistance updates: reviews and commentaries in antimicrobial and anticancer chemotherapy*, 13(6), 151–171. <https://doi.org/10.1016/j.drup.2010.08.003>
- Repac Antić, D., Parčina, M., Gobin, I., & Petković Didović, M. (2022). Chelation in Antibacterial Drugs: From Nitroxoline to Cefiderocol and Beyond. *Antibiotics (Basel, Switzerland)*, 11(8), 1105. <https://doi.org/10.3390/antibiotics11081105>
- Reygaert W. C. (2018). An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS microbiology*, 4(3), 482–501. <https://doi.org/10.3934/microbiol.2018.3.482>
- Rice L. B. (2012). Mechanisms of resistance and clinical relevance of resistance to β -lactams, glycopeptides, and fluoroquinolones. *Mayo clinic proceedings*, 87(2), 198–208. <https://doi.org/10.1016/j.mayocp.2011.12.003>
- Roberts M. C. (2005). Update on acquired tetracycline resistance genes. *FEMS Microbiology letters*, 245(2), 195–203. <https://doi.org/10.1016/j.femsle.2005.02.034>

- Roberts M. C. (2008). Update on macrolide-lincosamide-streptogramin, ketolide, and oxazolidinone resistance genes. *FEMS microbiology letters*, 282(2), 147–159. <https://doi.org/10.1111/j.1574-6968.2008.01145.x>
- Roškar, I., Švigelj, K., Štempelj, M., Volfand, J., Štabuc, B., Malovrh, Š., & Rogelj, I. (2017). Effects of a probiotic product containing *Bifidobacterium animalis* subsp. *animalis* IM386 and *Lactobacillus plantarum* MP2026 in lactose intolerant individuals: Randomized, placebo-controlled clinical trial. *Journal of Functional Foods*, 35, 1–8. <https://doi.org/10.1016/j.jff.2017.05.020>
- Samantha, A., & Vrielink, A. (2020). Lipid A Phosphoethanolamine Transferase: Regulation, Structure and Immune Response. *Journal of molecular biology*, 432(18), 5184–5196. <https://doi.org/10.1016/j.jmb.2020.04.022>
- Schindler, B. D., & Kaatz, G. W. (2016). Multidrug efflux pumps of Gram-positive bacteria. *Drug resistance updates: reviews and commentaries in antimicrobial and anticancer chemotherapy*, 27, 1–13. <https://doi.org/10.1016/j.drup.2016.04.003>
- Seoane, A., & Bou, G. (2021). Bioinformatics approaches to the study of antimicrobial resistance. *Revista espanola de quimioterapia : publicacion oficial de la Sociedad Espanola de Quimioterapia*, 34 Suppl 1(Suppl1), 15–17. <https://doi.org/10.37201/req/s01.04.2021>
- Serafini, F., Bottacini, F., Viappiani, A., Baruffini, E., Turroni, F., Foroni, E., Lodi, T., van Sinderen, D., & Ventura, M. (2011). Insights into physiological and genetic mupirocin susceptibility in bifidobacteria. *Applied and environmental microbiology*, 77(9), 3141–3146. <https://doi.org/10.1128/AEM.02540-10>
- Shaikh, S., Fatima, J., Shakil, S., Rizvi, S. M., & Kamal, M. A. (2015). Antibiotic resistance and extended spectrum beta-lactamases: Types, epidemiology and treatment. *Saudi journal of biological sciences*, 22(1), 90–101. <https://doi.org/10.1016/j.sjbs.2014.08.002>
- Sharma, M., Wasan, A., & Sharma, R. K. (2021). Recent developments in probiotics: An emphasis on *Bifidobacterium*. *Food bioscience*, 41, 100993. <https://doi.org/10.3389/fbioe.2021.770248>
- Siahaan, S., Herman, M. J., & Fitri, N. (2022). Antimicrobial Resistance Situation in Indonesia: A Challenge of Multisector and Global Coordination. *Journal of tropical medicine*, 2022, 2783300. <https://doi.org/10.1155/2022/2783300>
- Simonsen, K. A., Anderson-Berry, A. L., Delair, S. F., & Davies, H. D. (2014). Early-onset neonatal sepsis. *Clinical microbiology reviews*, 27(1), 21–47. <https://doi.org/10.1128/CMR.00031-13>
- Su, Y. A., He, P., & Clewell, D. B. (1992). Characterization of the tet(M) determinant of Tn916: evidence for regulation by transcription attenuation. *Antimicrobial agents and chemotherapy*, 36(4), 769–778. <https://doi.org/10.1128/AAC.36.4.769>
- Takiff, H. E., Salazar, L., Guerrero, C., Philipp, W., Huang, W. M., Kreiswirth, B., Cole, S. T., Jacobs, W. R., Jr, & Telenti, A. (1994). Cloning and nucleotide sequence of *Mycobacterium tuberculosis* gyrA and gyrB genes and detection of

- quinolone resistance mutations. *Antimicrobial agents and chemotherapy*, 38(4), 773–780. <https://doi.org/10.1128/AAC.38.4.773>
- Tanizawa, Y., Fujisawa, T., & Nakamura, Y. (2018). DFAST: a flexible prokaryotic genome annotation pipeline for faster genome publication. *Bioinformatics (Oxford, England)*, 34(6), 1037–1039. <https://doi.org/10.1093/bioinformatics/btx713>
- van Duijkeren, E., Schwarz, C., Bouchard, D., Catry, B., Pomba, C., Baptiste, K. E., Moreno, M. A., Rantala, M., Ružauskas, M., Sanders, P., Teale, C., Wester, A. L., Ignate, K., Kunsagi, Z., & Jukes, H. (2019). The use of aminoglycosides in animals within the EU: development of resistance in animals and possible impact on human and animal health: a review. *The Journal of antimicrobial chemotherapy*, 74(9), 2480–2496. <https://doi.org/10.1093/jac/dkz161>
- Waller, P. A., Gopal, P. K., Leyfer, G. J., Ouwehand, A. C., Reifer, C., Stewart, M. E., & Miller, L. E. (2011). Dose-response effect of *Bifidobacterium lactis* HN019 on whole gut transit time and functional gastrointestinal symptoms in adults. *Scandinavian journal of gastroenterology*, 46(9), 1057–1064. <https://doi.org/10.3109/00365521.2011.584895>
- Walsh, T. R., & Howe, R. A. (2002). The prevalence and mechanisms of vancomycin resistance in *Staphylococcus aureus*. *Annual review of microbiology*, 56, 657–675. <https://doi.org/10.1146/annurev.micro.56.012302.160806>
- Wang, K. Y., Li, S. N., Liu, C. S., Perng, D. S., Su, Y. C., Wu, D. C., Jan, C. M., Lai, C. H., Wang, T. N., & Wang, W. M. (2004). Effects of ingesting *Lactobacillus*- and *Bifidobacterium*-containing yogurt in subjects with colonized *Helicobacter pylori*. *The American journal of clinical nutrition*, 80(3), 737–741. <https://doi.org/10.1093/ajcn/80.3.737>
- Wang, Y., & Taylor, D. E. (1991). A DNA sequence upstream of the tet(O) gene is required for full expression of tetracycline resistance. *Antimicrobial agents and chemotherapy*, 35(10), 2020–2025. <https://doi.org/10.1128/AAC.35.10.2020>
- Weisblum B. (1995). Erythromycin resistance by ribosome modification. *Antimicrobial agents and chemotherapy*, 39(3), 577–585. <https://doi.org/10.1128/AAC.39.3.577>
- Whitman, W. B., Goodfellow, M., Kämpfer Peter, Busse Hans-Jürgen, Trujillo, M. E., Ludwig, W., & Suzuki, Ken-ichiro. (2012). Bergey's Manual of Systematic Bacteriology Volume 5: The Actinobacteria. Springer New York
- Wijma, R. A., Huttner, A., Koch, B. C. P., Mouton, J. W., & Muller, A. E. (2018). Review of the pharmacokinetic properties of nitrofurantoin and nitroxoline. *The Journal of antimicrobial chemotherapy*, 73(11), 2916–2926. <https://doi.org/10.1093/jac/dky255>
- Wu, Z., Wright, G. D., & Walsh, C. T. (1995). Overexpression, purification, and characterization of VanX, a D-, D-dipeptidase which is essential for vancomycin resistance in *Enterococcus faecium* BM4147. *Biochemistry*, 34(8), 2455–2463. <https://doi.org/10.1021/bi00008a008>

- Zeng, D., Debabov, D., Hartsell, T. L., Cano, R. J., Adams, S., Schuyler, J. A., McMillan, R., & Pace, J. L. (2016). Approved Glycopeptide Antibacterial Drugs: Mechanism of Action and Resistance. *Cold Spring Harbor perspectives in medicine*, 6(12), a026989. <https://doi.org/10.1101/cshperspect.a026989>
- Zhang, K., Jin, M., Yang, D., Shen, Z., Liu, W., Yin, J., Yang, Z., Wang, H., Shi, D., Yang, J., Li, H., Chen, Y., Gao, Z., Qiu, Z., Shi, H., & Li, J. W. (2022). Antibiotic resistance genes in gut of breast-fed neonates born by caesarean section originate from breast milk and hospital ward air. *BMC Microbiology*, 22(1), 36. <https://doi.org/10.1186/s12866-022-02447-8>
- Zhang, Y., & Yew, W. W. (2009). Mechanisms of drug resistance in *Mycobacterium tuberculosis*. *The international journal of tuberculosis and lung disease: the official journal of the International Union against Tuberculosis and Lung Disease*, 13(11), 1320–1330.
- Zhang, Y., Zhang, N., Wang, M., Luo, M., Peng, Y., Li, Z., Xu, J., Ou, M., Kan, B., Li, X., & Lu, X. (2023). The prevalence and distribution of aminoglycoside resistance genes. *Biosafety and health*, 5(1), 14–20. <https://doi.org/10.1016/j.bsheal.2023.01.001>
- Zheng, M., Zhang, R., Tian, X., Zhou, X., Pan, X., & Wong, A. (2017). Assessing the Risk of Probiotic Dietary Supplements in the Context of Antibiotic Resistance. *Frontiers in microbiology*, 8, 908. <https://doi.org/10.3389/fmicb.2017.00908>
- Zhou, J. S., Pillidge, C. J., Gopal, P. K., & Gill, H. S. (2005). Antibiotic susceptibility profiles of new probiotic *Lactobacillus* and *Bifidobacterium* strains. *International journal of food microbiology*, 98(2), 211–217. <https://doi.org/10.1016/j.ijfoodmicro.2004.05.011>