

## DAFTAR PUSTAKA

1. WHO. World Health Organization; Diarrhoeal disease. 2013. Available from: <http://www.who.int/mediacentre/factsheets/fs330/en/>
2. Depkes RI. Riset Kesehatan Dasar (RISKESDAS). Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan Republik Indonesia. Jakarta. 2013.
3. Agtini MD, Soenarto SS. Situasi diare di Indonesia. Departemen Kesehatan RI. Jakarta. 2011.
4. Liu L, Johnson HL, Cousens S, Perin J, Scott S, Lawn JE, et al. Global, regional, and national causes of child mortality: an updated systematic analysis for 2010 with time trends since 2000. Lancet. 2012;379:2151–61.
5. Bizuneh H, Getnet F, Meressa B, Tegene Y, Worku G. Factors associated with diarrheal morbidity among under-five children in Jigjiga town, Somali Regional State, eastern Ethiopia: a cross-sectional study. BMC Pediatrics. 2017;17:182-3.
6. Boadi KO, Kuitunen M. Municipal solid waste management in the Accra Metropolitan Area, Ghana. The Environmentalist. 2003;23:211–8.
7. Sizya S, Muula AS, Rudatsikira E. Diarrhoea and acute respiratory infections prevalence and risk factors among under-five children in Iraq in 2000. Ital J Pediatr. 2009;35:8-9.
8. Bbaale E. Determinants of diarrhoea and acute respiratory infection among under-fives in Uganda. Australas Med J. 2011;4:400-2.
9. Ferdous F, Ahmed S, Latham JR, Das SK, Farzana FD, Ud-Din AIMS, et al. Severity of diarrhea and malnutrition among under five-year-old children in rural Bangladesh. Am J Trop Med Hyg. 2013;89:223–8.
10. Hatt LE, Waters HR. Determinants of child morbidity in Latin America: A pooled analysis of interactions between parental education and economic status. Soc Sci Med. 2006;62:375–86.
11. Eisenberg JN, Scott JC, Porco T. Integrating disease control strategies: balancing water sanitation and hygiene interventions to reduce diarrheal disease burden. Am J Public Health. 2007;97:846–52.
12. Makoni F, Ndamba J, Mbati P, Manase G. Impact of waste disposal on health of a poor urban community in Zimbabwe. East Afr Med J. 2004;81:422-6.
13. Carter E, Bryce J, Perin J, Newby H. Harmful practices in the management of childhood diarrhea in low- and middle-income countries: a systematic review. BMC Public Health. 2015;15:788-91.
14. WHO/Unicef. Ending preventable deaths from pneumonia and diarrhea by 2025; the integrated action plan for prevention and diarrhea. 2013.
15. Mediratta PR, Feleke A, Moulton HL, Yifru S and Sack BR. Risk factors and case management of acute diarrhoea in North Gondar zone, Ethiopia. J Health Popul Nutr. 2010;28:253-63.
16. Carvajal-Vélez, Amouzou A, Perin J, Maiga A, Tarekegn H Akinyemi A, et al. Diarrhea management in children under five in sub-Saharan Africa: does

- the source of care matter? A countdown analysis. *BMC Public Health.* 2016;16:830-1.
17. Depkes RI. Riset Kesehatan Dasar (RISKESDAS). Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan Republik Indonesia. Jakarta. 2011.
  18. NS SA, Handoyo, Kurnia DA. Analisis faktor-faktor resiko yang mempengaruhi kejadian diare pada balita di Puskesmas Ambal 1 kecamatan Ambal kabupaten Kebumen (Tesis). Kebumen. STiKes. 2009.
  19. Wulandari AP. Hubungan antara faktor lingkungan dan faktor sosiodemografi dengan kejadian diare pada balita di desa Blimbingsari kecamatan Sambirejo kabupaten Sragen (Tesis). Surakarta. UMS. 2009.
  20. Puji Astuti IP, Silviana I. Faktor-faktor yang berhubungan dengan kejadian diare pada balita di wilayah kerja Puskesmas Tengal Angus kabupaten Tangerang (Tesis). Jakarta. UEU. 2010.
  21. Farthing M, Salam MA, Lindberg G, Dite P, Khalif I, Salazar-Lindo E, et al. Acute diarrhea in adults and children. *J Clin Gastroenterol.* 2013;47:12–20.
  22. WHO. World Health Organization; Diarrhoea. 2017. Available from: [www.who.int/topics/diarrhoea/en/](http://www.who.int/topics/diarrhoea/en/). Accessed 5 Sept.
  23. Departemen Kesehatan RI. Data dan Informasi. Jakarta. 2013.
  24. Semba RD, Moench-Pfanner R, Pee SD, Badham J, Kraemer K, Bloem MW, et al. Relationship of the presence of a household improved latrine with diarrhea and under-five child mortality in Indonesia. *Am J Trop Med Hyg.* 2011;84:443–50.
  25. Departemen Kesehatan RI. Profil Kesehatan Indonesia. Jakarta. 2009.
  26. Mondal NC, Biswas R, Manna A. Risk factors of diarrhoea among flood victims: a controlled epidemiological study. *Indian J Public Health.* 2001;45:122–7.
  27. Morrow AL, Ruiz-Palacios GM, Altaye M, Jiang X, Guerrero ML, Meinzen-Derr JK, et al. Human milk oligosaccharide blood group epitopes and innate immune protection against *Campylobacter* and *Calicivirus* diarrhea in breastfed infants. *Adv Exp Med Biol.* 2004;544:443–6.
  28. WHO/UNICEF. Why children are still dying and what to be done. Geneva, Switzerland. 2009;12-29.
  29. Luby SP, Halder AK, Huda T, Unicomb L, Johnston RB. The effect of handwashing at recommended times with water alone and with soap on child diarrhea in rural Bangladesh: An observational study. *PLoS Med.* 2011;8:100-2.
  30. Meng CY, Smith BL, Bodhidatta L, Richard SA, Vansith K, Thy B, et al. Etiology of diarrhea in young children and patterns of antibiotic resistance in Cambodia. *Pediatr Infect Dis J.* 2011;30:331–5.
  31. Departemen Kesehatan RI. Profil kesehatan Indonesia. Jakarta. 2006.
  32. Binder HJ. Pathophysiology of acute diarrhea. *Am J Med.* 1990;88:2-4.
  33. WHO. Five keys to safer food manual. World Health Organization; 2006.
  34. Bapenas. Evaluasi Pelaksanaan Program Wajar Pendidikan Dasar 9 Tahun, Deputi Evaluasi Kinerja Pembangunan Bapenas. Jakarta. 2009.

35. Blum M.D. Hendrik L. Planning For Health. Human Scence Press, 1974;2:3.
36. Widayastuti P. Epidemiologi Suatu Pengantar. Jakarta. 2005.
37. Hartanto H. Keluarga Berencana dan Kontrasepsi. Jakarta. 2004.
38. Santoso S, Anne LR. Kesehatan dan Gizi, Rineka Cipta, Jakarta. 1999.
39. Kementerian Kesehatan RI. Subdirektoran Pengendalian Diare dan Infeksi Saluran Pencernaan Dalam. Jakarta. 2011.
40. Departemen Kesehatan RI. Profil Kesehatan Indonesia. Jakarta. 2007.

