

DAFTAR PUSTAKA

- Abubakar, A. R., & Haque, M. (2020). Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes. *Journal of pharmacy & bioallied sciences*, 12(1), 1–10. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7398001/>
- Akhavan BJ, Khanna NR, Vijhani P. (2022). StatPearls: Amoxicillin. Treasure Island (FL): StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK482250/>
- Ansel, Howard C. (1989). Pengantar Bentuk Sediaan Farmasi, edisi ke-4. Jakarta: UI Press.
- Azwanida, A. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength, and Limitation. *Medicinal & Aromatic Plants*, 04(03), 3–8
- Bar, M., Binduga, U., & Szychowski, K. (2022). Methods of isolation of active substances from garlic (*allium sativum l.*) and its impact on the composition and biological properties of garlic extracts. *Antioxidants*, 11(7), 1345. <https://doi.org/10.3390/antiox11071345>
- BPOM RI. (2010). Acuan sediaan herbal. Jakarta: Badan Pengawas Obat dan Makanan Republik Indonesia.

Bui, T., Preuss, C.V. (2023). Cephalosporins. In: StatPearls. Treasure Island (FL): StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK551517/>

Cavalcanti, V.P., Aazza, S., Bertolucci, S.K.V., et al. (2021). Solvent Mixture Optimization in the Extraction of Bioactive Compounds and Antioxidant Activitis from Garlic (*Allium sativum L.*). *Molecules*, 26(19), 6026. <https://doi.org/10.3390/molecules26196026>

Chen CJ, Huang YC. (2014). New epidemiology of *Staphylococcus aureus* infection in Asia. *Clinical Microbiology and Infection*. 20(7): 605-623

Choo, E. J., Chambers, H. F., (2016). Treatment of Methicillin-Resistant *Staphylococcus aureus* Bacterimia, *Infection & Chemotherapy*. Vol. 48, no. 4, pp. 267-273. doi:10.3947/ic.2016.48.4.267

Cong, Y., Yang, S., Rao X. (2020). Vancomycin resistant *Staphylococcus aureus* infections: A review of case updating and clinical features, *Journal of Advanced Research*, Volume 21, ISSN 2090-1232. <https://doi.org/10.1016/j.jare.2019.10.005>

Depkes RI. (2020). Farmakope Indonesia edisi VI. Departemen Kesehatan Republik Indonesia. Jakarta: Kementerian Kesehatan Republik Indonesia.

Elshamy, A. A., & Aboshanab, K. M. (2020). A review on bacterial resistance to carbapenems: epidemiology, detection, and treatment options. *Future science OA*, 6(3), FSO438.

Ergina. (2014). Uji Kualitatif Senyawa Metabolit Sekunder Pada Daun Palado (Agave Angustifolia) Yang Diekstraksi Dengan Pelarut Air Dan Etanol. Pendidikan Kimia, Universitas Tadulako, Palu.

Evans J, Hanoodi M, Wittler M. (2023). StatPearls: Amoxicillin Clavulanate. Treasure Island (FL): StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK538164/>

Farnsworth, N. R. (1966). Biological and phytochemical screening of plants. *Journal of Pharmaceutical Sciences*, 55(3), 225–276.

Ghasemzadeh, A., & Jaafar, H. Z. (2014). Optimization of reflux conditions for total flavonoid and total phenolic extraction and enhanced antioxidant capacity in Pandan (Pandanus amaryllifolius Roxb.) using response surface methodology. *TheScientificWorld Journal*, 2014, 523120. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4132310/>

Gopal, J., Muthu, M., Paul, D. et al. (2016). Bactericidal activity of green tea extracts: the importance of catechin containing nano particles. *Sci Rep* 6, 19710.

Harborne, J. B. (1987). Metode fitokimia penentuan cara modern menganalisis tumbuhan. Bandung: ITB.

Hasan, R., Acharjee, M., Noor, R., (2016). Prevalence of vancomycin resistant Staphylococcus aureus (VRSA) in methicillin resistant S. aureus (MRSA)

- strains isolated from burn wound infections. *Tzu Chi Medical Journal*, vol. 28, no. 2, pp. 49-53.doi: 10.1016/j.tcmj.2016.03.002
- Hasanpour AH, Sepidarkish M, Mollalo A, Ardekani A, Almukhtar M, Mechaal A, Hosseini SR, Bayani M, Javanian M, Rostami A. (2023) The global prevalence of methicillin-resistant *Staphylococcus aureus* colonization in residents of elderly care centers: a systematic review and meta-analysis. *Antimicrobial Resist Infect Control.* 12(1):4. doi: 10.1186/s13756-023-01210-6. PMID: 36709300; PMCID: PMC9884412.
- Hou, D. Y., Hui, R. H., Guan, C. X., & Liu, X. Y. (2002). Spectral analysis of tea polyphenols in green tea and its tea beverage. *Food Sci*, 23, 109-111.
- Hussein, H. J., Hameed, I. H., Hadi, M. Y. (2017). A review: Anti-microbial, anti-inflammatory effect and cardiovascular effects of garlic: *Allium sativum*. *Research J. Pharm. And Tech*, vol. 10, no. 11, pp. 4069-4078. Doi: 10.5958/0974-360X.2017.00738.7.
- Kadam, V., (2018). ANTIBACTERIAL ACTIVITY OF EXTRECT OF GREEN TEA AND ZINGIBER OFFINCINALE. University of Mumbai.
- Kadarohman, A., Salima, G., et al. (2022). Fructone Synthesis from Ethanol and Acetic Acid. *Indonesian Journal of Chemical Science*. Indo. J. Chem. Sci. 11 (3) (2022).

Katzung, B.G., Masters, S.B., Trevor, A.J., (2014). Farmakologi Dasar & Klinik, Vol.2, Edisi 12, Editor Bahasa Indonesia Ricky Soeharsono et al., Penerbit Buku Kedokteran EGC, Jakarta.

Kementerian Kesehatan RI. (2017). Farmakope Herbal Indonesia Edisi II. Jakarta. Kementerian Kesehatan Republik Indonesia.

Kowalska-Krochmal, B., & Dudek-Wicher, R. (2021). The Minimum Inhibitory Concentration of Antibiotics: Methods, Interpretation, Clinical Relevance. *Pathogens (Basel, Switzerland)*, 10(2), 165. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7913839/>

Lecumberri, E., Dupertuis, Y. M., Miralbell, R., & Pichard, C. (2013). Green tea polyphenol epigallocatechin-3-gallate (EGCG) as adjuvant in cancer therapy. *Clinical Nutrition*, 32(6), 894–903. <https://doi.org/10.1016/J.CLNU.2013.03.008>

Liaqat, A., Zahoor, T., Randhawa, M., & Shahid, M. (2019). Characterization and antimicrobial potential of bioactive components of sonicated extract from garlic (*Allium sativum*) against foodborne pathogens. *Journal of Food Processing and Preservation*, 43(5), e13936. <https://doi.org/10.1111/jfpp.13936>

Lin, Y. S., Tsai, Y. J., Tsay, J. S., & Lin, J. K. (2023). Factors affecting the levels of tea polyphenols and caffeine in tea leaves. *Journal of agricultural and food*

chemistry, 51(7), 1864–1873.

<https://doi.org/10.1021/jf021066b>

Lonkala, S., dan Reddy, A.R.N. (2019). Total phenolic antibacterial activity of *Carica papaya* leaves and *Allium sativum* cloves alone and in combination against multiple strains. *Pharmacog Journal*. 11(3):600-2.

Magryś, A., Olander, A., & Tchórzewska, D. (2021). Antibacterial properties of *Allium sativum* L. against the most emerging multidrug-resistant bacteria and its synergy with antibiotics. *Archives of microbiology*, 203(5), 2257–2268.
<https://doi.org/10.1007/s00203-021-02248-z>

Mann, Prem S. (2010). Introductory Statistics Seventh Edition. USA: John Wiley & Sons, Inc

Manongko, P. S., Sangi, M. S., Momuat, L. I., (2020). Uji Senyawa Fitokoimia dan Aktivitas Antioksidan Tanaman Patah Tulang (*Euphorbia tirucalli* L.). *Jurnal MIPA*, Universitas Sam Ratulangi.

Mayrhofer, S., Domig, K. J., Mair, C., Zitz, U., Huys, G., & Kneifel, W. (2008). Comparison of broth microdilution, Etest, and agar disk diffusion methods for antimicrobial susceptibility testing of *Lactobacillus acidophilus* group members. *Applied and environmental microbiology*, 74(12), 3745–3748.
<https://doi.org/10.1128/AEM.02849-07>

Mikaili, P., Maadirad, S., Moloudizargari, M., Aghajanshakeri, S., Sarahroodi, S. (2013). Therapeutic uses and pharmacological properties of garlic, shallot, and

their biologically active compounds. Iranian journal of basic medical sciences, vol. 16, no. 10, pp. 1031-1048.

Moulia, M. N., Syarief, R., Iriani, E. S., Kusumaningrum, H. D., & Suyatma, N. E. (2018). Antimicrobial of Garlic Extract. Jurnal Pangan, 27(1), 70 55–66

National Center for Biotechnology Information (US). (1996). Medical Microbiology. National Library of Medicine (US), National Center for Biotechnology Information. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK7256/>

National Center for Biotechnology Information (US). (2023). Vancomycin. In *StatPearls*. StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK459263/>

Nurtina, W. O., Wahyudin, E., & Sartini. (2022). Korelasi kadar EGCG (Epigallocatechin gallate) dan aktivitas antibakteri dari plasma tikus (*Rattus norvegicus*) terhadap *Staphylococcus aureus* setelah pemberian fraksi etanol teh hijau dosis tunggal. Majalah Farmasi & Farmakologi, Makassar.

Patel, P., Wermuth, H. R., Calhoun, C., & Hall, G. A. (2023). Antibiotics. In *StatPearls*. Treasure Island (FL): StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK535443/>

Pramesti, C. A. A., Khikmah, N., & Sulistyani, N. (2022). Antibacterial test of black tea and green tea kombucha against methicillin-resistant *Staphylococcus aureus* (MRSA). Rumah Sakit Panti Rapih Yogyakarta

Radji, M., Agustama, R. A., Elya, B., & Tjampakasari, C. R. (2013). Antimicrobial activity of green tea extract against isolates of methicillin-resistant *Staphylococcus aureus* and multi-drug resistant *Pseudomonas aeruginosa*. *Asian Pacific journal of tropical biomedicine*, 3(8), 663–666.
[https://doi.org/10.1016/S2221-1691\(13\)60133-1](https://doi.org/10.1016/S2221-1691(13)60133-1)

Rahmi, M., Putri, D.H., (2020). Aktivitas Antimikroba DMSO sebagai Pelarut Ekstrak Alami. Serambi Biologi. e-ISSN: 2722-2829.

Reiza, I. A., Rijai, L., Mahmudah, F. (2019). Skrining Fitokimia Ekstrak Etanol Kulit Nanas (*Ananas comosus* (L.) Merr). Proceeding of Mulawarman Pharmaceuticals Conferences.

Reller, L.B., Weinstein, M., Jorgensen, J.H., Ferraro, M.J., (2009) Antimicrobial Susceptibility Testing: A Review of General Principles and Contemporary Practices, *Clinical Infectious Diseases*, Volume 49, Issue 11, Pages 1749–1755.

Robinson, T. (1991). Kandungan Organik Tumbuhan Tingkat Tinggi. Bandung: Penerbit ITB. Hal. 152-196.

Rustanti, E. (2016). Efektivitas antibakteri senyawa katekin dari ekstrak daun teh (*Camelia sinensis* L. var *assamica*) terhadap bakteri *Pseudomonas fluorescens*. Journal of Chemistry.

Rustanti, E., Jannah, A., & Fasya, A. G. (2013). Uji aktivitas antibakteri senyawa katekin dari daun teh (*Camelia sinensis* L. var *assamica*) terhadap bakteri *Micrococcus luteus*. FAST UIN, Malang.

Sani, F. (2016). Metodologi penelitian farmasi komunitas dan eksperimental. Yogyakarta: Deepublish, 67-69.

Schumacher, A., Vranken, T., Malhotra, A. et al. (2018). In vitro antimicrobial susceptibility testing methods: agar dilution to 3D tissue-engineered models. *Eur J Clin Microbiol Infect Dis* **37**, 187–208.

Siddiqui, A. H., & Koirala, J. (2023). Methicillin-Resistant *Staphylococcus aureus*.

Diambil dari <https://www.ncbi.nlm.nih.gov/books/NBK482221/>

Soedarto. (2015). Mikrobiologi kedokteran. *Medical microbiology / Soedarto*. Jakarta :; © 2015 CV. Sagung Seto: Sagung Seto.

Souza M. C., et al. (2022). Potential application for antimicrobial and antileukemic therapy of a flavonoid-rich fraction of *Camellia sinensis*, Food Chemistry Advances, Volume 1, 100042, ISSN 2772-753X. Diakses dari <https://www.sciencedirect.com/science/article/pii/S2772753X22000302>

Taylor, P. W., Hamilton-Miller, J. M., & Stapleton, P. D. (2005). Antimicrobial properties of green tea catechins. *Food science and technology bulletin*, 2, 71–81. <https://doi.org/10.1616/1476-2137.14184>

Taylor, T.A., Unakal, C.G. (2023). *Staphylococcus aureus* Infection. In StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK441868/>

The Lancet. (2022). Global mortality associated with 33 bacterial pathogens in 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet; 400: 2221–48. Diunduh dari [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(22\)02185-7/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(22)02185-7/fulltext)

Tivani, I., Amananti, W., Putri, A.R. (2021). Uji Aktivitas Antibakteri *Handwash Ekstrak Daun Turi (Sesbania grandiflora L.) Terhadap Staphylococcus aureus.* Jurnal Ilmiah Manuntung, 7(1), 86-91, 2021.

Tong SY, Davis JS, Eichenberger E, Holland TL, Fowler VG Jr. (2015). *Staphylococcus aureus infections: epidemiology, pathophysiology, clinical manifestations, and management.* Clin Microbiol Rev. 28(3):603-61. doi: 10.1128/CMR.00134-14. PMID: 26016486; PMCID: PMC4451395.

Umesh, C. V. (2023). *Camellia sinensis. Herbs, Spices and Their Roles in Nutraceuticals and Functional Foods,* 219–231. <https://doi.org/10.1016/B978-0-323-90794-1.00009-0>

Van Steenis. (2008). Flora, Cetakan ke 12. Jakarta: PT. Pradnya Paramita.

Wibisono, Y., Izza, N., Savitri, D., Dewi, S. R., & Putranto, A. W. (2020). Ekstraksi Senyawa Fenolik Dari Bawang Putih (*Allium Sativum L.*)Untuk Agen Anti-Biofouling pada Membran. JRPB, Vol. 8, No. 1, Maret 2020, Hal. 100-109.

World Health Organization. (2014). Antimicrobial Resistance Global Report on Surveillance.

Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese medicine*, 13, 20. Diakses dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5905184/>

Zhao, T., Li, C., Wang, S., & Song, X. (2022). Green Tea (*Camellia sinensis*): A Review of Its Phytochemistry, Pharmacology, and Toxicology. *Molecules*, 27(12), 3909. MDPI AG. Retrieved from <http://dx.doi.org/10.3390/molecules27123909>

Zulfanita, Mudawaroch, R. E., & Rinawidiastuti. (2022). Potensi bawang putih (*Allium sativum*) sebagai anti bakteri. Universitas Muhammadiyah Purworejo.