

ABSTRAK

Muhammad Yaska Zharfan (00000015415)

HUBUNGAN MENGGANTI SPREI KASUR TEPAT WAKTU PADA PASIEN DENGAN GEJALA PENYAKIT RHINITIS ALERGI DI RUMAH SAKIT UMUM SILOAM KARAWACI

(xiv + 40 halaman: 4 tabel; 4 lampiran)

Ketepatan waktu mengganti sprei kasur minimal satu kali dalam satu minggu dapat mempengaruhi kemunculan gejala penyakit rhinitis alergi pada pasien penderita gejala rhinitis alergi di Rumah Sakit Umum Siloam.

Tujuan penelitian ini adalah untuk melihat pengaruh tingkat keparahan gejala rhinitis alergi pada pasien penderita gejala rhinitis alergi dengan ketepatan waktu mengganti sprei kasur.

Penelitian ini menggunakan metode potong-lintang dengan teknik pengambilan data primer. Sampel penelitian berjumlah 56 orang dan merupakan pasien yang memiliki gejala rhinitis alergi yang datang ke Departemen Rawat Jalan Rumah Sakit Umum Siloam Karawaci. Pembagian sampel dikategorikan berdasarkan jumlah mengganti sprei yang subjek lakukan dalam satu minggu. Pemilihan subjek dilakukan secara *non-random* dengan *purposive sampling*. Pengambilan data akan berlangsung selama 3 bulan, dari bulan Januari 2018 sampai bulan Maret 2018. Hasil penelitian ini akan diolah dengan uji *Chi²*.

Dari 56 pasien yang terkumpul, terdapat pasien yang jarang mengganti sprei kasur sebanyak 25 (44,6%) dan terdapat pasien yang rajin mengganti sprei kasur sebanyak 31 (55,4%). Dari 5 gejala rhinitis alergi didapatkan nilai rata-rata $p=0,493$ dan nilai rata-rata $RR=1,436$.

Tidak terdapat perbedaan tingkat keparahan antara berat dan ringan dari gejala rhinitis alergi yang signifikan antara pasien yang jarang mengganti sprei kasur dengan pasien yang rajin mengganti sprei kasur. Namun dibanding pasien yang rajin mengganti sprei kasur, pasien yang jarang mengganti sprei kasur cenderung mengalami gejala rhinitis alergi yang berat.

Referensi: 18 (1967-2017).

ABSTRACT

Muhammad Yaska Zharfan (00000015415)

RELATIONSHIP IN REPLACING THE BEDDING ON TIME IN PATIENTS WITH ALLERGIC RHINITIS SYMPTOMS AT SILOAM KARAWACI GENERAL HOSPITAL

(xiv + 40 pages; 4 tables; 4 attachments)

The punctuality of replacing the bedding at least once in a week could affect the occurrence of AR symptoms on patients who suffer AR symptoms at the General Hospital of Siloam Karawaci.

The purpose of this research is to observe the severity of AR symptoms on patients who suffer from AR symptoms towards the punctuality of replacing their bedding.

This research will be conducted using cross-sectional method and primary data retrieval. Samples are 56 AR symptoms patients who come to the General Hospital of Siloam Karawaci. The sample division is categorized based on the number of bedding replacement that the subject does in one week. Subjects will be chosen non-randomly with purposive sampling method. Data retrieval will last for 3 months, from January 2017 to March 2018. The result of this research will be analyzed using Chi² test.

From the 56 patients who were collected, there were patients who rarely replaced the bedding as much as 25 (44.6%) and there were patients who diligently replaced the bedding as much as 31 (55.4%). Of the 5 symptoms of allergic rhinitis, the average value of $p=0.493$ and the average value of $RR=1.436$.

There is no significant difference in the severity between severe and mild of the symptoms of allergic rhinitis between patients who rarely replaced the bedding and with patients who were diligent in replacing the bedding. However, compared to patients who diligently replace the bedding patients who rarely replace the bedding tend to experience severe symptoms of allergic rhinitis.

References: 18 (1967-2017)