

## DAFTAR PUSTAKA

- Abdelhamid, A. G., Esaam, A., & Hazaa, M. M. (2018). Cell free preparations of probiotics exerted antibacterial and antibiofilm activities against multidrug resistant *E. coli*. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 26(5), 603–607. DOI: 10.1016/j.jps.2018.03.004
- Alves-Santos, A. M., Silva, M. M. A., Rodrigues, C. A. P., Albuquerque, T. M. R., Souza, E. L., & Naves, M. M. V. (2023). Prebiotic Activity of Pequi (*Caryocar brasiliense* Camb.) Shell on *Lactobacillus* and *Bifidobacterium* Strains: A Medicinal Food Ingredient. *Journal of medicinal food*. Advance online publication. DOI: 10.1089/jmf.2022.0117
- Amorim, C., Silvério, S. C., Cardoso, B. B., Alves, J. I., Pereira, M. A., & Rodrigues, L. R. (2020). *In vitro* fermentation of raffinose to unravel its potential as prebiotic ingredient. *LWT*, 126, 109322. DOI: 10.1016/j.lwt.2020.109322
- Andersen, J. M., Barrangou, R., Abou Hachem, M., Lahtinen, S. J., Goh, Y. J., Svensson, B., & Klaenhammer, T. R. (2013). Transcriptional analysis of oligosaccharide utilization by *Bifidobacterium lactis* Bl-04. *BMC genomics*, 14, 312. DOI: 10.1186/1471-2164-14-312.
- Anggraeni, A. A. (2021). Mini-Review: The potential of raffinose as a prebiotic. *IOP Conference Series: Earth and Environmental Science*, 980, 012033. DOI: 10.1088/1755-1315/980/1/012033.
- Bekkali, N. L., Bongers, M. E., Van den Berg, M. M., Liem, O., & Benninga, M. A. (2007). The role of a probiotics mixture in the treatment of childhood constipation: a pilot study. *Nutrition journal*, 6, 17. DOI: 10.1186/1475-2891-6-17.
- Binda, S., Hill, C., Johansen, E., Obis, D., Pot, B., Sanders, M. E., Tremblay, A., & Ouwehand, A. C. (2020). Criteria to Qualify Microorganisms as "Probiotic" in Foods and Dietary Supplements. *Frontiers in microbiology*, 11, 1662. DOI: 10.3389/fmicb.2020.01662

- Chen, J., Chen, X., & Ho, C. L. (2021). Recent Development of Probiotic *Bifidobacteria* for Treating Human Diseases. *Frontiers in bioengineering and biotechnology*, 9, 770248. DOI: 10.3389/fbioe.2021.770248
- Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S. J., Berenjian, A., & Ghasemi, Y. (2019). Prebiotics: Definition, Types, Sources, Mechanisms, and Clinical Applications. *Foods*, 8(3), 92. DOI: 10.3390/foods8030092
- El-Soud, N. H., Said, R. N., Mosallam, D. S., Barakat, N. A., & Sabry, M. A. (2015). *Bifidobacterium lactis* in Treatment of Children with Acute Diarrhea. A Randomized Double Blind Controlled Trial. *Open Access Macedonian Journal of Medical Sciences*, 3(3), 403–407. DOI: 10.3889/oamjms.2015.088.
- Elango, D., Rajendran, K., Van der Laan, L., Sebastiar, S., Raigne, J., Thaiparambil, N. A., El Haddad, N., Raja, B., Wang, W., Ferela, A., Chiteri, K. O., Thudi, M., Varshney, R. K., Chopra, S., Singh, A., & Singh, A. K. (2022). Raffinose Family Oligosaccharides: Friend or Foe for Human and Plant Health?. *Frontiers in plant science*, 13, 829118. DOI: 10.3389/fpls.2022.829118
- Izumi, H., Ehara, T., Sugahara, H., Matsubara, T., Mitsuyama, E., Nakazato, Y., Tsuda, M., Shimizu, T., Odamaki, T., Xiao, J. Z., & Takeda, Y. (2019). The Combination of *Bifidobacterium breve* and Three Prebiotic Oligosaccharides Modifies Gut Immune and Endocrine Functions in Neonatal Mice. *The Journal of nutrition*, 149(2), 344–353. DOI: 10.1093/jn/nxy248
- Kamel, D. G., Hammam, A. R. A., Alsaleem, K. A., & Osman, D. M. (2021). Addition of inulin to probiotic yogurt: Viability of probiotic bacteria (*Bifidobacterium bifidum*) and sensory characteristics. *Food science & nutrition*, 9(3), 1743–1749. DOI: 10.1002/fsn3.2154
- Kowalczyk, M., Znamirowska-Piotrowska, A., Buniowska-Olejnik, M., & Pawłos, M. (2022). Sheep Milk Symbiotic Ice Cream: Effect of Inulin and Apple Fiber on the Survival of Five Probiotic Bacterial Strains during Simulated

In Vitro Digestion Conditions. *Nutrients*, 14(21), 4454. DOI: 10.3390/nu14214454

Lim, H. J., & Shin, H. S. (2020). Antimicrobial and Immunomodulatory Effects of *Bifidobacterium* Strains: A Review. *Journal of microbiology and biotechnology*, 30(12), 1793–1800. DOI: 10.4014/jmb.2007.07046

Lim, S. M., & Kim, D. H. (2017). *Bifidobacterium adolescentis* IM38 ameliorates high-fat diet-induced colitis in mice by inhibiting NF-κB activation and lipopolysaccharide production by gut microbiota. *Nutrition research (New York, N.Y.)*, 41, 86–96. DOI: 10.1016/j.nutres.2017.04.003.

Martínez-Villaluenga, C., Frías, J., & Gómez, R. (2006). Influence of addition of raffinose family oligosaccharides on probiotic survival in fermented milk during refrigerated storage. *International Dairy Journal*, 16(7), 768-774. DOI: 10.1016/j.idairyj.2005.08.002.

Matejčeková, Z., Vlková, E., Liptáková, D., & Valík, L. (2019). Preliminary Screening of Growth and Viability of 10 Strains of *Bifidobacterium* spp.: Effect of Media Composition. *Fermentation*, 5(2), 38. DOI: 10.3390/fermentation5020038

National Institutes of Health. (2023, November 3). *Probiotics*. Retrieved from <https://ods.od.nih.gov/factsheets/Probiotics-HealthProfessional/>

Ogawa, T., Shimada, M., Nagano, N., Ito, K., Ando, T., Shimomura, Y., Ando, Y., & Otsuka, K. (2012). Oral administration of *Bifidobacterium longum* in a gastro-resistant seamless capsule decreases serum phosphate levels in patients receiving haemodialysis. *Clinical Kidney Journal*, 5(4), 373–374. DOI: 10.1093/ckj/sfs072.

Robles-Vera, I., de la Visitación, N., Toral, M., Sánchez, M., Romero, M., Gómez-Guzmán, M., Yang, T., Izquierdo-García, J. L., Guerra-Hernández, E., Ruiz-Cabello, J., Raizada, M. K., Pérez-Vizcaíno, F., Jiménez, R., & Duarte, J. (2020). Probiotic *Bifidobacterium breve* prevents DOCA-salt hypertension. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, 34(10), 13626–13640. DOI: 10.1096/fj.202001532R.

- Russell, D. A., Ross, R. P., Fitzgerald, G. F., & Stanton, C. (2011). Metabolic activities and probiotic potential of bifidobacteria. *International Journal of Food Microbiology*, 149(1), 88-105. DOI: 10.1016/j.ijfoodmicro.2011.06.003.
- Setiarto, R. H. B., Widhyastuti, N., & Kurnia, D. R. (2021). Optimak Concentration of Prebiotic Raffinose to Increase Viability of *Lactobacillus acidophilus*, *Lactobacillus bulgaricus*, *Streptococcus thermophilus*. *Carpathian Journal of Food Science and Technology*, 13(3), 147-157. DOI: 10.34302/crpjfst/2021.13.3.12.
- Sharma, M., Wasan, A., & Sharma, R. K. (2021). Recent developments in probiotics: An emphasis on *Bifidobacterium*. *Food Bioscience*, 41, 100993. DOI: 10.1016/j.fbio.2021.100993
- Sims, I. M., & Tannock, G. W. (2020). Galacto- and Fructo-oligosaccharides Utilized for Growth by Cocultures of Bifidobacterial Species Characteristic of the Infant Gut. *Applied and environmental microbiology*, 86(11), e00214-20. DOI: 10.1128/AEM.00214-20
- Stolfi, C., Pacifico, T., Monteleone, G., & Laudisi, F. (2023). Impact of Western Diet and Ultra-Processed Food on the Intestinal Mucus Barrier. *Biomedicines*, 11(7), 2015. DOI: 10.3390/biomedicines11072015
- Teague, K. D., Tellez-Isaias, G., Chai, J., Petrone-Garcia, V., Vuong, C. N., Blanch, A., Rasmussen, S. H., Brown, K., Zhao, J., & Rochell, S. J. (2023). Dietary soy galactooligosaccharides affect the performance, intestinal function, and gut microbiota composition of growing chicks. *Poultry science*, 102(4), 102440. DOI: 10.1016/j.psj.2022.102440
- Tian, P., Bastiaanssen, T. F. S., Song, L., Jiang, B., Zhang, X., Zhao, J., Zhang, H., Chen, W., Cryan, J. F., & Wang, G. (2021). Unraveling the Microbial Mechanisms Underlying the Psychobiotic Potential of a Bifidobacterium breve Strain. *Molecular nutrition & food research*, 65(8), 2000704. DOI: 10.1002/mnfr.202000704.
- Vulevic, J., Juric, A., Tzortzis, G., & Gibson, G. R. (2013). A mixture of trans-galactooligosaccharides reduces markers of metabolic syndrome and

- modulates the fecal microbiota and immune function of overweight adults. *The Journal of nutrition*, 143(3), 324–331. DOI: 10.3945/jn.112.166132
- Webster, A., Scherer, S., Fabri, K., Doudican, H., & Felder, M. (2019). *Saccharomyces cerevisiae* ferments monosaccharides faster than disaccharides. *Journal of Undergraduate Biology Laboratory Investigations*, 2(1), 1-4. Retrieved from <https://undergradsciencejournals.okstate.edu/index.php/JUBLI/article/view/9665>.
- Yang, J., & Yang, H. (2018). Effect of *Bifidobacterium breve* in Combination With Different Antibiotics on *Clostridium difficile*. *Frontiers in microbiology*, 9, 2953. DOI: 10.3389/fmicb.2018.02953
- Yang, S., Xie, X., Ma, J., He, X., Li, Y., Du, M., Li, L., Yang, L., Wu, Q., Chen, W., & Zhang, J. (2021). Selective Isolation of *Bifidobacterium* From Human Faeces Using Pangenomics, Metagenomics, and Enzymology. *Frontiers in microbiology*, 12, 649698. DOI: 10.3389/fmicb.2021.649698
- Zartl, B., Silberbauer, K., Loepert, R., Viernstein, H., Praznik, W., & Mueller, M. (2018). Fermentation of non-digestible raffinose family oligosaccharides and galactomannans by probiotics. *Food & function*, 9(3), 1638–1646. DOI: 10.1039/c7fo01887h