

BIBLIOGRAPHY

- Association of Official Analytical Chemist (AOAC). 2005. Official Methods of Analysis of AOAC International. AOAC International, Gaithersburg.
- Agustina, S., Swantara, I. M. D. and Suartha, I. N. 2015. Isolasi kitin, karakterisasi dan sintesis kitosan dari kulit udang. *Jurnal Kimia* 9(2) : 271-278.
- Ahmad, A., Andi, S., Firman, A.P and Abdul, R.P. 2007. Immobilization of glucose oxidase enzyme from *Penicillium sp-3* local strain. *Indo J. Chem.* 7(1) : 97-104.
- Ajunwa, O. M., Odeniyi, O. A., Ewansiha, J. U. and Obidah, J. S. 2014. Application of polyurethane foam matrix as immobilizer in the production of thermostable alkaline protease by *Bacillus subtilis* isolated from barbecue spots. *Journal of Biological Science* 14(7): 472-479.
- Anderson, J. W., Nicolosi, R. J. and Borzelleca, J. F. 2005. Glucosamine effects in humans: a review of effects on glucosamine metabolism, side effects, safety considerations and efficacy. *Food and Chemical Toxicology* 43: 187-201.
- Arif, A. R., Ischaidar, Natsir, H. and Dali, S. 2013. Isolasi kitin dari limbah udang putih (*Penaeus merguiensis*) secara enzimatis. *Seminar Nasional Kimia*: 10-16.
- Ayangbenro, A. S. 2017. Biodegradation of natural bitumen by *Providencia stuartii* isolated from heavy oil contaminated soil. *Global Nest Journal* 19(2): 353-358.
- Barrow, C. and Shahidi, F. 2007. Marine Nutraceuticals and Functional Foods. CRC Press, Boca Raton, page. 205.
- Benavente, M., Arias, S., Moreno, L. and Martínez, J. 2015. Production of glucosamine hydrochloride from crustacean shell. *Journal of Pharmacy and Pharmacology* 3: 20-26.
- Brzezinska, M. S., Jankiewicz, U., Burkowska, A. and Walczak, M. 2014. Chitinolytic microorganisms and their possible application in environmental protection. *Curr Microbiol* 68: 71-81.
- Buller, N. B. 2014. Bacteria and Fungi from Fish and other Aquatic Animals, 2nd ed. CABI, Oxfordshire, page. 186-187.

Centre for Agriculture and Bioscience International (CABI). 2019. *Litopenaeus vannamei* (whiteleg shrimp). Available from <https://www.cabi.org/isc/datasheet/71097#tosemmaryOfInvasiveness>. Accessed 2019 August 17.

Chamberland, R. R. TeKippe, E. M., Burnham, C. and Kennedy, D. J. 2013. Renal abscess caused by a *Providencia stuartii* isolate biochemically misidentified as *Pasteurella*. *Journal of Clinical Microbiology* 51(8): 2775-2777.

Chanthamalee, J. and Luepromchai, E. 2012. Isolation and application of *Gordonia* sp. JC11 for removal of boat lubricants. *J. Gen. Appl. Microbiol.* 58: 19-31.

Cheba, B. A. 2011. Chitin and chitosan: marine biopolymers with unique properties and versatile applications. *Global Journal of Biotechnology & Biochemistry* 6(3): 149-153.

Chen, J., Shen, C., Yeh, C., Fang, B., Huang, T. and Liu, C. 2011. N-acetyl glucosamine obtained from chitin by chitin degrading factors in *Chitinbacter tainanensis*. *International Journal of Molecular Sciences* 12: 1187-1195.

Clifford, R. J., Hang, J., Riley, M. C., Onmus-Leone, F., Kuschner, R. A., Lesho, E. O. and Waterman, P. E. 2012. Complete genome sequence of *Providencia stuartii* clinical isolate MRSN 2154. *Journal of Bacteriology* 194(14): 3736-3737.

Coates, P. M., Blackman, M. R., Cragg, G. M., Levine, M., Moss, J. and White, J. D. 2005. Encyclopedia Dietary Supplements. Marcel Dekker, New York, page. 279.

Couto, S. R., López, E. and Sanromán, M. Á. 2006. Utilisation of grape seeds for laccase production in solid-state fermentors. *Journal of Food Engineering* 74: 263-267.

Couto, S. R., Sanromán, M. A., Hofer, D. and Gübitz, G. M. 2004. Stainless steel sponge: a novel carrier for the immobilisation of the white-rot fungus *Trametes hirsute* for decolourization of textile dyes. *Bioresource technology* 95: 67-72.

Delani, T. C. O., Pazzetto, R., Mangolim, C. S., Fenelon, V. C., Moriwaki, C. and Matioli, G. 2012. Improved production of cyclodextrins by alkalophilic *Bacilli* immobilized on synthetic or loofa sponges. *International Journal of Molecular Sciences* 13: 13294-13307.

Dikshit, P. K. and Moholkar, V.S. 2016. Kinetic analysis of dihydroxyacetone production from crude glycerol by immobilized cells of *Gluconobacter oxydans* MTCC 904. *Bioresource Technology* 216: 948-957.

- Domínguez, A., Rivela, I., Couto, S. R. and Sanromán, M. Á. 2001. Design of a new rotating drum bioreactor for ligninolytic enzyme production by *Phanerochaete chrysosporium* grown on an inert support. *Process Biochemistry* 37: 549-554.
- Dompeipen, E. J., Kaimudin, M. and Dewa, R. P. 2016. Isolasi kitin dan kitosan dari limbah kulit udang. *Jurnal Majalah BIAM* 12(1): 32-38.
- Dubey, R.C and Maheswari, D.K. 2012. Practical Microbiology. S. Chand Company Pvt. Ltd, New Delhi, page. 420-421.
- Dugassa, H. and Gaetan, D. G. 2018. Biology of white leg shrimp, *Penaeus vannamei*: review. *Journal of Fish and Marine Sciences* 10(2): 5-17.
- Dutta, P. K. 2016. Chitin and Chitosan for Regenerative Medicine. Springer, New Delhi, page. 281.
- Dutta, K., Dutta, J. and Tripathi, V. S. 2004. Chitin and chitosan: chemistry, properties and applications. *Journal of Scientific & Industrial Research* 63: 20-31.
- Elakkiya, M., Prabhakaran, D. and Thirumarimurungan, M. 2016. Methods of cell immobilization and its applications. *International Journal of Innovative Research in Science, Engineering and Technology* 5(4): 5429-5433.
- Esawy, M. A., Gamal, A. A., Kamel, Z., Ismail, A. S. and Abdel-Fattah, A. F. 2013. Evaluation of free and immobilized *Aspergillus niger* NRC1ami pectinase applicable in industrial processes. *Carbohydrate Polymer* 92: 1463-1469.
- Fernandes, T. M., Silva, J. A., Silva, A. H. A., Cavalheiro, J. M. O. and Conceição, M. L. 2013. Flour production from shrimp-by-products and sensory evaluation of flour-based products. *Pesq. agropec. bras.* 28(8): 962-967.
- Food Agriculture Organization of the United Nations (FAO). 2019. *Cultured Aquatic Species Information Programme: Penaeus vannamei*. Available from: http://www.fao.org/fishery/culturedspecies/Penaeus_vannamei/en. Accessed 2019 August 17.
- Guisan, J. M. 2006. Methods in Biotechnology: Immobilization of Enzymes and Cells, 2nd ed. Humana Press Inc., Totowa, page. 357-365.
- Guo, H., Ngo, H., Dharmawan, F. and Palmer, C. G. 2010. Roles of polyurethane foam in aerobic moving and fixed bed bioreactors. *Bioresource Technology* 101: 1435-1439.

- Haedar, N., Natsir, H., Fahruddin and Aryanti, W. 2017. Produksi dan karakterisasi enzim kitinase dari bakteri kitinolitik asal kerang *Anandara Granosa*. *Jurnal Ilmu Alam dan Lingkungan* 8(15): 14-21.
- Halim, Y., Hardoko, Handayani, R., and Lucida, V. 2018. Optimum conditions for N-acetylglucosamine production from tiger shrimp (*Penaeus monodon*) shell by *Serratia marcescens*. *Asian Journal of Pharmaceutical and Clinical Research* 11 (12): 488-493.
- Henchion, M., Hayes, M., Mullen, A. M., Fenelon, M. and Tiwari, B. 2017. Future protein supply and demand: strategies and factors influencing a sustainable equilibrium. *Foods* 6(53): 1-4.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. 2000. Bergey's Manual of Determinative Bacteriology, 9th ed. Lippincott Williams & Wilkins, Philadelphia, page. 185.
- Iqbal, M. and Saeed, A. 2005. Novel method for cell immobilization and its application for production of organic acid. *Letters in Applied Microbiology* 40:178-182.
- Josephine, C. 2018. Uji Indeks Kitinolitik Bakteri yang Diisolasi dari Kulit Udang Windu (*Penaeus monodon*). Skripsi, Universitas Pelita Harapan, Tangerang.
- Kandra, P., Chalia, M. M. and Jyothi, H. K. P. 2012. Efficient use of shrimp waste: present and future trends. *Appl Microbiol Biotechnol* 93: 17-29.
- Kholisoh, G. 2016. Uji Viabilitas Enkapsulasi *Lactobacillus casei* Menggunakan Matriks Kappa Karagenan terhadap Simulasi Cairan Asam Lambung. Skripsi, Universitas Syarif Hadiyatullah, Jakarta.
- Kim, S. 2014. Chitin and Chitosan Derivatives: Advances in Drug Discovery and Developments. Boca Raton, CRC Press, page. 3-4.
- Kurmasheva, N. Vorobiev, V. Sharipova, M., Efremova, T. and Mardanova, A. 2018. The potential virulence factors of *Providencia stuartii*: motility, adherence, and invasion. *Biomed Research International*: 1-8.
- Lim, J., Lim, P., Seng, C. and Adnan, R. 2013. Simultaneous 4-chlorophenol and nitrogen removal in moving bed sequencing batch reactors packed with polyurethane foam cubes of various sizes. *Bioresource Technology* 129: 285-494.
- Lim, J., Seng, C., Lim, P., Ng, S. and Sujari, A. A. 2011. Nitrogen removal in moving bed sequencing batch reactor using polyurethane foam cubes of various sizes as carrier materials. *Bioresource Technology* 102: 9876-9883.

- Liu, L., Liu, Y., Shin, H., Chen, R., Li, J., Du, G. and Chen, J. 2013. Microbial production of glucosamine and *N*-acetylglucosamine: advances and perspectives. *Appl Microbiol Biotechnol* 97: 6149-6158.
- Llorens, J. M. N., Tormo, A. and Martínez-Garcia, E. 2010. Stationary phase in gram-negative bacteria. *Federation of European Microbiological Societies* 34: 476-495.
- Machado, C. M. M., Oishi, B. O., Pandey, A. and Soccol, C. R. 2004. Kinetics of *Gibberella fujikuroi* growth and gibberellic acid production by solid-state fermentation in a packed-bed column bioreactor. *Biotechnol. Prog.* 20: 1449-1453.
- Maggadani, B. P., Setyahadi, S. and Harmita. 2017. Screening and chitinolytic activity evaluation of nine indigenous bacteria isolate. *Pharm Sci Res* 4(1): 2407-2354.
- Mangaleshwaran, L., Thirulogachandar, A., Rajasekar, V., Muthukumaran, C. and Rasappan, K. Batch and fixed bed column studies on nickel (II) adsorption from aqueous solution by treated polyurethane foam. *Journal of Taiwan Institute of Chemical Engineering* 19(8): 1-7.
- Manohar, S., Kim, C. K. and Karegoudar, T. B. 2001. Enhanced degradation of naphthalene by immobilization of *Pseudomonas* sp. Strain NGK1 in polyurethane foam. *Appl Microbiol Biotechnol* 55: 311-316.
- Manos, J. and Belas, R. 2006. The genera *Proteus*, *Providencia*, and *Morganella*. *Prokaryotes* 6: 245-269.
- Martins, S. C. S., Martins, C. M., Flúza, L. M. C. G and Santaella, S. T. 2013. Immobilization of microbial cells: A promising tool for treatment of toxic pollutants in industrial wastewater. *African Journal of Biotechnology* 12(28): 4412-4418.
- Méndez-Vilas, A. 2016. *Microbes in the Spotlight: Recent Progress in the Understanding of Beneficial and Harmful Microorganisms*. Brown Walker Press, Boca Raton, page. 292.
- Moentamaria, D., Muharja, M., Widjaja, T. and Widjaja A. 2019. A performance study of home-made co-immobilized lipase from *Mucor miehei* in polyurethane foam on the hydrolysis of coconut oil to fatty acid. *Bulletin of Chemical Reaction Engineering & Catalysts* 14(2): 391-403.
- Mohan, S. K. 2009. *Gram Stain: Looking Beyond Bacteria to Find Fungi in Gram Stained Smear a Laboratory Guide for Medical Microbiology*. AuthorHouse, Bloomington, page. 12-13.

- Moldes, D., Couto, S. R., Cameselle, C. and Sanromán, M. A. 2003. Study of the degradation of dyes by MnP of *Phanerochaete chrysosporium* produced in a fixed-bed bioreactor. *Chemosphere* 51: 295-303.
- More, V. S. Tallur, P. N. Niyonzima, F. N. More, S. S. 2015. Enhanced degradation of pendimethalin by immobilized cells of *Bacillus lehensis* XJU. *Biotech* 3: 1-7.
- Moss, D. R. and Moss, S. M. 2006. Effects of gender and size on feed acquisition in the pacific white shrimp *Litopenaeus vannamei*. *Journal of The World Aquaculture Society* 37(2): 161-167.
- Nielsen, S. S. 2010. Food Analysis, 4th ed. Springer Science + Business Media, LLC, New York, page. 136-141.
- Oh, Y. S., Maeng, J. and Kim, S. J. 2000. Use of microorganism-immobilized polyurethane foams to absorb and degrade oil on water surface. *Appl Microbiol Biotechnol* 54: 418-423.
- Patil, N. K., Veeranagouda, Y., Vijaykumar, M. H., Nayak, S. A. and Karegoudar, T. B. 2006. Enhanced and potential degradation of *o*-phthalate by *Bacillus* sp. Immobilized cells in alginate and polyurethane. *International Biodeterioration & Biodegradation* 57: 82-87.
- Pazzetto, R., Delani, T. C. O., Fenelon, V. C. and Matioli, G. 2011. Cyclodextrin production by *Bacillus firmus* strain 37 cells immobilized on loofa sponge. *Process Biochemistry* 46: 46-51.
- Pazzetto, R., Ferreira, S. B. S., Santos, E. J. S., Moriwaki, C., Guedes, T. A. and Matioli, G. 2012. Preservation of *Bacillus firmus* strain 37 and optimization of cyclodextrin biosynthesis by cells immobilized on loofa sponge. *Molecules* 17: 9476-9488.
- Ploydee, E. and Chaiyanan, S. 2014. Production of high viscosity chitosan from biologically purified chitin isolated by microbial fermentation and deproteinization. *International Journal of Polymer Science*: 1-8.
- Poeloengasih, C. D., Hernawan, Suharto, S. K. W. and Kismurtono, M. 2009. Optimization of chitin production from *Penaeus monodon* shells at ambient temperature. *Proceedings od National Seminar on Applied Technology, Science, and Arts (1st APTECS)*: 861-864.
- Prasad, K. K. Mohan, S. V., Pati, B. R. and Sarma, P. N. 2006. Immobilization of *Pleurotus ostreatus* 1804 on PUF cubes: influence of mycelial growth pattern on laccase yield. *Indian Journal of Biotechnology* 5: 84-88.

- Pratita, M. Y. E. and Putra, S. R. 2012. Isolasi dan identifikasi bakteri termofilik dari sumber mata air panas di songgoriti setelah dua hari Inkubasi. *Jurnal Teknik Pomits* 1(1):1-5.
- Pratiwi, N., Karnila, R. and Edison. 2017. Komposisi kimia pada tepung kulit dan Kepala udang vannamei (*Litopenaeus vannamei*). *Jurnal Universitas Riau*.
- Quek, E. Ting, P. and Tan, H. M. 2006. *Rhodococcus* sp. F92 immobilized on polyurethane foam shows ability to degrade various petroleum products. *Bioresource Technology* 97: 32-38.
- Rao, B. M., Viji, P. and Debbarma, J. 2017. Shell colour variation in farmed *Litopenaeus vannamei*: Comparison of white shell (regular) and brown shell (unusual) *L. vannamei*. *Aquaculture* 21(1): 24-26.
- Retnowati, Y., Nurhayati B and Nona W.P. 2011. Pertumbuhan bakteri *Staphylococcus aureus* pada media yang diekspos dengan infus daun sambiloto (*Andrographis paniculata*). *Jurnal Saintek* 6(2): 1-9.
- Robinson, T., Singh, D. and Nigam, P. 2001. Solid-state fermentation: a promising microbial technology for secondary metabolite production. *Appl Microbiol Biotechnol* 55: 284-289.
- Rouf, A., Kanodia, V. and Naik, H. R. 2017. Cell immobilization: an overview on techniques and its applications in food industry. *International Journal of Chemical Studies* 5(6): 1817-1824.
- Saparianti, E. 2001. Amobilisasi sel *Pediococcus acidilactici* F11 penghasil bakteriosin pada gel kalsium alginat. *Jurnal Teknologi Pertanian* 2(1): 1-9.
- Sashiwa, H., Fujishima, S., Yamano, N., Kawasaki, N., Nakayama, A., Muraki, E., Hiraga, K., Oda, K. and Aiba, S. 2002. Production of N-acetyl-D-glucosamine from α -chitin by crude enzymes from *Aeromonas hydrophila* H-2330. *Carbohydrate Research* 337: 761-763.
- Saskiawan, I. and Handayani, R. 2011. Production of N-Acetyl-D-Glucosamine by submerged fermentation from chitin. *Berita Biologi* 10(6) : 20-28.
- Sillanpää, M. and Ncibi, C. 2017. A Sustainable Bioeconomy: The Green Industrial Revolution. Springer International Publishing AG, Cham, page. 74.
- Silva, A. J., Hirasawa, J. S., Varesche, M. B., Foresti, E. and Zaiat, M. 2006. Evaluation of support materials for the immobilization of sulfate-reducing bacteria and methanogenic archaea. *Anaerobe* 12: 93-98.

- Sitanggang, A. B., Sophia, L. and Wu, H. S. 2012. Mini Review: Aspects of glucosamine production using microorganisms. *International Food Research Journal* 19(2): 393-404.
- Struszczyk-Świta, K., Stańczyk, Ł., Szczęsna-Antczak, M. and Antczak, T. 2017. Scale-up of PUF immobilized fungal chitosanase-lipase preparation production. *Prep Biochem Biotechnol* 47(9): 909-917.
- Subramaniyam, R. and Vimala, R. 2012. Solid state and submerged fermentation for the production of bioactive substances: a comparative study. *International Journal of Science and Nature* 3(3): 480-486.
- Suharjo and Harini, N. 2005. Ekstraksi chitosan dari cangkang udang windu (*Penaeus monodon* sp.) secara fisik-kimia (kajian berdasarkan ukuran partikel tepung chitin dan konsentrasi NaOH). *GAMMA* 1(1): 7-15.
- Suptijah, P., Jacoeb, A. M. and Deviyanti, N. 2012. Karakterisasi dan bioavailabilitas nanokalsium cangkang udang vannamei (*Litopenaeus vannamei*). *Jurnal Akuatika* 3(1): 63-73.
- Teja, E. 2018. Optimasi Produksi N-Asetilglukosamin dari Kulit Udang Windu Menggunakan Enzim Kitinase Intraseluler Semi Murni *Providencia stuartii*. Skripsi, Universitas Pelita Harapan, Tangerang.
- Thairu, Y. Nasir, I. A. and Usman, Y. 2014. Laboratory perspective of Gram staining and its significance in investigations of infectious diseases. *Sub-Saharan African Journal of Medicine* 1(4):168-174.
- Vassilev, N., Medina, A., Eichler-Löbermann, B., Flor-Peregrín, E. and Vassileva, M. 2012. Animal bone char solubilization with itaconic acid produced by free and immobilized *Aspergillus terreus* grown on glycerol-based medium. *Appl Biochem Biotechnol* 168(5): 1-8.
- Wang, J., Yang, H., Lu, H., Zhou, J., Wang, J. and Zheng, C. 2009. Aerobic biodegradation of nitrobenzene by a defined microbial consortium immobilized in polyurethane foam. *World J Microbiol Biotechnol* 25: 875-881.
- Wang, S., Shih, I., Liang, T. and Wang, C. 2002. Purification and characterization of two antifungal chitinases extracellularly produced by *Bacillus amylloquefaciens* V656 in a shrimp and crab shell powder medium. *J. Agric. Food Chem.* 50(8): 2241-2248.
- Wati, L. A. 2018. Analyzing the development of indonesia shrimp industry. *IOP Conf. Series: Earth and Environmental Science* 137: 1-6.

- Yuan, Youling, Chesnutt, B.M., Haggard, W.O. and Bumgardner, J.D. 2011. Deacetylation of chitosan: material characterization and in vitro evaluation via albumin adsorption and pre-osteoblastic cell cultures. *Materials* 4: 1399-1416.
- Zhang, Q., Lo, C. and Ju, L. 2009. Cell immobilization with polyurethane foam for retaining *Trichoderma reesei* cells during foam fractionation for cellulase collection. *Appl Biochem Biotechnol* 156: 442-453.

