

DAFTAR PUSTAKA

- Abdel-Rahman, E.S.A., El-Fishawy, F.A., El-Gedrawy, M.A., Kurz, T., dan El-Rify, M.N. 2008. Isolation and physico-chemical characterization of mung bean starches. International Journal of Food Engineering 4(1).
- Afifah, N. dan Ratnawati, L. 2017. Quality assessment of dry noodles made from blend of mocaf flour, rice flour, and corn flour. Iconprobios 101: 1-9.
- Agustina, Faridah, D. N., dan Jenie, B. S. 2016. Pengaruh retrogradasi dan perlakuan kelembaban terhadap kadar pati resisten tipe III daluga. Jurnal Teknologi dan Industri Pangan 27(1): 78-86.
- Ahmed, I., Qazi, I.M., Li, Z., dan Ullah, J. 2016. Rice noodles: materials, processing and quality evaluation. Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences 53: 215-238.
- Aini, N., Wijonarko, G. dan Sustriawan, B. 2016. Sifat fisik, kimia, dan fungsional tepung jagung yang diproses melalui fermentasi. Agritech 36(2): 160-169.
- Andarwulan, N., Kusnandar F., dan Herawati. 2011. “Analisis Pangan”. Dian Rakyat, Jakarta.
- Anugrahati, N.A., Pranoto, Y., Marsono, Y., dan Marseno, D.W. 2015. In vitro digestibility of indonesian cooked rice treated with cooling-reheating process and coconut milk addition. Int. Res. J. Biological Sci 4(12): 34-39.
- Anugrahati, N.A., Pranoto Y., Marsono, Y., dan Marseno, D.W. 2017. Physicochemical properties of rice (*Oryza sativa* L.) flour and starch of two indonesian rice varieties differing in amylose content. International Food Research Journal 24(1): 108-113.
- AOAC. 2005. “Official Methods of Analysis. Association of Official Analytical Chemists”. Benjamin Franklin Station, Washington.
- Ariany, S.P., Purwanto, Y.A, Budijanto, S., dan Khumaida, N. 2017. Karakteristik fisikokimia tepung dari 20 genotipe baru ubi kayu. Jurnal Pangan 26(3): 1-10.
- Ardhiyanti, S.D., Kusbiantoro, B., Ahza, A.B., dan Faridah, D.N. 2017. Peluang peningkatan pati resisten tipe 3 pada bahan pangan dengan metode hidrotermal. Iptek Tanaman Pangan 12(1): 45-56.
- Babu, A.S. dan Parimalavalli, R. 2013. Effect of autoclaving on functional, chemical, pasting and morphological properties of sweet potato starch. Journal of Root Crops 39(1): 78-83.
- Badan Standarisasi Nasional. 1995. Tepung Kacang Hijau. SNI 01-3729-1995. Jakarta, Indonesia.

- Badan Pusat Statistik. 2019. "Rata-rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting 2007-2018". Publikasi Statistik Indonesia, Jakarta.
- Badan Standarisasi Nasional. 2009. Tepung Beras. SNI 01-3549-2009.
- Bhattacharya, M., Zee, S.Y., dan Corke, H. 1999. Physicochemical properties related to quality of rice noodles. *Cereal chemistry* 76(6): 861-867.
- Birkholz, M., 2006. "Thin Film Analysis by X-Ray Scattering". John Wiley & Sons, Weinheim.
- Brown, A.C. 2018. "Understanding Food Principles and Preparation, 6th edition". Cengage, Boston.
- Budi, F.S., Hariyadi, P., Budijanto, S., dan Syah, D. 2017. Kristalinitas dan kekerasan beras analog yang dihasilkan dari proses ekstrusi panas tepung jagung. *Journal of Food Technology & Industry/Jurnal Teknologi & Industri Pangan* 28(1).
- Cai, C.H. dan Wei, C.X. 2013. In situ observation of crystallinity disruption patterns during starch gelatinization. *Carbohydrate Polymers* 92: 469-478.
- Cham, S. dan Suwannaporn, P. 2010. Effect of hydrothermal treatment of rice on various rice noodles quality. *Journal of Cereal Science* 51: 284-291.
- Chowdhury, K., Khan S., Karim R., Obaid M., dan Hasan G. 2011. Effect of moisture, water activity and packaging materials on quality and shelf life of some locally packed chanachur. *Journal of Food Science and Technology* 46(1): 33-40.
- Deshmukh, K., Ahamed, M.B., Deshmukh, R.R., Pasha, S.K., Bhagat, P.R., dan Chidambaram, K. 2017. Biopolymer composites with high dielectric performance: interface engineering. *Biopolymer Composites in Electronics*, 27-128. Elsevier.
- Ekafitri, R. 2017. Pati resisten pada beras: jenis penyiapan, efek fisiologis, dan aplikasinya. *Jurnal Pangan* 26:3.
- Ezeigbo, O., Ukabi, C., Ike-Amadi, C., dan Ekaiko, M. 2015. Determination of starch and cyanide contents of different species of fresh cassava tuber in Abia State, Nigeria. *British Biotechnology Journal* 6: 10-15.
- Fairudz, A. 2015. Pengaruh serat pangan terhadap kadar kolesterol penderita overweight. *Jurnal Majority* 4(8): 121-126.
- Fari, M.J.M., Rajapaksa, D., dan Ranaweera, K.K.D.S. 2011. Quality characteristics of noodles made from selected varieties of Sri Lankan rice with different physicochemical characteristics. *Journal of the National Science Foundation of Sri Lanka* 39(1): 53-60.
- Giuberti, G., Gallo A., Cerioli C., Fortunati P., dan Masoero F. 2015. Cooking quality and starch digestibility of gluten free pasta using new bean flour. *Food Chem* 175: 43-49.

- Hasbullah, R. dan Dewi, A.R. 2009. Kajian pengaruh konfigurasi mesin penggilingan terhadap rendemen dan susut giling beberapa varietas padi. Jurnal Keteknikan Pertanian 23(2): 119-124.
- Haralampu, S. G. 2000. Resistant starch a review of the physical properties and biological impact of RS3. Carbohydrate Polymers 41: 285-292.
- Hasnelly, dan Sumartini. 2011. Kajian sifat fisiko kimia formulasi tepung komposit produk organik. Seminar Nasional PATPI, 375-379.
- Herawati, H. 2018. Potensi hidrokoloid sebagai bahan tambahan pada produk pangan dan nonpangan bermutu. Jurnal Penelitian dan Pengembangan Pertanian 37(1): 17-25.
- Hoover, R. 2010. The impact of heat-moisture treatment on molecular structures and properties of starches isolated from different botanical sources. Critical Reviews in Food Science and Nutrition 50:835–847.
- Huang, D.P. dan L.W. Rooney. 2001. “Starches for Snacks Food” dalam “Snack Foods Processing”. R.W. Lusas dan L.W. Rooney (editor). CRC Press, New York.
- Huh, H.J., Shin, W.K., dan Kim, Y. 2019. Textural and cooking qualities of noodles made with soy flour and hydroxypropyl methylcellulose. International Food Research Journal 26(2).
- Hutchings, J.B. 1999. “Food Color and Appearance”. Springer-Science+Business Media, Dordrecht.
- Indrianti, N., Kumalasari, R., Ekafitri, R., dan Darmajana, D.A. 2013. Pengaruh penggunaan pati ganyong, tapioka, dan mocaf sebagai bahan substitusi terhadap sifat fisik mie jagung instan. Agritech 33(4): 391-398.
- Indrianti, N., Surahman, D.N., dan Mayasti, N.K.I. 2015. Perbandingan penggunaan tepung ubi kayu dari umur panen yang berbeda dan penambahan tepung jagung dalam pembuatan mi kering. Pangan 24(1):63-74.
- Interparas, P., Haryadi, dan Cahyanto, M. N. 2015. Pengaruh retrogradasi pada pembuatan sohun pati jagung terhadap karakteristik fisikokimia produk dan aktivitas prebiotiknya. Agritech 35(2):192-199.
- Jenkins, R. dan Snyder, R.L. 1996. “Introduction to X-ray Powder Diffractometry”. Wiley, New York.
- Jeya, C., Henry, K., dan Thondre, P. S. 2001. The glycaemic index: concept, recent developments and its impact on diabetes and obesity. Dalam “Access Not Excess” edition. C. Pasternak. Smith-Gordon and Company, Cambs 154-175.
- Jumanah, J., Windrati, W.S., dan Maryanto, M. 2018. Karakterisasi sifat fisik, kimia dan sensoris bihun berbahan tepung komposit ganyong (*Canna*

- edulis*) dan kacang hijau (*Vigna radiata*). Jurnal Agroteknologi 11(02): 128-138.
- Kaletunc, G. dan Breslauer, K.J. 2003. "Characterization of Cereals and Flours: Properties, Analysis And Applications". CRC Press, New York.
- Kim, H. S., Turowski, M., Anderson, W. H. K., Young, S. A., Kim, Y. K., dan Yokoyama, W. 2011. Supplementation of hydroxypropyl methylcellulose into yeast leavened all-whole grain barley bread potentiates cholesterol-lowering effect. *J. Agric. Food Chem.* 59: 7672-7678.
- Ko, J.A., Kim, H.S., Baek, H.H., dan Park, H.J. 2015. Effects of hydroxypropyl methylcellulose and temperature of dough water on the rice noodle quality. *Food Science and Technology Research* 21(1): 129-135.
- Kusuma, T.D., Suseno, T.I.P., dan Surjoseputro, S. 2017. Pengaruh proporsi tapioka dan terigu terhadap sifat fisikokimia dan organoleptik kerupuk berseledri. *Jurnal Teknologi Pangan dan Gizi* 12(1): 17-28.
- Lala, F.H., Susilo B., dan Komar, N. 2013. Uji karakteristik mie instan berbahan-baku tepung terigu dengan substitusi mocaf. *Jurnal Bioproses Komoditas Tropis* 1(2): 11-20.
- Li, J.H. dan Vasanthan T. 2003. Hypochlorite oxidation of field pea starch and its suitability for noodle making using an extrusion cooker. *Food Research International* 36: 381-386.
- Leu, R. K. L., Brown I. L., Hu Y., dan Young G. P. 2003. Effect of resistant starch on genotoxin-induced apoptosis, colonic epithelium, and luminal contents in rats. *Carcinogenesis* 24 (8):1347-1352.
- Lucisano, M., Cappa C., Fongaro L., dan Mariotti M. 2012. Characterisation of gluten-free pasta through conventional and innovative methods: evaluation of the cooking behaviour. *J Cereal Sci* 56: 667-675.
- Malahayati, N. dan Hermanto. 2017. Tekstur, kualitas pemasakan dan sensori karakteristik laksa kering instan berbahan baku tepung beras kering giling dengan substitusi MOCAF (*modified cassava flour*). Seminar Nasional Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI) Bandar Lampung. Peran Ahli Teknologi Pangan dalam Mewujudkan Ketahanan Pangan Nasional.
- Martunis, M. 2012. Pengaruh suhu dan lama pengeringan terhadap kuantitas dan kualitas pati kentang varietas granola. *Jurnal Teknologi dan Industri Pertanian Indonesia* 4(3).
- Meilgaard, M.C., Civille, G.V., dan Carr, B.T. 2007. "Sensory Evaluation Techniques, 4th edition". CRC Press, California.
- Mir, J.A., Srikaeo, K., dan García, J. 2013. Effects of amylose and resistant starch on starch digestibility of rice flours and starches. *International Food Research Journal* 20(3).

- Moongngarm A. 2013. Chemical compositions and resistant starch content in starchy foods. American Journal of Agricultural and Biological Sciences 8(2): 107–113.
- Moore, D. M. dan R. C. Reynolds, Jr. 1997. “X-Ray diffraction and the identification and analysis of clay minerals, 2nd edition”. Oxford University Press, New York.
- Mulyadi, A.F., Wijana, S., Dewi, I.A., dan Putri, W.I. 2014. Studi pembuatan mie kering ubi jalar kuning (*Ipomoea Batatas*) (Kajian penambahan telur dan CMC). Prosiding Seminar Nasional BKS PTN Barat: 1186-1194.
- Murtiningrum, M., Bosawer, E.F., Istalaksana, P., dan Jading, A. 2018. Karakterisasi umbi dan pati lima kultivar ubi kayu (*Manihot esculenta*). Agrotek 3(1).
- Nazhrah, Elisa J., dan Linda, M. L. 2014. Pengaruh proses modifikasi fisik terhadap karakteristik pati dan produksi pati resisten dari empat varietas ubi kayu (*Manihot esculenta*). Jurnal Rekayasa Pangan dan Pertanian 2(2): 1-9.
- Nielsen, S. 2010. “Food Analysis Laboratory Manual”. Springer, New York.
- Noer, S.W.M., Wijaya, M., dan Kadirman, K. 2018. Pemanfaatan tepung ubi jalar (*Ipomea batatas* L.) berbagai varietas sebagai bahan baku pembuatan kue bolu kukus. Jurnal Pendidikan Teknologi Pertanian 3: 60-71.
- Nura, M., Kharidah, M., Jamilah, B., dan Roselina, K. 2011. Textural properties of laksa noodle as affected by rice flour particle size. International Food Research Journal 18(4): 1309.
- Okeke, C., Abioye, A.E., dan Omosun, Y. 2014. Microwave Heating Applications in Food Processing. Journal of Electrical and Electronics Engineering (IOSR-JEEE) 9(4): 29.
- Pramesti, H.A., Siadi, K., dan Cahyono, E. 2015. Analisis rasio kadar amilosa/amilopektin dalam amilum dari beberapa jenis umbi. Indonesian Journal of Chemical Science 4(1).
- Pratiwi, M., Faridah, D.N., dan Lioe, H.N. 2017. Structural changes to starch after acid hydrolysis, debranching, autoclaving-cooling cycles, and heat moisture treatment (HMT): a review. Starch-Starke 70: 1-47.
- Rahim, A., 2008. Pengaruh cara bihun terhadap sifat fisikokimia pada pembuatan instant starch noodle dari pati aren. Jurnal Agroland 15(2): 101-105.
- Rauf, R. dan Sarbini, D. 2015. Daya serap air sebagai acuan untuk menentukan volume air dalam pembuatan adonan roti dari campuran tepung terigu dan tepung singkong. Agritech 35(3): 324-330.
- Reddy, C.K., Pramila, S., dan Haripriya, S. 2015. Pasting, textural and thermal properties of resistant starch prepared from potato (*Solanum tuberosum*) starch using pullulanase enzyme. J Food Sci Technol 52(3):1594-1601.

- Rosmeri, V.I., dan Monica, B.N. 2013. Pemanfaatan tepung ubi gadung (*Dioscorea hispida* Dennst.) dan tepung MOCAF (*modified cassava flour*) sebagai bahan substitusi dalam pembuatan mie basah, mie kering, dan mie instan. Jurnal Teknologi Kimia dan Industri 2(April): 246-256.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E. 2009. "Handbook Of Pharmaceutical Excipients, 6th edition". The Pharmaceutical Press, London.
- Patil, S. K. 2004. Resistant starches as low-carb ingredient-current applications and issues. Cereal Food World 48: 292-294.
- Purwono, dan Hartono, R. 2005. "Kacang Hijau". Penebar Swadaya, Jakarta.
- Sajilata, M. G., Singhal, R. S., dan Khulkarni, P. R. 2006. Resistant starch-a review. Comprehensive Reviews in Food Science and Food Safety, 5:4-15.
- Santos, T., Valente, M.A., Monteiro, J., Sousa, J. dan Costa, L.C., 2011. Electromagnetic and thermal history during microwave heating. Applied Thermal Engineering, 31(16), pp.3255-3261.
- Sari, H.P.R. 2017. Analisis keautentikan dan keunikan laksa cihideung sebagai kuliner unggulan kota bogor. Transparansi Jurnal Ilmiah Ilmu Administrasi 9(2): 255-269.
- Setiarto, R.H.B., Jenie, B.S.L., Faridah, D.N., dan Saskiawan, I. 2015. Kajian peningkatan pati resisten yang terkandung dalam bahan pangan sebagai sumber prebiotik. JIPI 20(3): 191-200.
- Setiarto, R.H.B., Nunuk, W., dan Arumsyah, S. 2018. Peningkatan kadar pati resisten tipe III tepung singkong termodifikasi melalui fermentasi dan pemanasan bertekanan-pendinginan. Biopropal Industri 9(1): 9-23.
- Singh, J., Kaur, L., Sodhi, N.S., dan Gill, B.S. 2003. Morphological, thermal and rheological of starches from different botanical sources. J. Food Chemistry 81: 219-231.
- Sjöqvist, M. dan Gatenholm, P. 2005. The effect of starch composition on structure of foams prepared by microwave treatment. Journal of Polymers & the Environment 13(1): 29–37.
- Song, W., Janaswamy, S., dan Yao, Y. 2010. Structure and in vitro digestibility of normal corn starch: Effect of acid treatment, autoclaving, and amylolysis. Journal of Agricultural and Food Chemistry 58: 9753–9758.
- Suhendro, E.L., Kunetz, C.F., McDonough, C.M., Rooney, L.W., dan Waniska, R.D. 2000. Cooking characteristics and quality of noodles from food sorghum. Cereal Chemistry 77: 96–100.
- Sui, Z. dan Kong, X. 2018. "Physical Modifications of Starch". Springer Nature Singapore Pte Ltd, Singapura.
- Suloi, A.N.F. 2019. Potensi pati resisten dari berbagai jenis pisang—a review (potential resisten starch prepared by banana—a review). Jurnal Penelitian dan Pengembangan Agrokompleks 2(1): 92-96.

- Sundari, D., Almasyhuri, dan Atuti, L. 2015. Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. Pusat Biomedis dan Teknologi Dasar Kesehatan 25(4): 235-242.
- Tam, L.M., Corke, H., Tan, W.T., Li, J., dan Collado, L.S. 2004. Production of bihon-type noodle from maize starch differing in amylosa content. Cereal Chemistry 81(4): 475-480.
- Tambunan, S. dan Sulaiman, T.N.S., 2018. Formulasi gel minyak atsiri sereh dengan basis hpmc dan karbopol. Majalah Farmaseutik, 14(2), pp.87-95.
- Tan, H. Z., Li, Z. G., dan Tan, B. 2006. Strach noodle: History, classification, materials, processing, structure, nutrition, quality evaluating and improving. Food Research International 42 (5): 551-576.
- Tan, T., Phatthanawiboon, T., dan Easa, A.M. 2016. Quality, textural, and sensory properties of yellow alkaline noodles formulated with salted duck egg white. Journal of Food Quality 39: 342-350.
- Tanak, Y. 2016. Modifikasi secara heat moisture treatment pada pati ubi jalar ungu untuk pangan fungsional. Jurnal Sains dan Teknologi Tadulako 5(1): 39-48.
- Tester, R. 2000. Annealing of maize starch. Carbohydrate Polymers 42(3): 287-299.
- Tharanathan, R. N. 2002. Food-derived carbohydrates: Structural complexity and functional diversity. Critical Reviews in Biotechnology 22(1):65–84.
- Torraco-Uco JG, Chel-Guerrero LA, Betancur-Ancona D. Isolation and molecular characterization of Makal (*Xanthosoma yucatanensis*) starch. Starch-Stärke 58(6): 300-7.
- USDA. 2019. Mung Beans, Mature Seeds, Raw. 16080.
- USDA. 2019. Rice Flour, White, Unenriched. 20061.
- Utafiyani, Yusasrini, N.L.A., dan Ekawati, I.G.A. 2018. Pengaruh perbandingan tepung kacang hijau (*Vigna radiata*) dan terigu terhadap karakteristik bakso analog. Jurnal Ilmu dan Teknologi Pangan 7(1): 12-22.
- Wahyuningsih, K., Dwiwangsa, N.P., Cahyadi, W.C., dan Purwani, E.Y. 2015. Pemanfaatan beras (*Oryza sativa L.*) inpari 17 menjadi tepung sebagai bahan baku roti tawar non gluten utilization of inpari 17 rice (*Oryza Sativa L.*) modified as flour to be used as gluten-free bread raw materials. Jurnal Pangan 24(3): 167-182.
- Wang, S. Li, C., Copeland, L. Niu, Q., dan Wang, S. 2015. Starch retrogradation: a comprehensive review. Comprehensive Review in Food Science and Food Safety 14(5): 568-585.
- Widiatmoko, R.B. dan Estiasih, T. 2015. Karakteristik fisikokimia dan organoleptik mie kering berbasis tepung ubi jalar ungu pada berbagai tingkat penambahan gluten. Jurnal Pangan dan Agroindustri 3(3): 1386-1392.

- Winarno, B. 2013. "30 Indonesian Traditional Culinary Icons". Kementerian Pariwisata dan Ekonomi Kreatif, Jakarta.
- Yao, N., Paez, A. V., dan White, P. J. 2009. Structure and function of starch and resistant starch from corn with different doses of mutant amylose-extender and floury-1 alleles. *J. Agric. Food Chem.* 57: 2040-2048.
- Yu, S., Ma, Y., dan Sun, D.W. 2009. Impact of amylose content on starch retrogradation and texture of cooked milled rice during storage. *Journal of Cereal Science* 50(2): 139-144.
- Yuliani, H., Yuliana, N.D. dan Budijanto, S., 2015. Formulasi mi kering sagu dengan substitusi tepung kacang hijau. *Agritech* 35(4): 387-395.
- Zhang, H. dan Datta, A.K., 2001. Electromagnetics of microwave heating: magnitude and uniformity of energy absorption in an oven. Dalam *Handbook of Microwave Technology for Food Application*, 57-92. CRC Press.
- Zhang, J., Chen, F., Liu, F., dan Wang, Z. 2010. Study on structural changes of microwave heat-moisture treated resistant *Canna edulis* Ker. starch during digestion in vitro. *Food Hydrocolloids* 24: 27-34.

