

## **DAFTAR PUSTAKA**

1. Gropelli A, Giorgi DM, Omboni S, Parati G, Mancia G. Persistent blood pressure increase induced by heavy smoking. *J Hypertens.* 1992 May;10(5):495–9.
2. WHO | Raised blood pressure. WHO. 2015. Available from: [http://www.who.int/gho/ncd/risk\\_factors/blood\\_pressure\\_prevalence\\_text/en/](http://www.who.int/gho/ncd/risk_factors/blood_pressure_prevalence_text/en/)
3. Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar (RISKESDAS) 2013. Lap Nas 2013. 2013;1-384.
4. Tengah J. Laporan Status Lingkungan Hidup Daerah (SLHD) Kabupaten Sukoharjo Tahun 2016 Badan Lingkungan Hidup (BLH) Pemerintah Kabupaten Sukoharjo. 2016.
5. Iksan, Henridha., Arwani, SKM, MM., Purnomo, SKM MKE. Pengaruh Pendidikan Kesehatan Bahaya Merokok terhadap Perilaku Mengurangi Konsumsi Rokok pada Remaja (Studi Kasus di Dukuh Kluweng Desa Kejambon Kecamatan Taman Kabupaten Pemalang). 2013;32:1–7.
6. Athanasakis E. Health Science Journal ®. Heal Sci J. 2012;6(2):773–83.
7. Oberg M, Jaakkola MS, Woodward A, Peruga A, Prüss-Ustün A. Worldwide burden of disease from exposure to second-hand smoke: a retrospective analysis of data from 192 countries. *Lancet* (London, England). 2011 Jan;377(9760):139–46.
8. Yang Y, Liu F, Wang L, Li Q, Wang X, Chen JC, et al. Association of Husband Smoking With Wife's Hypertension Status in Over 5 Million Chinese Females Aged 20 to 49 Years. *J Am Heart Assoc.* 2017 Mar;6(3).
9. Seki M, Inoue R, Ohkubo T, Kikuya M, Hara A, Metoki H, et al. Association of environmental tobacco smoke exposure with elevated home blood pressure in Japanese women: the Ohasama study. *J Hypertens.* 2010 Sep;28(9):1814–20.
10. Nurwidayanti, Lina D. Analisis pengaruh paparan asap rokok di rumah pada wanita terhadap kejadian hipertensi. *J Berk Epidemiol.* 2013;1:244–53.

11. Kim S, Kang S-H, Han D, Kim S-H, Kim H-J, Park J-J, et al. Relation between secondhand smoke exposure and cardiovascular risk factors in never smokers. Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585129/pdf/jhype-35-1976.pdf>
12. Indonesia RI. Peraturan Pemerintah Republik Indonesia. Pengamanan Rokok Bagi Kesehatan. 1999; 81(3):1.
13. New South Wales Health. Question and Answers. Tar Information Sheet. 2012; 1(1):1.
14. Amelia R, Nasrul E, Basyar M. Hubungan Derajat Merokok Berdasarkan Indeks Brinkman dengan Kadar Hemoglobin. *J Kesehat Andalas*. 2016;5(3).
15. Paru P, Kronik O. ( Ppok ) 1973 - 2003. 2003;1973–2003.
16. Smoking and Hypertension. *J Cardiol Curr Res*. 2015;2(2).
17. Desensitization of central nicotinic cardiovascular effects by nicotine isomers and a quaternary analogue. *Pharmacol Biochem Behav*. 1991 Apr;38(4):843–52.
18. WHO | Hypertension. WHO. 2017. Available from:  
<http://www.who.int/topics/hypertension/en/>
19. Blood Pressure Numbers: What They Mean | NIH MedlinePlus the Magazine. Available from:  
<https://medlineplus.gov/magazine/issues/winter10/articles/winter10pg10a.html>
20. Report TS. Prevention , Detection , Evaluation , and Treatment of. *Blood Press*. 2003;289(19):1206–52.
21. Pinto E. Blood Pressure and ageing. *Postgrad Med J*. 2007;83(976):109-14
22. Ha SK. Dietary Salt Intake and Hypertension. *ISSN Electrolyte Blood Press*. 2014;12:1738–59977.
23. Sodium D. HHS Public Access. 2016;65(10):1042–50.
24. Agyei B, Nicolaou M, Boateng L, Dijkshoorn H, van den Born B-J, Agyemang C. Relationship between psychosocial stress and hypertension among Ghanaians in Amsterdam, the Netherlands – the GHAIA study. *BMC Public Health*. 2014 Dec;14(1):692.

25. Singh Y, Kotwal N, Menon AS. Endocrine hypertension - Cushing's syndrome. Indian J Endocrinol Metab. 2011 Oct;15(Suppl4):S313-6.
26. Lackland DT. Racial differences in hypertension: implications for high blood pressure management. Am J Med Sci. 2014;348(2):135–8.
27. Race, education and prevalence of hypertension. - PubMed - NCBI. Available from: <https://www.ncbi.nlm.nih.gov/m/pubmed/920724/>
28. Kasner E, Hunter CA, Ph D, Kariko K, Ph D. NIH Public Access. 2013;70(4):646–56.
29. Lohmeier TE, Iliescu R. The baroreflex as a long-term controller of arterial pressure. Physiology (Bethesda). 2015 Mar;30(2):148–58.
30. Muñoz-Durango N, Fuentes CA, Castillo AE, González-Gómez LM, Vecchiola A, Fardella CE, et al. Role of the renin-angiotensin-aldosterone system beyond blood pressure regulation: Molecular and cellular mechanisms involved in end-organ damage during arterial hypertension. Int J Mol Sci. 2016;17(7):1–17.
31. Pradipta LD, Prajitno ME. Pheochromocytoma. J Hypertens. 2015 Jun;33:e24.
32. Halperin RO, Sesso HD, Ma J, Buring JE, Stampfer MJ, Gaziano JM. Dyslipidemia and the risk of incident hypertension in men. Hypertension. 2006;47(1):45–50.
33. Husain K, Ansari RA, Ferder L. Alcohol-induced hypertension: Mechanism and prevention. World J Cardiol. 2014;6(5):245–52.
34. Pickering T. Principles and techniques of blood pressure measurement. Cardiol Clin. 2010;28(4):571–86.
35. Virdis A, Giannarelli C, Neves MF, Taddei S, Ghiadoni L. Cigarette smoking and hypertension. Curr Pharm Des. 2010;16(23):2518–25.
36. Grassi G, Seravalle G, Calhoun DA, Bolla, G.B., Giannattasio CG, et al. Mechanisms responsible for sympathetic activation by cigarette smoking in humans; Circulation. 1994;90(1):248–53.
37. Celermajer DS, Adams MR, Clarkson P, Robinson J, McCredie R, Donald A, et al. Passive Smoking and Impaired Endothelium-Dependent Arterial Dilatation in Healthy Young Adults. N Engl J Med. 1996;334(3):150–5.
38. Kolovou GD, Kolovou V, Mavrogeni S. Cigarette smoking / cessation and metabolic syndrome. Clin Lipidol. Taylor & Francis; 2016;11(1):1–9.

39. Suzuki S, Otsuka T, Sagara K, Kano H, Matsuno S, Takai H, et al. Association between smoking habits and the first-time appearance of atrial fibrillation in Japanese patients: Evidence from the Shinken Database. *J Cardiol*. Japanese College of Cardiology; 2015;66(1):73–9.
40. Setyanda, G.o.Y., Sulastri, D., Lestari Y. Artikel Penelitian Hubungan Merokok dengan Kejadian Hipertensi pada Laki- Laki Usia 35-65 Tahun di Kota Padang. *J Kesehat Andalas*. 2015;4(2):434–40.
41. Jeanne B. Prevalensi konsumsi rokok pria usia 18 - 64 tahun dengan hipertensi di desa susut, kabupaten bangli bali tahun 2014. *Doaj*. 2016;6(1):16–22.
42. Crispim PAA, Peixoto M do RG, Jardim PCBV. Risk Factors Associated with High Blood Pressure in Two- to Five-Year-Old Children. *Arq Bras Cardiol*. 2013;39–46.
43. Seyedzadeh A, Hashemi F, Soleimani A. Relationship between Blood Pressure and Passive Smoking in Elementary. *Iran J Pediatr*. 2012;22(3):351–6.
44. Kelishadi R, Noori A, Qorbani M, Rahimzadeh S, Djalalinia S, Shafiee G, et al. Are active and passive smoking associated with cardiometabolic risk factors in adolescents? The CASPIAN-III Study. *Paediatr Int Child Health*. Taylor & Francis; 2016;36(3):181–8.
45. Huntington-Moskos L, Turner-Henson A, Rice M. Tobacco exposure, weight status, and elevated blood pressure in adolescents. *J Community Health*. 2014;39(4):653–9.
46. Kaphingst KA, Persky S, Lachance C. NIH Public Access. 2010;14(4):384–99.
47. Felber Dietrich D, Schwartz J, Schindler C, Gaspoz J-M, Barthelemy J-C, Tschopp J-M, et al. Effects of passive smoking on heart rate variability, heart rate and blood pressure: an observational study. *Int J Epidemiol*. 2007;36(4):834–40.
48. Freire APC, Ramos D, Leite MR, Silva BS, David RM, Uzeloto JS, et al. Influence of Time and Frequency of Passive Smoking Exposure on Mucociliary Clearance and the Autonomic Nervous System. *Respir Care*. 2016;61(4):453–61.
49. Makris TK, Thomopoulos C, Papadopoulos DP, Bratsas A, Papazachou O, Massias S, et al. Association of passive smoking with masked hypertension in clinically normotensive nonsmokers. *Am J Hypertens*. Nature Publishing Group; 2009;22(8):853–9.