

## ACKNOWLEDGEMENTS

First and foremost, the author would like to thank God for the endless blessings, which has been granted to the author, in conducting the research until the completion of thesis report entitled “UTILIZATION OF CHIA SEED (*Salvia hispanica* L.) POWDER IN WET NOODLE WITH MODIFIED CASSAVA SUBSTITUTION”.

This thesis report was written based on the research conducted from August 2019 to November 2019, as partial fulfillment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan, Tangerang.

The author realizes that this thesis report would not be completed without the help, support, and encouragements from many parties. Therefore, in this opportunity, the author would like to express sincere and deepest gratitude to those parties, including:

1. Eric Jobilong, Ph.D., as the Dean of the Faculty of Science and Technology.
2. Dela Rosa M.M., M.Sc.,Apt., as the Vice Dean of the Faculty of Science and Technology.
3. Laurence, M.T., as the Director of Administration and Student Affair of Faculty of Science and Technology.
4. Ir. W. Donald R. Pokatong, M.Sc., Ph.D., as the Head of Food Technology Study Program, for the opportunity to conduct the thesis research.
5. Ratna Handayani, M.P., as the Vice Head of Food Technology Study Program, for the guidance and assistance during the author’s research period.
6. Intan C. Matita, Ph.D., as author’s main supervisor, for the time, guidance, support throughout the whole process from research preparation up to the completion of thesis report.

7. Lucia C. Soedirga, M.Sc., as author's co-supervisor, for the time, guidance, support throughout the whole process from research preparation up to the completion of thesis report.
8. Natania, M.Eng., Yuniwaty Halim, M.Sc., Dr. Tagor M. Siregar, Dr. Adolf J. N. Parhusip, as the Head of Laboratory of Food Processing, Quality Control and Research, Chemistry, and Microbiology, respectively, for the chance to conduct the research in the laboratories.
9. Bryan Anders, S.T.P., Alexander Kevin, S.T.P., and Aileen N., S.T.P., Mr. Adzie, Mr. Adhi, Mr. Regy, and Mr. Darius, for the practical laboratory equipment assistance during the work in the laboratory.
10. All other lecturers and staffs in Food Technology Study Program for the help and guidance.
11. Beloved family, including father (Siaw Bun), mother (Hon Njuk), and sister (Ivon Andriani) for the endless love and support for the author.
12. Gratia Evangeline P. S., Jessica Sidharta, Jovinsky Happy Tanzil, Madeline Gracia, Nacia Andriana, and Terezya Emanuela Wijaya, as friends under the same supervision, for their help and encouragements.
13. Friends from class 2016 C of Food Technology, Universitas Pelita Harapan, for the moral support given to the author.
14. Friends from Batam and other friends and relatives that who have not been mentioned but have also given support to the author throughout the thesis period and completion of the report.

The author is aware that this report is still far from perfect and still require further improvements. Therefore, the author would like to apologize for any mistakes made in this report. The author also hopes that this report will be useful and informative for the readers. Thank you.

Tangerang, January 31<sup>st</sup>, 2020

(Irene Andriani)

## TABLE OF CONTENTS

	page
COVER .....	
FINAL ASSIGNMENT STATEMENT AND UPLOAD AGREEMENT .....	
APPROVAL BY THESIS SUPERVISORS.....	
APPROVAL BY THESIS EXAMINATION COMMITTEE .....	
ABSTRACT .....	v
<i>ABSTRAK</i> .....	vi
ACKNOWLEDGEMENTS .....	vii
TABLE OF CONTENTS .....	ix
LIST OF FIGURES.....	xii
LIST OF TABLES .....	xiii
LIST OF APPENDICES .....	xiv
<b>CHAPTER I INTRODUCTION</b>	
1.1 Background .....	1
1.2 Research Problem.....	3
1.3 Objectives.....	4
1.3.1 General Objectives .....	4
1.3.2 Specific Objectives.....	4
<b>CHAPTER II LITERATURE REVIEW</b>	
2.1 Wet Noodle .....	5
2.1.1 Ingredients of Wet Noodle .....	6
2.1.1.1 Flour.....	6
2.1.1.2 Water .....	7
2.1.1.3 Salt .....	7
2.1.1.4 Alkaline Salt ( <i>Kansui</i> ) .....	8
2.1.1.5 Other Ingredients .....	8
2.1.2 Processing of Wet Noodle.....	9
2.1.3 Texture of Wet Noodle .....	11
2.2 Cassava.....	11
2.2.1 Nutritional Composition of Cassava .....	12
2.2.2 Modified Cassava Flour .....	13
2.3 Chia Seed .....	15
2.3.1 Nutritional Composition of Chia Seed.....	16
2.3.2 Functional Properties of Chia Seed.....	16
2.3.3 Chia Seed Powder .....	17
<b>CHAPTER III RESEARCH METHODOLOGY</b>	
3.1 Materials and Equipment .....	19
3.2 Research Stages.....	20

3.2.1 Preliminary Stage.....	20
3.2.2 Main Research Stage.....	21
3.2.2.1 Research Stage I .....	21
3.2.2.2 Research Stage II .....	23
3.3 Experimental Design.....	24
3.3.1 Experimental Design of Research Stage I.....	25
3.3.2 Experimental Design of Research Stage II .....	27
3.4 Analytical Procedures .....	28
3.4.1 Moisture Content Analysis (AOAC, 2005).....	29
3.4.2 Ash Content Analysis (AOAC, 2005).....	29
3.4.3 Fat Content Analysis (AOAC, 2005).....	29
3.4.4 Protein Content Analysis (AOAC, 2005) .....	30
3.4.5 Carbohydrate Content Analysis (AOAC, 2005) .....	31
3.4.6 Water Absorption Analysis (Anggraeni and Saputra, 2018 with modification) .....	31
3.4.7 Cooking Loss Analysis (Anggraeni and Saputra, 2018 with modification) .....	31
3.4.8 Texture Analysis (Ko <i>et al.</i> , 2015 and Putra 2008 with modifications).....	32
3.4.9 Color Analysis .....	32
3.4.10 Scoring Test (Lawless and Heymann, 2010) .....	33
3.4.11 Hedonic Test (Lawless and Heymann, 2010) .....	33

#### CHAPTER IV RESULTS AND DISCUSSIONS

4.1 Physicochemical Characteristics of Chia Seed Powder .....	34
4.2 Effects of Different Ratio of Wheat Flour to MOCAF and Addition of Chia Seed Powder Towards Wet Noodle .....	36
4.2.1 Water Absorption.....	36
4.2.2 Cooking Loss .....	38
4.2.3 Texture .....	41
4.2.3.1 Hardness .....	41
4.2.3.2 Adhesiveness .....	44
4.2.3.3 Springiness.....	45
4.2.3.4 Cohesiveness .....	47
4.2.3.5 Gumminess .....	48
4.2.3.6 Chewiness .....	50
4.2.4 Protein Content .....	52
4.2.5 Color.....	54
4.3 Selection of Preferred Wet Noodle Formulation.....	57
4.4 Effects of Different <i>Kansui</i> Concentration Towards Selected Wet Noodle.....	59
4.4.1 Water Absorption.....	59
4.4.2 Cooking Loss .....	60
4.4.3 Texture Analysis .....	61
4.4.3.1 Hardness .....	61
4.4.3.2 Springiness.....	62

4.4.3.3 Chewiness.....	63
4.4.4 Color.....	64
4.4.5 Scoring Test .....	66
4.4.5.1 Scoring Color.....	66
4.4.5.2 Scoring Aroma.....	67
4.4.5.3 Scoring Taste .....	68
4.4.5.4 Scoring Texture .....	69
4.4.6 Hedonic Test .....	69
4.4.6.1 Hedonic Color.....	69
4.4.6.2 Hedonic Aroma.....	70
4.4.6.3 Hedonic Taste .....	70
4.4.6.4 Hedonic Texture .....	71
4.4.6.5 Hedonic Overall Acceptance .....	71
4.5 Determination of Best <i>Kansui</i> Concentration in Wet Noodle Formulation.....	72
4.6 Comparison of Wet Noodle Formulation in Research Stage I and Research Stage II .....	73
4.7 Proximate Analysis of Preferred Wet Noodle Formulation ...	73
<b>CHAPTER V CONCLUSIONS AND SUGGESTIONS</b>	
5.1 Conclusions .....	75
5.2 Suggestions.....	76
<b>BIBLIOGRAPHY .....</b>	77
<b>APPENDICES.....</b>	85

## LIST OF FIGURES

	page
Figure 2.1 Overall process of wet noodle making .....	9
Figure 2.2 Black chia seeds (left) and white chia seeds (right) .....	15
Figure 3.1 Flowchart of chia seed powder preparation.....	21
Figure 3.2 Flowchart of noodle making in research stage I.....	23
Figure 3.3 Flowchart of noodle making in research stage II.....	24
Figure 4.1 Chia seed powder.....	34
Figure 4.2 Effect of wheat flour to MOCAF ratio and chia seed powder towards water absorption.....	36
Figure 4.3 Effect of wheat flour to MOCAF ratio towards cooking loss of wet noodle.....	39
Figure 4.4 Effect of chia seed powder concentration towards cooking loss .....	40
Figure 4.5 Effect of wheat flour to MOCAF ratio and chia seed powder towards hardness.....	42
Figure 4.6 Effect of wheat flour to MOCAF ratio towards springiness.....	46
Figure 4.7 Effect of wheat flour to MOCAF ratio towards cohesiveness.....	47
Figure 4.8 Effect of wheat flour to MOCAF ratio and chia seed powder towards gumminess .....	49
Figure 4.9 Effect of wheat flour to MOCAF ratio and chia seed powder towards chewiness .....	51
Figure 4.10 Effect of wheat flour to MOCAF ratio and chia seed powder concentration towards protein content of wet noodle .....	53
Figure 4.11 Effect of wheat flour to MOCAF ratio and chia seed powder towards lightness of wet noodle .....	54
Figure 4.12 Effect of wheat flour to MOCAF ratio and chia seed powder towards °Hue of wet noodle .....	55
Figure 4.13 Effect of <i>kansui</i> concentration towards water absorption.....	59
Figure 4.14 Effect of <i>kansui</i> concentration towards cooking loss of wet noodle .....	60
Figure 4.15 Effect of <i>kansui</i> concentration towards hardness of selected wet noodle formulation.....	62
Figure 4.16 Effect of <i>kansui</i> concentration towards springiness of wet noodle .....	63
Figure 4.17 Effect of <i>kansui</i> concentration towards springiness of wet noodle .....	64
Figure 4.18 Effect of different <i>kansui</i> concentration towards lightness of wet noodle .....	65
Figure 4.19 Effect of <i>kansui</i> concentration towards color of wet noodle in scoring test .....	67
Figure 4.20 Effect of <i>kansui</i> concentration towards aroma of wet noodle in scoring test .....	68

## LIST OF TABLES

	page	
Table 2.1	Macronutrients composition of cassava.....	12
Table 2.2	Standard specifications of MOCAF.....	14
Table 2.3	Comparison of between chia seed powder and wheat flour based on nutritional component.....	18
Table 3.1	Formulation of wet noodle in research stage I.....	22
Table 3.2	Formulation of wet noodle in research stage II .....	23
Table 3.3	Experimental design of research stage I .....	25
Table 3.4	Experimental design of research stage II.....	27
Table 3.5	Color description of hue angle.....	33
Table 4.1	Nutritional component of chia seed powder obtained and literature .....	35
Table 4.2	Adhesiveness value of wet noodle based on wheat flour to MOCAF ratio.....	44
Table 4.3	°Hue mean values of wet noodle based on different <i>kansui</i> concentration.....	66
Table 4.4	Scoring value of taste.....	69
Table 4.5	Scoring value of texture.....	69
Table 4.6	Hedonic value of color.....	70
Table 4.7	Hedonic value of aroma.....	70
Table 4.8	Hedonic value of taste .....	71
Table 4.9	Hedonic value of texture.....	71
Table 4.10	Hedonic value of overall acceptance .....	72
Table 4.11	Comparison of proximate analysis of control and preferred wet noodle formulation.....	74

## LIST OF APPENDICES

	page
Appendix A Yield of Chia Seed Powder .....	A-1
Appendix B Color Analysis of Chia Seed Powder.....	B-1
Appendix C Proximate Analysis of Chia Seed Powder .....	C-1
Appendix D Water Absorption of Wet Noodle Based on Different Formulation ..... Statistical Analysis of Water Absorption of Wet Noodle Based on Different Formulation .....	D-1 D-3
Appendix E Cooking Loss of Wet Noodle Based on Different Formulation ..... Statistical Analysis of Cooking Loss of Wet Noodle Based on Different Formulation .....	E-1 E-4
Appendix F Texture Analysis of Wet Noodle Based on Different Formulation ..... Statistical Analysis of Texture of Wet Noodle Based on Different Formulation .....	F-1 F-13
Appendix G Protein Content of Wet Noodle Based on Different Formulation..... Statistical Analysis of Protein Content of Wet Noodle Based on Different Formulation .....	G-1 G-4
Appendix H Color Analysis of Wet Noodle Based on Different Formulation..... Statistical Analysis of Color Analysis of Wet Noodle Based on Different Formulation .....	H-1 H-5
Appendix I Water Absorption of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	I-1
Statistical Analysis of Water Absorption of Preferred Wet Noodle Based on Different Formulation.....	I-2

## Appendix J

Cooking Loss of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	J-1
Statistical Analysis of Cooking Loss of Preferred Wet Noodle Based on Different Formulation .....	J-3

## Appendix K

Texture Analysis of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	K-1
Statistical Analysis of Texture of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	K-5

## Appendix L

Color Analysis of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	L-1
Statistical Analysis of Color of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	L-4

## Appendix M

Scoring Test of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	M-1
Statistical Analysis of Scoring Test .....	M-1
Scoring Test Questionnaire .....	M-5

## Appendix N

Hedonic Test of Preferred Wet Noodle Based on Different <i>Kansui</i> Concentration .....	N-1
Statistical Analysis of Hedonic Test .....	N-1
Hedonic Test Questionnaire .....	N-6

## Appendix O

Proximate Analysis of the Wet Noodle.....	O-1
Statistical Analysis of Proximate Analysis of Wet Noodle .....	O-6

## Appendix P

Photos of Wet Noodle .....	P-1
Wet Noodle Based on Different Formulations.....	P-1
Wet Noodle Sheet with Addition of Chia Seed Powder .....	P-2
Preferred Wet Noodle with Different <i>Kansui</i> Concentration.....	P-2