

DAFTAR PUSTAKA

- Abeysundara, A., Seneviratne, N., Indira, W., dan Dinindu, E. 2015. Determination of changes of amylose and amylopectin content of paddy during early storage. International Journal of Science and Research, 6(1):2094-2097.
- Adejumo, A. L., Fati, A. A., dan Rasheed, U. O. 2013. Relationship between alpha-amylase degradation and amylose/amylopectin content of maize starches-advanced in applied. Journal of Science Research, 4(2):315-319.
- Afifah, N. dan Ratnawati, L. 2017. Quality assessment of dry noodle made from blend of mocaf flour, rice flour and corn flour. IOP Conf. Ser.: Earth Environ. Sci. 101 012021.
- Agustina, Faridah, D. N., dan Jenie, B. S. L. 2016. Pengaruh retrogradasi dan perlakuan kelembaban panas terhadap kadar pati resisten tipe III daluga. J. Teknol. dan Industri Pangan, 27(1):78-86.
- Aluyor, E. O. dan Okwundu, O. S. 2015. Development of whole cassava based instant noodles. International Journal of Agriculture and Earth Science, 1(8):34-47.
- Andarwulan, N., Kusnandar, F., dan Herawati. 2011. Analisis Pangan. Jakarta: Dian Rakyat.
- Anderson, A. K. dan Guraya, H. S. 2006. Effects of microwave heat-moisture treatment on properties of waxy and non-waxy rice starches. Fd. Chem., 97:318-323.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y., dan Merseno, D. W. 2015. In vitro digestibility of Indonesian cooked rice treated with cooling-reheating process and coconut milk addition. International Research Journal of Biological Sciences, 4(12):34-39.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y., dan Merseno, D. W. 2017. Physicochemical properties of rice (*Oryza sativa* L.) flour and starch of two Indonesian rice varieties differing in amylose content. International Food Research Journal, 24(1):108-113.
- AOAC. 2012. "Official Methods of Analysis. Association of Official Analytical Chemists". Washington: Benjamin Franklin Station.
- Badan Standarisasi Nasional. 1996. Tepung singkong. Jakarta: Badan Standarisasi Nasional.
- Badan Standarisasi Nasional. 2011. SNI 3451-2011. Tapioka. Jakarta: Badan Standarisasi Nasional.
- Badan Standarisasi Nasional. 2015. SNI 8217-2015. Mi kering. Jakarta: Badan Standarisasi Nasional.

- Baixaulli, R., Salvador, A., Martinez-Cervera, S., dan Fizman, S. M. 2008. Distinctive sensory features introduced by resistant starch in baked products. *Food Science and Technology*, 41:1927-1933.
- Bhattacharya, M., Zee, S. Y., dan Corke, H. 1999. Physicochemical properties related to quality of rice noodle. *Cereal Chemistry*, 76(6):861-867.
- Biyumna, U.L., Windrati, W.S., dan Diniyah, N. 2017. Karakteristik mie kering terbuat dari tepung sukun (*Artocarpus altilis*) dan penambahan telur. *Jurnal Agroteknologi*, 11(1):23-34.
- Brown, A. 2015. "Understanding Food Principles and Preparation", 5th Ed. USA: Cengage Learning.
- Cai, C. H. dan Wei, C. X. 2013. In situ observation of crystallinity disruption patterns during starch gelatinization. *Carbohydrate Polymers*, 92:129-138.
- Cao, L., Liu, H., Chen, P., dan Yu, L. 2010. Gelatinization and retrogradation of hydroxypropylated cornstarch. *International Journal of Food Engineering*, Vol 6:4.
- Cham, S. dan Suwannaporn, P. 2010. Effect of hydrothermal treatment of rice on various rice noodles quality. *Journal of Cereal Science*, 51:248-291.
- Charalampopoulos, D., Wang, R., Pandiella, S. S., dan Webb, C. 2002. Application of cereals and cereal components in functional foods: A review. *International Journal of Food Microbiology*, 79:131-141.
- Chung, H. J., Liu, Q., dan Hoover, R. 2009. Impact of annealing and heat-moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. *Carbohydrate Polymers*, 75(3):436-447.
- Collado, L. S., Mabesa, L. B., Oates, C. G., Corke, H. 2001. Bihon-type noodles from heat-moisture-treated sweet potato starch. *J. Food Sci.*, 66:604-609
- Cummings, J. H. dan Stephen, A. M. 2007. Carbohydrate terminology and classification. *Eur. J. Clin. Nutr.*, 61:5-18.
- Dessuara, C. F., Waluyo, S., dan Novita, D. D. 2014. Pengaruh Tepung Tapioka sebagai Bahan Substitusi Tepung Terigu terhadap Sifat Fisik Mie Herbal Basah. *Jurnal Teknik Pertanian Lampung*, 4(2):81-90.
- Dupuis, J. H., Liu, Q., dan Yada, R. Y. 2014. Methodologies for increasing the resistant starch content of food starches: A review. *Journal of Food Science*, 12:1219-1234.
- Ezeigbo, O. R., C. F. Ukabi, C. A. Ike-Amadi, dan M. U. Ekaiko. 2015. Determination of starch and cyanide contents of different species of fresh cassava tuber in Abia State, Nigeria. *British Biotechnology Journal*, 6(1):10.

- Fabbri, A. D. T., R. W. Schacht, dan G. A. Crosby. 2016. Evaluation of resistant starch content of cooked black beans, pinto beans, and chickpeas. NFS Journal., Vol 3(8).
- Faridah, D. N. 2011. Perubahan Karakteristik Kristalin Pati Garut (*Marantha arundinaceae* L.) dalam Pengembangan Pati Resisten Tipe III. [Disertasi]. Bogor: Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Faraj, A., Vasanthan, T., dan Hoover, R. 2004. The effect of extrusion cooking on resistant starch formation in waxy and regular barley flours. Food Res. Int., 37:517-525.
- Fari, M. J. M., Rajapaksa, D., Ranasweera, K. K. D. S. 2011. Quality characteristics of noodle made from selected varieties of Sri Lankan rice with different physicochemical characteristics. J. Natn. Sci. Foundation Sri Lanka, 39(1):53-60.
- Feliana, F., Langgeng, A. H., dan Dhafir, F. 2014. Kandungan Gizi Dua Jenis Varietas Singkong (*Manihot esculenta*) berdasarkan Umur Panen di Desa Siney Kecamatan Tinombo Selatan Kabupaten Parigi Moutong. Jurnal e-Jipbiol, 2(3).
- Food and Agriculture Organization of the United Nations Statistics Database - Faostat. 2013. Food and agricultural commodities production. Retrieved from <http://faostat.fao.org/>
- Freitas, R. A., P. A. J. Gorin, J. Neves, dan M. R. Sierakowski. 2003. Archeological description of mixtures of galactoxyloglucan with high amylose and waxy corn starches. Carbohydrate Polymers, 51:25-32.
- Frohberg, C. dan Quanz, M. 2008. Use of Linear Poly-Alpha-1,4-Glucans as Resistant Starch. United States Patent Applications.
- Gularate, M. A. dan Rosell, C. M. 2011. Physicochemical properties and enzymatic hydrolysis of different starches in the presence of hydrocolloids. Carbohydr. Polym., 85:237-244.
- Guo, G., D.S. Jackson, P.A. Graybosch and A.M. Parkhurst. 2003. Asian salted noodle quality: impact of amylose content adjustments using waxy wheat flour. Cereal Chem., 80: 437–445.
- Han, J. A., T. R. Seo, S. T. Lim, dan D. J. Park. 2011. Utilization of rice starch with gums in Asian starch noodle preparation as substitute for sweet potato starch. Food Science and Biotechnology, 20(5):1173-1178.
- Harianie, L., Yunianta, dan Argo, B. D. 2009. Pembuatan pati tinggi amilosa secara enzimatis dari pati ubi kayu (*Manihot esculenta*) dan aplikasinya untuk pembuatan maltosa. El-Hayah, 1(1):14-24.
- Heo, H., B. K. Baik, C. S. Kang, B. K. Choo, dan C. S. Park. 2011. Influence of amylose content on cooking time and textural properties of white salted noodles. Food Sci. Biotechnol., 21(2):345-353.

- Heo, S., S. M. Lee, S. H. Yoo, dan S. Lee. 2013. Effect of dry and wet milled rice flours on the quality attributes of gluten-free dough and noodles. *Journal of Food Engineering*, 116:213-217.
- Horstmann, S. W., Markus C. E. Belz, Mareile Heitmann, Emmanuele Zannini, dan Elke K. Arndt. 2016. Fundamental Study on the Impact of Gluten-Free Starches on the Quality of Gluten-Free Model Breads. Article. School of Food and Nutritional Sciences, University College Cork, Ireland.
- Hung, V. P., Maeda, T., dan Morita, N. 2006. Waxy and high-amylose wheat, starches and flours characteristics, functionality and application. *Trends in Food Science & Technol.*, 17(8):448-456.
- Husniati, Nurdjanah, S., dan Prakasa, R. 2015. Aplikasi gluten enkapsulasi pada proses pembuatan mie tapioka. *Biopropal Industri*, 6(1):29-36.
- Indrianti, N., R. Kumalasari, R. Ekafitri, dan D. A. Darmajana. 2013. Pengaruh penggunaan pati ganyong, tapioka, dan mocaf sebagai bahan substitusi terhadap sifat fisik mie jagung instan. *Agritech*, 33(4):391-398.
- Indrianti, N., Surahman, D. N., dan Mayasati, N. K. I. 2015. Perbandingan penggunaan tepung ubi kayu dari umur panen yang berbeda dan penambahan tepung jagung dalam pembuatan mi kering. *PANGAN*, 24(1):63-74.
- Interpares, P., Haryadi, dan Cahyanto, M. N. 2015. Pengaruh Retrogradasi pada Pembuatan Sohun Pati Jagung terhadap Karakteristik Fisikokimia Produk dan Aktivitas Prebiotiknya. *Agritech*, 35(2):192-199.
- Juliana, R. 2007. Resisten starch tipe III dan tipe Iv pati singkong (*Manihot esculenta* Crantz), suweg (*Amorphophallus campanulatus*), dan ubi jalar (*Ipomoea batatas* L.) sebagai prebiotic. Skripsi: Institut Pertanian Bogor.
- Kaur, A., Khetan Shevkani, Narinder Singh, Parul Sharma, dan Seeratpreet Kaur. 2015. Effect of guar gum and xanthan gum on pasting and noodle-making properties of potato corn and mung bean starches. *Journal of Food Science and Technology*, 52(12):8113-8121.
- Kemashalini, K., Prasantha, B. D. R., dan Chandrasiri, K. A. K. L. 2018. Physico-chemical properties of high and low amylose rice flour. *Advances in Food Science and Engineering*, 2(4):115-124.
- Kementerian Pertanian Republik Indonesia. 2019. Produksi Ubi Kayu Menurut Provinsi, 2014-2018. Available from [https://www.pertanian.go.id/Data5tahun/TPATAP-2017\(pdf\)/27-ProdUbikayu.pdf](https://www.pertanian.go.id/Data5tahun/TPATAP-2017(pdf)/27-ProdUbikayu.pdf)
- Kim, J. C., Mullan, B. P., Hampson, D. J., dan Pulske, J. 2006. Effect of aylose content, autoclaving, pra-boiling, extrusion, and post cooking treatments on resistant starch content of different rice cultivars. *Australia Journal of Agricultural Research*, 56:1291-1296.

- Koswara, S. 2013. Teknologi Pengolahan Umbi-Umbian. SEAFEST Center IPB, Bogor.
- Kraithong, S., Lee, S., dan Rawdkuen, S. 2019. The influence of hydrocolloids on the properties of organic red jasmine rice noodles, namely on antioxidant activity, cooking, texture, and sensory properties. *Starch-Starke*, Vol 71:1-9.
- Kusnanda, D. 2014. Mi Lethok Kegemaran Kawula Mataram. *Buletin Harian Kompas*. Available from <https://travel.kompas.com/read/2014/03/01/0925291/Mi.Lethok.Kegemaran.Kawula.Mataram>. Accessed 2019 May 19.
- Lares, M. dan Peres, E. 2006. Determination of the mineral fraction and rheological properties of microwave modified starch from Canna Edulis. *Pl. Fds Human Nutr.*, 61, 109–113.
- Lawal, O. S., Lechner, M. D., Hartmann, B., dan Kulicke, W. 2007. Carboxymethyl cocoyam starch: synthesis, characterisation and influence of reaction parameters. *Starch/Stärke*, 59:224-33.
- Lawless, H. dan Heymann, H. 2010. “Sensory Evaluation of Food Principles and Practices” 2nd Edition. New York: Springer.
- Leake, L. L. 2006. Analyzing resistant starch. *Food Technology*, 60(7):67-69, 76.
- Li, A, Gao, Q, Ward R. 2011. Physicochemical properties and *in vitro* digestibility of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Starch/Stärke*, 63:171–8.
- Li, Y. D., Xu, T. C., Xiao, J. X., Zong, A. Z., Qiu, B., Jia, M., Liu, L. N., dan Liu, W. 2018. Efficacy of potato resistant starch prepared by microwave-toughening treatment. *Journal of Agri-Food Science and Technology. Carbohydrate Polymers*, 192:299-307.
- Liu, K. dan Han, J. 2012. Enzymatic method for measuring starch gelatinization in dry products *in situ*. *Journal of Agricultural and Food Chemistry*, 60(17):4212-4221.
- Menon, R., Padmaja, J., dan Sajeev, M. S. 2015. Ultrastructural and starch digestibility characteristics of sweet potato spaghetti: effects of edible gums and fibers. *Int. J. Food Prop.*, 18:1231-1247.
- Merdiyanti, A. 2008. Paket teknologi pembuatan mi kering dengan memanfaatkan bahan baku tepung jagung. [Skripsi]. Bogor: Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Mojarrad, L. S., dan Rafe, A. 2018. Effect of high-amyllose corn starch addition on canning of yellow alkaline noodle composed of wheat flour and microbial transglutaminase: Optimization by RSM.
- Moorthy, S. N. 2002. Physicochemical and functional properties of tropical tuber starches: a review. *Starch/Starke*, 54:559-592.

- Muflihat, I., Lukitawesa, B. Narindi, Afriyanti, R., dan R. Mailia. 2015. Efek substitusi tepung terigu dengan pati ketan terhadap sifat fisik *cookies*. Prosiding Seminar Nasional Universitas PGRI Yogyakarta. Yogyakarta.
- Muhandri, T., Subarna, dan Palipi, N. S. 2013. Karakteristik mi basah jagung akibat pengaruh laju pengumpaman dan penambahan guar gum. J. Teknol. dan Industri Pangan., 24(1):110-114.
- Mulyadi, A.F., Wijana, S., Dewi, I.A., dan Putri, W.I. 2014. Studi pembuatan mie kering ubi jalar kuning (*Ipomoea Batatas*) (Kajian penambahan telur dan CMC). Prosiding Seminar Nasional BKS PTN Barat: 1186-1194.
- Mustafa, A. 2015. Analisis Proses Pembuatan Pati Ubi Kayu (Tapioka) Berbasis Neraca Massa. Agrointek., 9(2):127-133.
- Nadiah, N. I., Uthomporn, U., dan Syahariza, Z. A. 2015. Effect of Microwave Heating on Potato and Tapioca Starches in Water Suspension. International Journal on Advanced Science Engineering Information Technology, 5(4):264-271.
- Nazhrah, Julianti, E., dan Lubis, L. M. 2014. Pengaruh proses modifikasi fisik terhadap karakteristik pati dan produksi pati resisten dari empat varietas ubi kayu (*Manihot esculenta*). J. Rekayasa Pangan dan Pert., 2(2):1-9.
- Norton, I. T. dan Foster, T. J. 2002. Hydrocolloids in real food system. In: Williams, P. A. dan Phillips, G. O. (eds.) Gums and stabilizer for the food industry, 11:187-200. Cambridge: The Royal Society of Chemistry.
- Nugent, A. P. 2005. Health properties of resistant starch. British Nutrition Foundation. Nutr. Bull., 30:27-54.
- Nugroho, A., Ainuri, M., dan Khuriyat, N. 2015. Reduksi Pemborosan untuk Perbaikan *Value Stream* Produksi “Mi Lethok” Menggunakan Pendekatan *Lean Manufacturing*. Agritech., 35(2):205-211.
- Nusantoro, B. P., Haryadi, N. Bintoro, dan P. Darmadji. 2003. Permbuatan tepung jagung kuning pra-masak dari proses nixtamalisasi serta karakteristik produknya. Agritech., 25(3):148-153.
- Onyango, C., Bley, T., Jacob, A., Henle, T. & Rohm, H. 2006. Influence of incubation temperature and time on resisten starch type III formation from autoclaved and acid-hydroysed cassava starch. Carbohydrate Polymers, 66:494-499.
- Patil, S. K. 2004. Resistant starches as low-carb ingredient-Current applications and issues. Cereal Food World, 48:292-294.
- Pereira, B. L. B. dan Leonel, M. 2014. Resistant starch in cassava products. Food Sci. Technol, Campinas, 34(2):298-302.
- Pilgaard, M. 2016. Guar gum structure. Michael Pilgaard’s Polymer Site. Available from <https://pilgaardpolymers.com/GuarGum/Structure.htm>. Accessed 2019 June 06.

- Punami, T., Y. Kataoka, T. Omoto, Y. Goto, I. Asai, dan K. Nishinari. 2015. Effects of non-ionic polysaccharides on the gelatinization and retrogradation behavior of wheat starch. *Food Hydrocolloids*, 19:1-13.
- Ratnayake, W. S., dan Jackson, D. S. 2008. Thermal behavior of resistant starches RS 2, RS 3, and RS 4. *Journal of Food Science*, 73(5):356-366.
- Rauf, F. dan Sarbini, D. 2015. Daya serap air sebagai acuan untuk menentukan volume air dalam pembuatan adonan roti dari campuran tepung terigu dan tepung singkong. *Agritech.*, 35(3):324-330.
- Rafiq, S. I., Rafiq, S. M., dan Saxena, D. C. 2016. Effect of hydrocolloids on the quality evaluation of flour based noodles from Horse Chestnut. *MATEC Web of Conferences*, 57.
- Rogers, L. 2017. "Discrimination Testing in Sensory Science: A Practical Handbook". Elsevier Ltd.
- Rübsam, H., Krottenthaler, M., Gastl, M., Becker, T. 2012. An overview of separation methods in starch analysis: the importance of size exclusion chromatography and field flow fractionation. *Starch/Stärke*, Vol, 64:683–695.
- Rukmana, R. 2002. *Ubi Kayu: Budidaya dan Pasca Panen*. Yogyakarta: Kanisius.
- Sajilata, M. G., Singhal, R. S., dan Kulkarni, P. R. 2006. Resistant starch – a review. *Compr. Rev. Fd. Sci. Fd. Safety*, 5:1-17.
- Sakonidou, E. P., Karapantsios, T. D., Raphaelides, S. N. 2003. Mass transfer limitations during starch gelatinization. *Carbohydr. Polym.* 53:53–61.
- Sandhu, K. S., Kaur, M., dan Mukesh. 2010. Studies on noodles quality of potato and rice starches and their blends in relation to their physicochemical, pasting and gel textural properties. *LWT Food Sci. Technol.*, 43(8):1289-1293.
- Seib, P. A. 2000. Reduced-amylase wheats and Asian noodles. *Cereal Foods World*, 45:504-512.
- Setiarto, R. H. B., Widhyastuti, N., dan Sumariyadi, A. 2018. Peningkatan kadar pati resisten tipe III tepung singkong termodifikasi melalui fermentasi dan pemanasan pertekanan-pendinginan. *BIOPROPAL INDUSTRI*, 9(1):9-23.
- Shahsavani, M. L., Rafe, A., Sadeghian, A., dan Niazmand, R. 2017. Effects of high amylose corn starch and microbial transglutaminase on the textural and microstructural properties of wheat flour composite gels at high temperatures. *Journal of Texture Studies*, 48(6):624-632.
- Sharma, A., Yadav, B. S., dan Ritika. 2008. Resistant starch: Physiological roles and food applications. *Food Reviews International*, 24:193-234.

- Sharma, S., Singh, N., dan Katyal, M. 2016. Effect of gelatinized-retrograded and extruded starches on characteristics of cookies, muffins and noodles. *Journal of Food Science and Technology*, 53(5):2482-2491.
- Shi, M. M. dan Gao, Q. Y. 2011. Physicochemical properties, structure and in vitro digestion of resistant starch from waxy rice starch. *Carbohydrate Polymers*, 84(3):1151-1157.
- Shu, X., Jia, L., Gao, J., Sing, Y., Zhao, H., Nakamura, Y., Wu, D. 2007. The influence of chain length of amylopectin on resistant starch in rice (*Oryza sativa L.*). *Starch/Starke*, 59: 504-509.
- Singh N., Singh J., Sodhi N. S. 2002. Morphological, thermal, rheological and noodle-making properties of potato and corn starch. *J Sci Food Agric* 82:1376–1383.
- Siswoyo, T. R. dan Morita, N. 2003. Thermal properties of partially hydrolyzed starch-glycerophosphatidylcholine complexes with various acyl chains. *J. Agric. Food Chem.*, 51:3162-3167.
- Sjöqvist, M., & Gatenholm, P. 2005. The effect of starch composition on structure of foams prepared by microwave treatment. *Journal of Polymers & the Environment*, 13(1), 29–37.
- Song, W., Janaswamy, S., & Yao, Y. 2010. Structure and in vitro digestibility of normal corn starch: Effect of acid treatment, autoclaving, and amylolysis. *Journal of Agricultural and Food Chemistry*, 58:9753–9758.
- Sozer, N. 2009. Rheological properties of rice pasta dough supplemented with proteins and gums. *Food Hydrocolloids*, 23:849-855.
- Srichuwong, T. C. Sunarti, T. Mishima, N. Isono, dan M. Hisamatsu. 2005. Starches from different botanical sources I: contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers*. Vol 60(4):529-538.
- Srikaeo, K., Lathongsan, P., dan Lerdluksamee, C. 2018. Effects of gums on physical properties, microstructure and starch digestibility of dried-natural fermented rice noodles. *International Journal of Biological Macromolecules*, 109:517-523.
- Susilawati, Nurdjanah, S., dan Putri, S. 2008. Karakteristik Sifat Fisik dan Kimia Ubi Kayu (*Manihot esculenta*) berdasarkan Lokasi Penentuan dan Umur Panen Berbeda. *Jurnal Teknologi Industri dan Hasil Pertanian*, 13(2).
- Szepes, A., Hasznos-Nezdei, M., Kovacs, J., Funke, Z., Ulrich, J., dan Szabó-Revesz, P. 2005. Microwave processing of natural biopolymers-studies on the properties of different starches. *Int. J. Pharmaceutics*, 302:166-171.
- Tako, M., Y. Tamaki, T. Teruya., dan Y. Takeda. 2014. The principles of starch gelatinization and retrogradation. *Food and Nutrition Sciences*, 5:280-291.

- Tan, H. L., Tan, T. C., dan Easa, A. M. 2018. The use of selected hydrocolloids to enhance cooking quality and hardness of zero-salt noodles. International Journal of Food Science and Technology.
- Tharanathan, R. N. 2002. Food-derived carbohydrates: Structural complexity and functional diversity. Critical Reviews in Biotechnology, 22(1):65–84.
- Udoro, E. O., Kehinde, A. T., Olasunkanmi, S. G., dan Charles, T. A. 2014. Studies on the physicochemical, functional and sensory properties of gari processed from dried cassava chips. J. Food Process Technol., 5(1):1-8.
- Visakh, P. M., Matthew, A. P., Oksman, K., dan Thomas, S. 2012. “Polysaccharide Building Blocks: A Sustainable Approach to the Development of Renewable Biomaterials”, First Ed. Edited by Yousef Habibi and Lucian A. Lucia. USA: John Wiley & sons, Inc.
- Wang, S., Caili, L., Les C., Qing N., dan Shuo W. 2015. Starch retrogradation: a comprehensive review. Comprehensive Reviews in Food Science and Food Safety, 14.
- Wang, S. J., Sharp, P., Copeland, L. 2011. Structural and functional properties of starches from field peas. Food Chem., 126:1546-1552.
- Wang, X. X., Lei, H., Qu, Y., Liu, X., dan Shi, J. F. 2010. Effect of starch composition in flour on noodle cooking quality. J. Henan Univ. Technol. (Nat. Sci. Edn), 31(2):24-27.
- Weber, F. H., M. T. P. S. Clerici, F. P. Collares-Queiroz, dan Y. K. Chang. 2009. Interaction of guar and xanthan gums with starch in the gels obtained from normal, waxy and high-amyllose corn starches. Starch-Starke, 61(1):28-34.
- Whistler, R. L. dan BeMiller, J. N. 2009. Starch: Chemistry and Technology. USA: Academic Press.
- Widiatmoko, R.B. dan Estiasih, T. 2015. Karakteristik fisikokimia dan organoleptik mie kering berbasis tepung ubi jalar ungu pada berbagai tingkat penambahan gluten. Jurnal Pangan dan Agroindustri, 3(3):1386-1392.
- Winarno, F. G. 2004. Kimia Pangan dan Gizi. Cetakan ke-XI. Jakarta: PT. Gramedia Pustaka Utama.
- Wulan, S. N., Widyaningsih, T. D., dan Ekasari, D. 2007. Modifikasi pati alami dan pati hasil pemutusan rantai cabang dengan perlakuan fisik/kimia untuk meningkatkan kadar pati resisten pada pati beras. Jurnal Teknologi Pertanian, 3:78-86.
- Yanetrieni. 2018. Modifikasi Fisik Tepung dan Siklus Pengukusan-Pendinginan dalam Pembuatan Mi *Lethok*. Skripsi, Universitas Pelita Harapan, Tangerang.
- Yao, N., Paez, A. V., dan White, P. J. 2009. Structure and function of starch and resistant starch from corn with different doses of mutant amylose-extender and floury-1 alleles. J. Agric. Food Chem., 57:2040-2048.

- Yu, L dan Christie, G. 2005. Microstructure and mechanical properties of orientated thermoplastic starches. *J Mater Sci.*, 40:111–6.
- Yuliani, H., Yuliana, N. D., dan Budijanto, S. 2015. Formulasi mi kering sagu dengan substitusi tepung kacang hijau. *Agritech.*, 35(4):387-395.
- Zaragoza, E. F., E. S. Zapata, E. Sendra, E. Sayas, C. Navarro, J. F. Lopez, J. A. P. Alvarez. 2011. Resistant starch as prebiotic: A review. *Starch*, 63(7):406-415.
- Zhang, J., Chen, F., Liu, F., dan Wang, Z. 2010. Study on structural changes of microwave heat-moisture treated resistant *Canna edulis* Ker. starch during digestion *in vitro*. *Food Hydrocolloids*, 24:27-34.
- Zhang, J., Wang, Z. W., dan Shi, X. M. 2009. Effect of microwave heat/moisture treatment on physicochemical properties of *Canna edulis* Ker. starch. *J. Sci. Food Agric.*, 89:653-664.
- Zhang, L. M., Zhou, J. F., dan Hui, P. S. 2005. A comparative study on viscosity behavior of water-soluble chemically modified guar gum derivatives with different functional lateral groups. *J. Sci. Food Agric.*, 85:2638-2644.
- Zuo, Y., Gu, J., Tan, H., Qiao, Z., Xie, Y., dan Zhang, Y. 2014. The characterization of granule structural changes in acid-thinning starches by new methods and its effect on other properties. *Journal of Adhesion Science and Technology*, 28(5):479-489.