

## **DAFTAR PUSTAKA**

1. Karima NM, Machmud R, Yusrawati. Artikel Penelitian Hubungan Faktor Risiko dengan Kejadian Pre-Eklampsia. *J Kesehat Andalas* [Internet]. 2015;4(2):556–61.
2. Rozikhan. Faktor-Faktor Risiko Terjadinya Preeklampsia. 2007;
3. Al-Jameil N, Aziz Khan F, Fareed Khan M, Tabassum H. A brief overview of preeclampsia. *J Clin Med Res* [Internet]. 2014;6(1):1–7.
4. Hypertension in Pregnancy - ACOG [Internet]. [cited 2017 Sep 12].
5. Lisonkova S, Joseph K. Incidence of preeclampsia: risk factors and outcomes associated with early-versus late-onset disease. *Am J Obstet Gynecol* [Internet]. 2013
6. Djannah SN, Arianti IS. Gambaran Epidemiologi Kejadian Preeklampsia dan Eklampsia di RSU PKU Muhammadiyah Yogyakarta Tahun 2007-2009. *J Uad*. 2010;(274):378–85.
7. Sibai BM, Gordon T, Thom E, Caritis SN, Klebanoff M, McNellis D, et al. Risk factors for preeclampsia in healthy nulliparous women: a prospective multicenter study. *Am J* [Internet]. 1995
8. Luo B, Ma X. Risk factors for preeclampsia: a case–control study. *Hypertens Pregnancy* [Internet]. 2013;32(4):432–8.
9. Baker AM, Haeri S. Estimating risk factors for development of preeclampsia in teen mothers. *Arch Gynecol Obstet*. 2012;286(5):1093–6.
10. Bilano VL, Ota E, Ganchimeg T, Mori R, Souza JP. Risk factors of pre-eclampsia/eclampsia and its adverse outcomes in low- and middle-income countries: A WHO secondary analysis. *PLoS One*. 2014;9(3):1–9.
11. Rodriguez-Lopez M, Wagner P, Perez-Vicente R, Crispi F, Merlo J. Revisiting the discriminatory accuracy of traditional risk factors in preeclampsia screening. *PLoS One*. 2017;12(5):1–20.
12. Zhang D, Ye D, Chen H. Placental Vacuolar ATPase Function Is a Key Link between Multiple Causes of Preeclampsia. *ISRN Obstet Gynecol* [Internet]. 2013;2013:504173.

13. Szpera-Gozdziewicz A. Endothelial dysfunction in the pathogenesis of pre-eclampsia. *Front Biosci [Internet]*. 2014;19(5):734.
14. Hashemi M, Heshmat-Ghahdarijani K, Zarean E, Baktash F, Mortazavi ZS. Evaluation of the effect of low-dose aspirin on endothelial dysfunction in pre-eclamptic patients. *J Res Med Sci [Internet]*. 2016;21 (8) (no(110)):1–5.
15. Yin N, Zhang H, Luo X, Ding Y, Xiao X, Liu X, et al. IL-27 activates human trophoblasts to express IP-10 and IL-6: implications in the immunopathophysiology of preeclampsia. *Mediators Inflamm [Internet]*. 2014 Feb 10 [cited 2017 Sep 18];2014:926875.
16. Chen CP. Placental abnormalities and preeclampsia in trisomy 13 pregnancies. *Taiwan J Obstet Gynecol [Internet]*. 2009;48(1):3–8. Available from: [http://dx.doi.org/10.1016/S1028-4559\(09\)60028-0](http://dx.doi.org/10.1016/S1028-4559(09)60028-0)
17. Weel IC, Baergen RN, Romão-Veiga M, Borges VT, Ribeiro VR, Witkin SS, et al. Association between placental lesions, cytokines and angiogenic factors in pregnant women with preeclampsia. *PLoS One*. 2016;11(6):1–15.
18. Kaitu'u-Lino TJ, Palmer K, Tuohey L, Ye L, Tong S. MMP-15 is upregulated in preeclampsia, but does not cleave endoglin to produce soluble endoglin. *PLoS One*. 2012;7(6).
19. Gibbins KJ, Silver RM, Pinar H, Reddy UM, Parker CB, Thorsten V, et al. Stillbirth, hypertensive disorders of pregnancy, and placental pathology. *Placenta [Internet]*. 2016;43:61–8.
20. Kaaja R, Laivuori H, Laakso M, Tikkanen MJ, Ylikorkala O. Evidence of a state of increased insulin resistance in preeclampsia. *Metabolism [Internet]*. 1999;48(7):892–896.
21. Parmar LP, Mwango GN, Wambugu MN, Ong'ech JO. The Umbilical Artery Resistive Index and the Cerebro-Placental Ratio as a Predictor of Adverse Foetal Outcome in Patients with Hypertensive Disorders of Pregnancy during Third Trimester. *2013;18(3):94–7*.
22. Elok F, Hendrati LY. Hubungan Karakteristik Ibu, ANC dan Kepatuhan Perawatan Ibu Hamil dengan Terjadinya Preeklampsia. *J Berk Epidemiol*. 2014;2(2012):216–26.

23. Backes CH, Markham K, Moorehead P, Cordero L, Nankervis CA, Giannone PJ. Maternal Preeclampsia and Neonatal Outcomes. *J Pregnancy* [Internet]. 2011;2011:1–7.
24. Ananth C V., Keyes KM, Wapner RJ. Pre-eclampsia rates in the United States, 1980-2010: age-period-cohort analysis. *Bmj* [Internet]. 2013;347(nov07 15):f6564–f6564.
25. Hutcheon JA, Lisonkova S, Joseph KS. Epidemiology of pre-eclampsia and the other hypertensive disorders of pregnancy. *Best Pract Res Clin Obstet Gynaecol* [Internet]. 2011;25(4):391–403. Available from: <http://dx.doi.org/10.1016/j.bpobgyn.2011.01.006>
26. Muhani N, Masyarakat FK, Malahayati U, Biostatistik D, Masyarakat FK, Indonesia U. Pre-eklampsia Berat dan Kematian Ibu Severe Preeclampsia and Maternal Death. 2014;(27).
27. Warouw, Patricia C. et al. karakteristik preeklampsia di RSUP Prof. dr. R. D. Kandou Manado. *J Ilm Farm UNSRAT*. 2016;6(3).
28. Yustiana I. Hubungan Umur dan Paritas Ibu Bersalin Dengan Kejadian Pre-Eklampsia. 2010;2(2):108–27.
29. Roberts JM, Hubel CA. The Two Stage Model of Preeclampsia: Variations on the Theme. *Placenta* [Internet]. 2009;30(SUPPL.):32–7.
30. Redman CW, Sargent IL, Staff AC. IFPA senior award lecture: Making sense of pre-eclampsia - Two placental causes of preeclampsia? *Placenta* [Internet]. 2014;35(SUPPL):S20–5.
31. Cunningham F, Leveno K, Bloom S, Hauth J, Rouse D, Spong C. *Williams Obstetrics*. 2010.
32. Uzan J, Carbonnel M, Piconne O, Asmar R, Ayoubi JM. Pre-eclampsia: Pathophysiology, diagnosis, and management. *Vasc Health Risk Manag*. 2011;7(1):467–74.
33. Gathiram P, Moodley J. Pre-eclampsia: its pathogenesis and pathophysiology. *Cardiovasc J Afr* [Internet]. 2016;27(2):71–8.
34. Powe CE, Levine RJ, Karumanchi SA. Preeclampsia, a disease of the maternal endothelium: The role of antiangiogenic factors and implications

- for later cardiovascular disease. *Circulation*. 2011;123(24):2856–69.
35. Duckitt K. Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. *Bmj* [Internet]. 2005;330(7491):565–0.
  36. Lamminpää R, Vehviläinen-Julkunen K, Gissler M, Heinonen S. Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997–2008. *BMC Pregnancy Childbirth* [Internet]. 2012;12(1):47.
  37. Lampinen R, Vehviläinen-Julkunen K, Kankkunen P. A review of pregnancy in women over 35 years of age. *Open Nurs J* [Internet]. 2009;3:33–8.
  38. Hernández-Díaz S, Toh S, Cnattingius S. Risk of pre-eclampsia in first and subsequent pregnancies: prospective cohort study. *BMJ* [Internet]. 2009 Jun 18 [cited 2017 Sep 23];338:b2255.
  39. Bej P, Chhabra P, Sharma AK, Guleria K. Determination of Risk Factors for Pre-eclampsia and Eclampsia in a Tertiary Hospital of India: A Case Control Study. *J Fam Med Prim care* [Internet]. 2013 [cited 2017 Sep 23];2(4):371–5.
  40. Ganesh KS, Unnikrishnan B, Nagaraj K, Jayaram S. Determinants of Pre-eclampsia: A Case-control Study in a District Hospital in South India. *Indian J Community Med* [Internet]. 2010 Oct [cited 2017 Sep 23];35(4):502–5.
  41. Parvin Bastani, Kobra Hamdi HN. Risk Factors for Preeclampsia in Multigravida Women. Vol. 3, Research Journal of Biologi Science. 2008. p. 148–53.
  42. Li XL, Chen TT, Dong X, Gou WL, Lau S, Stone P, et al. Early onset preeclampsia in subsequent pregnancies correlates with early onset preeclampsia in first pregnancy. *Eur J Obstet Gynecol Reprod Biol*. 2014;177:94–9.
  43. Lykke JA, Paidas MJ, Langhoff-Roos J. Recurring complications in second pregnancy. *Obstet Gynecol*. 2009;113(6):1217–24.
  44. Ananth C V, Peltier MR, Chavez MR, Kirby RS, Getahun D, Vintzileos AM. Recurrence of ischemic placental disease. *Obstet Gynecol*. 2007;110(1):128–33.

45. Mostello D, Kallogjeri D, Tungsiripat R, Leet T. Recurrence of preeclampsia: effects of gestational age at delivery of the first pregnancy, body mass index, paternity, and interval between births. *Am J Obstet Gynecol.* 2008;199(1):1–7.
46. Hernandez-Diaz S, Toh S, Cnattingius S. Risk of pre-eclampsia in first and subsequent pregnancies: prospective cohort study. *Bmj* [Internet]. 2009;338(jun18 1):b2255–b2255.
47. Ananth, C. V. et al. Placental Abruptio in Term and Preterm. 2006;107(4):785–92.
48. Ness RB, Sibai BM. Shared and disparate components of the pathophysiologies of fetal growth restriction and preeclampsia. *Am J Obstet Gynecol.* 2006;195(1):40–9.
49. Brosens IA, De Sutter P, Hamerlynck T, Imeraj L, Yao Z, Cloke B, et al. Endometriosis is associated with a decreased risk of pre-eclampsia. *Hum Reprod* [Internet]. 2007 Mar 21 [cited 2017 Sep 23];22(6):1725–9.
50. Maynard SE, Moore Simas TA, Solitro MJ, Rajan A, Crawford S, Soderland P, et al. Circulating angiogenic factors in singleton vs multiple-gestation pregnancies. *Am J Obstet Gynecol.* 2008;198(2).
51. Bdolah Y, Lam C, Rajakumar A, Shivalingappa V, Mutter W, Sachs BP, et al. Twin pregnancy and the risk of preeclampsia: bigger placenta or relative ischemia? *Am J Obstet Gynecol.* 2008;198(4).
52. Weissgerber TL, Mudd LM. Preeclampsia and Diabetes. *Curr Diab Rep.* 2015;15(3):1–16.
53. Setiawan RP. Hubungan paritas dan kontrasepsi dengan preeklampsia ringan di puskesmas jagir. 2016;(October):100–12.
54. Phaloprakarn C, Tangjitgamol S. Risk assessment for preeclampsia in women with gestational diabetes mellitus. *J Perinat Med.* 2009;37(6):617–21.
55. Magnussen EB, Vatten LJ, Lund-Nilsen TI, Salvesen KA, Smith GD, Romundstad PR. Prepregnancy cardiovascular risk factors as predictors of pre-eclampsia: population based cohort study. *Bmj* [Internet].

- 2007;335(7627):978–978.
56. Sharifi F, Sharifi N, Nouraei S. Association of maternal body mass index (BMI) with adverse prenatal outcomes. *Iran J Reprod Med* [Internet]. 2013;11:32.
  57. Ovesen P, Rasmussen S, Kesmodel U. Effect of Prepregnancy Maternal Overweight and Obesity on Pregnancy Outcome. *Obstet Gynecol* [Internet]. 2011;118(2, Part 1):305–12.
  58. Ness RB, Zhang J, Bass D, Klebanoff MA. Interactions between smoking and weight in pregnancies complicated by preeclampsia and small-for-gestational-age birth. *Am J Epidemiol*. 2008;168(4):427–33.
  59. Johnson CT. *The John Hopkins Manual of Gynecology and Obstetrics*. 2015;
  60. Hiby SE, Walker JJ, O'Shaughnessy KM, Redman CWG, Carrington M, Trowsdale J, et al. Combinations of Maternal KIR and Fetal HLA-C Genes Influence the Risk of Preeclampsia and Reproductive Success. *J Exp Med* [Internet]. 2004;200(8):957–65.
  61. World Health Organization (WHO). WHO recommendations on ANC for a positive pregnancy experience WHO Library Cataloguing-in-Publication Data WHO recommendations on ANC for a positive pregnancy experience. *World Heal Organ*. 2016;176.
  62. Puspromkes KR. *Jampersal*. 2011;12.
  63. National Institute for Health and Care. Hypertension in pregnancy: diagnosis and management. *Am J Obs Gynecol* [Internet]. 2010;77(1):S1-s22.
  64. Thein TT, Myint T, Lwin S, Oo WM, Kyaw AK, Myint MK, et al. Promoting ANC services for early detection of preeclampsia. *WHO South-East Asia J Public Heal*. 2012;1(3):290–8.
  65. Shegaze M, Markos Y, Estifaons W, Taye I. Magnitude and Associated Factors of Preeclampsia Among Pregnant Women who Attend ANC Service in Public Health Institutions in Arba Minch Town, Southern Ethiopia, 2016. *Gynecol Obstet* [Internet]. 2016;6(12).
  66. Wang Y, Tanbo T, Åbyholm T, Henriksen T. The impact of advanced

- maternal age and parity on obstetric and perinatal outcomes in singleton gestations. *Arch Gynecol Obstet.* 2011;284(1):31–7.
67. Fatmawati L, Sulistyono A, Basuki H. Influence Hypertension Factors and History of Preeclampsia / Eclampsia in Pregnancy Previous of Degrees Preeclampsia / Eclampsia in Gresik. 2016;4531:186–95.
  68. Bai J, Wong FWS, Bauman A, Mohsin M. Parity and pregnancy outcomes. *Am J Obstet Gynecol.* 2002;186(2):274–8.
  69. Harutyunyan A, Armenian H, Petrosyan V. Interbirth interval and history of previous preeclampsia: a case-control study among multiparous women. *BMC Pregnancy Childbirth* [Internet]. 2013;13(1):244.
  70. P.M. T, P. F, R. M, G. F, P.T. B, J.N. F. Risk factors for hypertensive disorders in pregnancy: A report from the Maroua Regional Hospital, Cameroon. *J Reprod Infertil* [Internet]. 2011;12(3):227–34.
  71. Yustiana I. Hubungan Umur dan Oaritas Ibu Bersalin dengan Kejadian Pre-eklampsia. 2010;2(2):108–27.
  72. Saadati N, Zargar M, Barati M, Dodangeh E. A comparative Assessment of Pregnancy Outcomes in Patients with Early and Late Pregnancy Hypertension Disorders. *Int J Pharm Res Allied Sci.* 2016;5(3):365–70.
  73. Stocks G. Preeclampsia: pathophysiology, old and new strategies for management. *Eur J Anaesthesiol* [Internet]. 2014;31(4):183–9.