

DAFTAR PUSTAKA

- Ahn, M. J., Ku, H. J., Lee, S. H. & Lee, J. H. 2015. Characterization of a novel fibrinolytic enzyme, bsFA, from *Bacillus subtilis* ZA400 in kimchi reveals its pertinence to thrombosis treatment. *Journal of Microbiology and Biotechnology*, 25: 2090-2099.
- Anthis, N. J. & Clore, G. M. 2013. Sequence- specific determination of protein and peptide concentrations by absorbance at 205 nm. *Protein Science*, 22: 851-858.
- Austin Community College District. 2019. *Blood Agar*. Retrieved from Austin Community College District Microbugz: https://www.austincc.edu/microbugz/blood_agar_test.php (6 April 2019).
- Berendsen, E. M., Wells-Bennik, M. H., Krawczyk, A. O., de Jong, A., van Heel, A., Eijlander, R. T. & Kuipers, O. P. 2016. Draft genome sequences of 10 *Bacillus subtilis* strains that form spores with high or low heat resistance. *Genome Announcements*, 4: 124-126.
- Bode, C., Runge, M. & Smalling, R. W. 1996. The future of thrombolysis in the treatment of acute myocardial infarction. *European Heart Journal*, 17:55–60.
- Choi, N. S., Chang, K. T., Jae Maeng, P. & Kim, S. H. 2004. Cloning, expression, and fibrin(ogen)olytic properties of a subtilisin DJ-4 gene from *Bacillus* sp. DJ-4. *FEMS Microbiology Letters*, 236: 325-331.
- Daas, M. S., Acedo, J. Z., Rosana, A. R. R., Orata, F. D., Reiz, B., Zheng, J., Nateche, F. & Vederas, J. C. 2018. *Bacillus amyloliquefaciens* ssp. *plantarum* F11 isolated from Algerian salty lake as a source of biosurfactants and bioactive lipopeptides. *FEMS Microbiology Letters*, 365: 248-250.
- Dallas, D. C., Murray, N. M. & Gan, J. 2015. Proteolytic systems in milk: perspectives on the evolutionary function within the mammary gland and the infant. *Journal of Mammary Gland Biology and Neoplasia*, 20: 133-147.
- Doi, R. H. 1991. Proteolytic activities in *Bacillus*. *Current Opinion in Biotechnology*, 2: 682-684.

- Fujita, M., Ohnishi, K., Takaoka, S., Ogasawara, K., Fukuyama, R. & Nakamuta, H. 2011. Antihypertensive effects of continuous oral administration of nattokinase and its fragments in spontaneously hypertensive rats. *Biological and Pharmaceutical Bulletin*, 34: 1696-1701.
- Glassman, A., Abram, M., Baxter, G. & Swett, A. 1993. Euglobulin lysis times: an update. *Annals of Clinical & Laboratory Science*, 23: 329-332.
- Harter, K., Levine, M. & Henderson, S. O. 2015. Anticoagulation drug therapy: a review. *Western Journal of Emergency Medicine*, 16: 1-11.
- Hassanein, W. A., Kotb, E., Awny, N. M. & El-Zawahry, Y. A. 2011. Fibrinolysis and anticoagulant potential of a metallo protease produced by *Bacillus subtilis* K42. *Journal of Biosciences*, 36: 773-779.
- Hsia, C. H., Shen, M. C., Lin, J. S., Wen, Y. K., Hwang, K. L., Cham, T. M. & Yang, N. C. 2009. Nattokinase decreases plasma levels of fibrinogen, factor VII, and factor VIII in human subjects. *Nutrition Research*, 29: 190-196.
- Huang, S., Pan, S., Chen, G., Huang, S., Zhang, Z., Li, Y. & Liang, Z. 2013. Biochemical characteristics of a fibrinolytic enzyme purified from a marine bacterium, *Bacillus subtilis* HQS-3. *International Journal of Biological Macromolecules*, 62: 124-130.
- Jap, L., Raharjo, P. F., Elvina, E., Florencia, L., Susanti, A. I. & Pinontoan, R. 2019. Clot lysis activity of *Bacillus subtilis* G8 isolated from Japanese fermented natto soybeans. *Applied Food Biotechnology*, 6: 101-109.
- Jeong, S. J. & Kwon, G. 2007. Cloning of fibrinolytic enzyme gene from *Bacillus subtilis* isolated from Cheonggukjang and its expression in protease-deficient *Bacillus subtilis*. *Journal of Microbiology and Biotechnology*, 17: 1018-1023.
- Jeong, S. J., Park, J. Y., Heo, K., Lee, K. W., Park, J. Y., Joo, S. H. & Kim, J. H. 2015. Characterization of AprE176, a fibrinolytic enzyme from *Bacillus subtilis* HK176. *Journal of Microbiology and Biotechnology*, 25: 89-97.
- Jo, H. D., Lee, H. A., Jeong, S. J. & Kim, J. H. 2011. Purification and characterization of a major fibrinolytic enzyme from *Bacillus amyloliquefaciens* MJ5-41 isolated from meju. *Journal of Microbiology and Biotechnology*, 21: 1166-1173.

- Kim, H. K., Kim, G. T., Kim, D. K., Choi, W. A., Park, S. H., Jeong, Y. K. & Kong, I. S. 1997. Purification and characterization of a novel fibrinolytic enzyme from *Bacillus* sp. KA38 originated from fermented fish. *Journal of Fermentation and Bioengineering*, 84: 307-312.
- Kim, S. H., Choi, N. S. & Lee, W. Y. 1998. Fibrin zymography: a direct analysis of fibrinolytic enzymes on gels. *Analytical Biochemistry*, 263: 115–116.
- Kotb, E. 2012. *Fibrinolytic Bacterial Enzymes with Thrombolytic Activity*. Berlin: Springer. pp: 1-74.
- Lee, S. K., Bae, D. H., Kwon, T. J., Lee, S. B., Lee, H. H., Park, J. H. & Johnson, M. G. 2001. Purification and characterization of a fibrinolytic enzyme form *Bacillus* sp. KDO-13 isolated from soybean paste. *Journal of Microbiology and Biotechnology*, 11: 845-852.
- Lippi, G., Franchini, M. & Targher, G. 2011. Arterial thrombus formation in cardiovascular disease. *Nature Reviews Cardiology*, 8: 502.
- Longstaff, C. 2018. Measuring fibrinolysis: from research to routine diagnostic assays. *Journal of Thrombosis and Haemostasis*, 16: 652-662.
- Loscalzo, J. & Schafer, A. I. 2003. *Thrombosis and Hemorrhage*. Pennsylvania: Lippincott Williams & Wilkins. pp: 349.
- Marini, G., Luchese, M. D., Argondizzo, A. P., Goes, A. C., Galler, R., Alves, T. L., Medeiros, M. A., Larentis, A. L. 2014. Experimental design approach in recombinant protein expression: determining medium composition and induction conditions for expression of pneumolysin from *Streptococcus pneumoniae* in *Escherichia coli* and preliminary purification process. *BMC Biotechnology*, 14: 1.
- Maus, C. G. & Hajjar, K. A. 2005. Molecular mechanisms of fibrinolysis. *British Journal of Haematology*, 129: 307-321.
- McDonagh, J., Messel, H., McDonagh Jr, R. P., Murano, G. & Blomback, B. 1972. Molecular weight analysis of fibrinogen and fibrin chains by an improved sodium dodecyl sulfate gel electrophoresis method. *Biochimica et Biophysica Acta (BBA)-Protein Structure*, 257:135-142.
- Mosesson, M. W. 2005. Fibrinogen and fibrin structure and functions. *Journal of Thrombosis and Haemostasis*, 3: 1894-1904.

- Ogston, D. 2012. *The Physiology of Hemostasis*. Berlin: Springer Science and Business Media. pp: 30-35.
- Omura, K., Hitosugi, M., Zhu, X., Ikeda, M., Maeda, H. & Tokudome, S. 2005. A newly derived protein from *Bacillus subtilis* natto with both antithrombotic and fibrinolytic effects. *Journal of Pharmacological Sciences*, 99: 247-251.
- Peng, Y., Huang, Q., Zhang, R. H. & Zhang, Y. Z. 2003. Purification and characterization of a fibrinolytic enzyme produced by *Bacillus amyloliquefaciens* DC-4 screened from douchi, a traditional Chinese soybean food. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 134: 45-52.
- Peng, Y., Yang, X. & Zhang, Y. 2005. Microbial fibrinolytic enzymes: an overview of source, production, properties, and thrombolytic activity *in vivo*. *Applied Microbiology and Biotechnology*, 69: 126-132.
- Prasad, S., Kashyap, R. S., Deopujari, J. Y., Purohit, H. J., Taori, G. M. & Dagnawala, H. F. 2006. Development of an *in vitro* model to study clot lysis activity of thrombolytic drugs. *Thrombosis Journal*, 4: 14.
- Raju, E. V. N. & Divakar, G. 2014. An overview on microbial fibrinolytic proteases. *International Journal of Pharmaceutical Sciences and Research*, 5: 643.
- Ren, Y., Pan, X., Lyu, Q. & Liu, W. 2017. Biochemical characterization of a fibrinolytic enzyme composed of multiple fragments. *Acta Biochimica et Biophysica Sinica*, 50: 227-229.
- Scheraga, H. A. 2004. The thrombin–fibrinogen interaction. *Biophysical Chemistry*, 112: 117-130.
- Seheult, J. N., Meyers, M. & Chibisov, I. 2018. *Final Diagnosis – Extensive Cerebral Venous Sinus Thrombosis*. Retrieved from University of Pittsburgh Medical Center: <http://path.upmc.edu/cases/case883/dx.html> (5 Maret 2018).
- Sewalt, V., Shanahan, D., Gregg, L., La Marta, J. & Carrillo, R. 2016. The Generally Recognized as Safe (GRAS) process for industrial microbial enzymes. *Industrial Biotechnology*, 12: 295-302.
- Sumi, H., Hamada, H., Tsushima, H., Mihara, H. & Muraki, H. 1987. A novel fibrinolytic enzyme (nattokinase) in the vegetable cheese Natto; a typical

- and popular soybean food in the Japanese diet. *Experientia*, 43: 1110-1111.
- Surgenor, D. M. 1975. *The Red Blood Cell*. New York: Academic Press. pp: 768.
- The George Institute for Global Health. 2017. *Reducing The Burden of CVD in Indonesia*. Newtown: The George Institute for Global Health. pp: 13.
- The John Hopkins Lupus Center. 2010. *Anticoagulants*. Retrieved from John Hopkins Lupus Center: <http://www.hopkinslupus.org/lupus-treatment/common-medicationsconditions/anticoagulants/> (20 Desember 2018).
- Veenings, J. W., Igoshin, O. A., Eijlander, R. T., Nijland, R., Hamoen, L. W. & Kuipers, O. P. 2008. Transient heterogeneity in extracellular protease production by *Bacillus subtilis*. *Molecular Systems Biology*, 4: 184.
- Walker, J. B. & Nesheim, M. E. 1999. The molecular weights, mass distribution, chain composition, and structure of soluble fibrin degradation products released from a fibrin clot perfused with plasmin. *Journal of Biological Chemistry*, 274: 5201-5212.
- Wang, C. T., Ji, B. P., Li, B., Nout, R., Li, P. L., Ji, H. & Chen, L. F. 2006. Purification and characterization of a fibrinolytic enzyme of *Bacillus subtilis* DC33, isolated from Chinese traditional Douchi. *Journal of Industrial Microbiology and Biotechnology*, 33: 750-758.
- Weng, Y., Yao, J., Sparks, S. & Wang, K. Y. 2017. Nattokinase: an oral antithrombotic agent for the prevention of cardiovascular disease. *International Journal of Molecular Sciences*, 18: 523-536.
- World Health Organization. 2017. *Cardiovascular Diseases (CVDs)*. Retrieved from World Health Organization: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) (17 Desember 2018).
- Yang, H., Liao, Y., Wang, B., Lin, Y. & Pan, L. 2011. Complete genome sequence of *Bacillus amyloliquefaciens* XH7, which exhibits production of purine nucleosides. *Journal of Bacteriology*, 193: 5593-5594.
- Yao, Z., Liu, X., Shim, J. M., Lee, K. W., Kim, H. J. & Kim, J. H. 2017. Properties of a fibrinolytic enzyme secreted by *Bacillus amyloliquefaciens* RSB34, isolated from Doenjang. *Journal of Microbiology and Biotechnology*, 27: 9-18.

- Yao, Z., Kim, J. A. & Kim, J. H. 2018. Properties of a fibrinolytic enzyme secreted by *Bacillus subtilis* JS2 isolated from saeu (small shrimp) *jeotgal*. *Food Science and Biotechnology*, 27: 765-772.
- Yatagai, C., Maruyama, M., Kawahara, T. & Sumi, H. 2007. Nattokinase-promoted tissue plasminogen activator release from human cells. *Pathophysiology of Haemostasis and Thrombosis*, 36: 227-232.
- Yogesh, D. & Halami, P. M. 2015. Evidence that multiple proteases of *Bacillus subtilis* can degrade fibrin and fibrinogen. *International Food Research Journal*, 22: 1662-1667.
- Yogesh, D. & Halami, P. M. 2017. Fibrinolytic enzymes of *Bacillus* spp.: an overview. *International Food Research Journal*, 24: 35-47.
- Yuan, J., Yang, J., Zhuang, Z., Yang, Y., Lin, L. & Wang, S. 2012. Thrombolytic effects of Douchi fibrinolytic enzyme from *Bacillus subtilis* LD-8547 *in vitro* and *in vivo*. *BMC biotechnology*, 12: 36.
- Zhi, Y., Wu, Q. & Xu, Y. 2017. Genome and transcriptome analysis of surfactin biosynthesis in *Bacillus amyloliquefaciens* MT45. *Scientific Reports*, 7: 40976.