

ACKNOWLEDGEMENTS

The highest gratitude is to the Jesus Christ for His endless love, blessing and guidance to the author for completing this thesis report, which entitled “STUDY OF PHYSICOCHEMICAL AND ANTIOXIDANT CHARACTERISTICS OF PROBIOTICS FERMENTED DRINK MIXED WITH AFRICAN BITTER LEAF (*VERNONIA AMYGDALINA* DEL.)” CRUDE EXTRACT. This thesis was written to fulfill one of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan.

The author realizes that this thesis would not be completed well and in time without guidance, prayers and supports of many parties. Therefore, the author would like to express her gratitude as much as possible to:

1. Eric Jubilong, Ph.D. as Dean of Faculty of Science and Technology.
2. Sunie Rahardja, M.S.CE. as Acting Vice Dean of Faculty of Science and Technology.
3. Laurence, S.T., M.T., as Director of Faculty of Science and Technology.
4. Ir. W. Donald R. Pokatong, M.Sc., Ph.D., as Head of Food Technology Study Program and as thesis supervisor who has supervised, supported, given useful and lots of inputs, and time from the beginning of the thesis proposal until the thesis was completed.
5. Dr. Ir. Melanie Cornelia, MT and Natania, M.Eng as academic supervisor, who were both acting as examiners for the useful suggestion regarding the revisions.
6. Dr. A. Parnhusip, Dr. Nuri Arum Anugrahati, S.Si., M.P., Dr. Tagor M. Siregar, M.Si., Yuniwaty Halim, M.Sc., as the Head of Microbiology, Food Processing, Chemistry, Quality Control and Research Laboratory who had given permission to the author conduct the research in the laboratories respectively.

7. Virly S.TP., Jessica Decyree S.TP., Christopher I. Rimba S.TP., Darius, Yosafat, Adi, and Adzie for the guidance and information during the work in the laboratories.
8. All lecturers, lecturer assistants, and staff in Food Technology Study Program for the knowledge given and support which very helpful to the author during thesis report completion.
9. Beloved parents, Soedjono Tjakrakusuma and Sisilia Mike Kurniawati, and dearest little brother and sisters, Elvin and Evita, for the endless love, support, and prayers given to the author during the thesis completion.
10. Bryan Anders, Mario Kusuma and Malinda Houtama as my partners under the same supervisor for the never-ending support each other and sharing through ups and downs from the beginning until the end of the thesis process.
11. Reinald Febrianto, Mathilda Ornella, Ancilla Aurelia, Bara Zenata, Sonia Chandra, Aurelia Clara, Kelvin P., Stanley Suwandi, Desi Puspasari, Elisa Teja, Gerardo Kevin, Felicia Y.H., Gabriella Mitchell, Katherine Hartati, Jaron Tantoso and Antony Jayputra for the assistance and supports during laboratory works.
12. Felix, Jansen Malikin, Fernaldy Julius, Kevin Edgar, Delvin, Nadia Christina, Alissa Miranda, Martin Pratama, Shirley and Margareta Hanna for the never-ending support, love, joys and prayers from the beginning until the end of the thesis project.
13. Eleasha Christine, Gusti Ary, Karina Indriani and Novini Gunario as my seniors and friends who had done thesis report earlier for giving advices, supports and share of knowledge from the beginning until the end of my studies.
14. Andrea Angelina, Andrea Christy, Elva Celia, Florencia Irena, Caryn Fidelia, Giovani Fransisca, Jordan Bernando, Vania Lucida, Mei Diana Sonatha, Rocky and Adrian Haryanto for the love, help, support, and joy during years of study in Universitas Pelita Harapan.

15. Natasha Valeska, Linda Gunawan, Devi Nathania and Nikita Nadya for the love, support and prayers from the beginning until the end of thesis project.
16. All my mentees in Pangan 13 who always help and support during the years of study in Universitas Pelita Harapan.
17. All students from Food Technology Batch 2014 who also did the thesis project for the support and togetherness for 4 years.
18. All others friends and relative who are not yet mentioned, but have supported the author during the thesis completion.

The author realizes that this report is far from perfection and might have done some mistakes during the research process and the finishing of this report. Therefore, the author is really appreciated criticisms and suggestions given to this report. Finally, the author hopes that this report can be beneficial for the readers. Thank you.

Tangerang, July 2018


Writer

TABLE OF CONTENTS

	page
COVER	
STATEMENT OF AUTHENTICITY	
APPROVAL BY THESIS SUPERVISOR	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT	iv
ACKNOWLEDGEMENTS	v
TABLE OF CONTENTS	viii
LIST OF TABLES	xi
LIST OF FIGURES.....	xii
LIST OF APPENDICES	xiv
 CHAPTER I INTRODUCTION	
1.1 Background.....	1
1.2 Research Problem	2
1.3 Objectives	3
1.3.1 General Objectives	3
1.3.2 Specific Objectives	3
 CHAPTER II LITERATURE REVIEW	
2.1 African Bitter Leaf	5
2.2 Antioxidant and Oxidation Process	6
2.2.1 Antioxidant Mechanism	6
2.2.1.1 Flavonoids	8
2.2.1.2 Biological Activities of Flavonoids	9
2.2.2 Oxidation Process	9
Screening Antioxidant Activity (DPPH)	10
2.2.4 IC ₅₀	11
2.2 Antioxidant Activity in African Bitter Leaf.....	11
2.4. Antimicrobial in African Bitter Leaf.....	12
2.5 Probiotic Fermented Drink	12
2.5.1 Probiotic Sources.....	13
2.5.2 Skim Milk	13
2.5.3 Sucrose	14
2.6 Starter Culture and Fermentation Process	14
2.6.1 <i>Lactobacillus casei</i>	15
2.6.2 <i>Lactobacillus plantarum</i>	15
2.7 Standard of Probiotic Fermented Drink	16
 CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials and Equipment.....	18
3.2. Preliminary Research.....	19

3.2.1. Culture Stock Preparation.....	19
3.2.2 Working Culture Preparation	19
3.2.3 Starter Culture Preparation	20
3.2.4 African bitter leaf Steam Blanching	20
3.3 Main Research	21
3.3.1 African Bitter Leaf Crude Extract	21
3.3.2 Preparation of Probiotic-Fermented Drink	22
3.3 Experimental Design	23
3.4 Method of Analysis	26
3.4.1 Scavenging Antioxidant Activity	26
3.4.2 Total Phenolic.....	27
3.4.3 Total Flavonoid	27
3.4.4 Total Microorganism	28
3.4.5 Total Lactic Acid Bacteria.....	28
3.4.6 Total Titratable Acidity	28
3.4.7 pH	29
3.4.8 Color	29
3.4.9 Sensory	30
3.5 Proximate Analysis Procedures	30
3.5.1 Moisture Content	30
3.5.2 Protein Content Analysis.....	31
3.5.3 Fat Content Analysis	32
3.5.4 Ash Content Analysis	32
3.5.5 Carbohydrate Content.....	33
3.6 Resistance of Acid Analysis	33
 CHAPTER IV RESULTS AND DISCUSSION	
4.1 Identification of African Bitter Leaf.....	34
4.2 Identifications of Lactic Acid Bacteria.....	34
4.3 Yield and Antioxidant Characteristics of African Bitter Leaf Crude Extract	35
4.3.1 Extraction Yield.....	35
4.3.2 Total Phenolic Content	36
4.3.3 Total Flavonoid Content.....	36
4.3.4 Antioxidant Activity	36
4.4 Effect of Concentration of Skim Milk, Concentration of African Bitter Leaf Crude Extract and Fermentation Time on Probiotic-Fermented Drink Characteristic	37
4.4.1 Antioxidant Characteristics	37
4.4.1.1 Total Phenolic Content.....	37
4.4.1.2 Total Flavonoid Content	38
4.4.1.3 Antioxidant Activity	40
4.4.2 pH value and Total Titratable Acidity.....	42
4.4.3 Microbial Characteristics.....	44
4.4.4 Selected Probiotic-Fermented Drink Formulation for Further Analysis	46

4.5 Sensory Characteristics	46
4.5.1 Scoring Results	46
4.5.2 Hedonic	47
4.6 Color Analysis	48
4.6.1 Lightness	48
4.7 Result of Proximate Analysis	49
4.8 Resistance of Acid Analysis	50
 CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions	52
5.2 Suggestions	53
BIBLIOGRAPHY	54
APPENDICES	61



LIST OF TABLES

	page
Table 2.1 <i>Standar Nasional Indonesia</i> of fermented drink	16
Table 2.2 Standards of fermented drink	17
Table 3.1 Formulation of 100ml African Bitter Leaf Probiotic Fermented Drink	22
Table 3.2 Experimental Design	24
Table 3.3 Munsell color system	29
Table 3.4 Sensory parameter for scoring test	30
Table 3.5 Sensory parameter for hedonic test	30
Table 4.1 Scoring result of selected African bitter leaf probiotic fermented drink.....	47
Table 4.2 Hedonic result of selected African bitter leaf probiotic fermented drink.....	47
Table 4.3 Color analysis result of selected African bitter leaf probiotic fermented drink.....	48
Table 4.4 Color analysis result of selected African bitter leaf probiotic fermented drink.....	49
Table 4.5 Proximate analysis result of selected African bitter leaf probiotic fermented drink.....	50
Table 4.6 Probiotic analysis result of selected African bitter leaf probiotic fermented drink.....	51

LIST OF FIGURES

	page
Figure 2.1 <i>Vernonia amygdalina</i> Del.	5
Figure 2.2 The mechanism of resonance in phenolic substances	8
Figure 2.3 Flavone backbone	8
Figure 2.4 Flavonoid aglycone.....	8
Figure 2.5 The mechanism of DPPH and antioxidant.....	11
Figure 3.1 Culture stock preparation.....	19
Figure 3.2 Working Culture Preparation.....	19
Figure 3.3 Flow process of starter culture.....	20
Figure 3.4 Flowchart of Steam Blanching in bitter leaf	20
Figure 3.5 Flow process of African bitter leaf crude extract	21
Figure 3.6 Flow Process of probiotic-fermented drink	23
Figure 4.1 Lactic acid bacteria identification (<i>Lactobacillus casei</i>)	35
Figure 4.2 Lactic acid bacteria identification (<i>Lactobacillus plantarum</i>).....	35
Figure 4.3 Total Phenolic Content of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	38
Figure 4.4 Total Flavonoid Content of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	40
Figure 4.5 Antioxidant Activity of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	41
Figure 4.6 pH of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time.....	43
Figure 4.7 Total Titratable Acidity of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	43
Figure 4.8 Total microorganism of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	45
Figure 4.9 Total Lactic Acid Bacteria of Probiotic-Fermented drink in different concentration of skim milk, African bitter leaf crude extract and fermentation time	45

LIST OF APPENDICES

	page
Appendix A	
Verification of Bitter Leaf Leaf Taxonomy.....	A-1
Appendix B	
<i>Lactobacillus casei</i> calculation	B-1
Total colony of <i>Lactobacillus casei</i>	B-1
<i>Lactobacillus plantarum</i> calculation	B-2
Total colony of <i>Lactobacillus plantarum</i>	B-2
Appendix C	
Moisture content of fresh juice African Bitter Leaf with water	C-1
Moisture content of dried leaves African Bitter Leaf after steam blanching	C-1
Appendix D	
Standard curve of gallic acid	D-1
Total phenolic content of African bitter leaf	D-1
Appendix E	
Standard curve of quercetin	E-1
Total flavonoid content of African bitter leaf	E-1
Appendix F	
Antioxidant activity of African bitter leaf juice	F-1
Appendix G	
Moisture content of African Bitter Leaf Crude Extract.....	G-1
Appendix H	
Yield of African Bitter Leaf Crude Extract	H-1
Appendix I	
Total Phenolic Content of African Bitter Leaf Crude Extract	I-1
Appendix J	
Total Flavonoid Content of African Bitter Leaf Crude Extract.....	J-1
Appendix K	
Antioxidant Activity of African Bitter Leaf Crude Extract	K-1

Appendix L

Total Phenolic Content of Probiotic-Fermented Drink added with African Bitter Leaf Crude Extract	L-1
Statistical analysis of Total Phenolic Content of Probiotic-Fermented Drink in different concentration of milk, concentration African bitter leaf Crude Extract and fermentation time	L-7

Appendix M

Total Flavonoid Content of Probiotic-Fermented Drink added with African Bitter Leaf Crude Extract	M-1
Statistical analysis of Total Flavonoid Content of Probiotic-Fermented Drink in different concentration of milk, concentration African bitter leaf Crude Extract and fermentation time	M-7

Appendix N

Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk with 18 h fermentation time	N-1
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk with 20 h fermentation time	N-3
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk with 22 h fermentation time	N-5
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 1% African bitter leaf with 18 h fermentation time	N-7
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 1% African bitter leaf crude extract with 20 h fermentation time	N-9
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 1% African bitter leaf crude extract with 22 h fermentation time	N-11
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 2% African bitter leaf crude extract with 18 h fermentation time	N-13
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 2% African bitter leaf crude extract with 20 h fermentation time	N-15
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 2% African bitter leaf crude extract with 22 h fermentation time	N-17
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 3% African bitter leaf crude extract with 18 h fermentation time	N-19
Antioxidant Activity of Probiotic-Fermented Drink added with 5% skim milk and 3% African bitter leaf crude extract with 20 h fermentation time	N-21
Antioxidant Activity of Probiotic-Fermented Drink added	

with 5% skim milk and 3% African bitter leaf crude extract with 22 h fermentation time	N-23
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk with 18 h fermentation time	N-25
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk with 20 h fermentation time	N-27
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk with 22 h fermentation time	N-29
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 1% African bitter leaf crude extract with 18 h fermentation time	N-31
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 1% African bitter leaf crude extract with 20 h fermentation time	N-33
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 1% A African bitter leaf crude extract with 22 h fermentation time	N-35
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 2% African bitter leaf crude extract with 18 h fermentation time	N-37
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 2% African bitter leaf crude extract with 20 h fermentation time	N-39
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 2% African bitter leaf crude extract with 22 h fermentation time	N-41
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 3% African bitter leaf crude extract with 18 h fermentation time	N-43
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 3% African bitter leaf crude extract with 20 h fermentation time	N-45
Antioxidant Activity of Probiotic-Fermented Drink added with 7.5% skim milk and 3% African bitter leaf crude extract with 22 h fermentation time	N-47
Statistical analysis of antioxidant activity of Probiotic- Fermented Drink in different concentration of milk, concentration African bitter leaf crude extract and fermentation time	N-49

Appendix O

pH Value of Probiotic-Fermented Drink added with African Bitter Leaf crude extract	O-1
Statistical analysis of pH of Probiotic-Fermented Drink in different concentration of milk, concentration African bitter leaf crude extract and fermentation time	O-3

Total Titratable Acidity of Probiotic-Fermented Drink added with African Bitter Leaf crude extract	O-5
Statistical analysis of TTA (%) of Probiotic-Fermented Drink in different concentration of milk, concentration African bitter leaf crude extract and fermentation time	O-7
Appendix P	
Total microorganism and total lactic acid bacteria of Probiotic Fermented Drink added with African bitter leaf crude extract	P-1
Statistical analysis of total lactic acid bacteria of Probiotic Fermented Drink in different concentration of milk, concentration of African bitter leaf crude extract and fermentation time	P-2
Statistical analysis of total microorganism of Probiotic Fermented Drink in different concentration of milk, concentration of African bitter leaf crude extract and fermentation time	P-4
Appendix Q	
Sensory Questionnaire of Scoring Test	Q-1
Sensory Questionnaire of Hedonic Test	Q-2
Appendix R	
Result of Scoring Test	R-1
Result of Hedonic Test	R-3
Statistical analysis of Scoring Test	R-5
Statistical analysis of Hedonic test	R-8
Appendix S	
Color Analysis of Selected Probiotic-fermented drink added with African Bitter Leaf crude extract	S-1
Statistical Analysis of Color Analysis	S-2
Appendix T	
Ash Content	T-1
Fat Analysis	T-2
Moisture Content	T-3
Protein Analysis	T-4
Carbohydrate Analysis	T-5
Statistical Analysis of Proximate Probiotic of Selected Probiotic Fermented Drink	T-6
Appendix U	
Probiotic Analysis of Selected Probiotic-fermented drink added with African Bitter Leaf crude extract	U-1
Statistic Analysis of Probiotic Analysis of Selected Probiotic Fermented Drink added with African Bitter Leaf	U-2

Appendix V	
Documentation during Thesis	V-1

