

DAFTAR PUSTAKA

- AACC. 1999. Method 66-50.01, AACC International Approved Methods of Analysis, 11th Edn., AACC International, St. Paul, MN, USA.
- Abidin, A., Devi, C., Adeline. 2013. Development of Wet Noodles Based on Cassava Flour. *J. Eng. Technol. Sci.*, 45: 97-111. DOI: 10.5614/j.eng.technol.sci.2013.45.1.7.
- Ahmed, I., Qazi, I., Li, Z., Ullah, J. 2016. Rice Noodles: Materials, Processing and Quality Evaluation. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*, 53 (3): 215–238.
- Aichayawanich, S. dan Wongsu, J. 2019. The Stickiness of Fresh Noodle after Steaming Process. *IOP Conference Series: Earth and Environmental Science*, 301:012055. doi:10.1088/1755-1315/301/1/012055.
- Alamprese, C., Pagani, M., Casiraghi, E. 2007. Development of gluten-free fresh egg pasta modifikasiues containing buckwheat. *European Food Research and Technology*, 225(2):205-213. DOI: 10.1007/s00217-006-0405-y.
- Alamprese, C., Casiraghi, E., dan Rossi, R. 2011. Effects of housing system and age of laying hens on egg performance in fresh pasta production: pasta cooking behaviour. *Journal of the Science of Food and Agriculture*, 91:910-914. <http://dx.doi.org/10.1002/jsfa.4264>.
- Al-Baari, A., Legowo, A., Rizqiati, H., Widayat, Septianingrum, A., Sabrina, H., Arganis, L., Saraswati, R., Mochtar, R. Application of iota and kappa carrageenans to traditional several food using modified cassava flour. *IOP Conf. Series: Earth and Environmental Science*, 102(2):012056. DOI: 10.1088/1755-1315/102/1/012056.
- Amidis. (n.d.). Amidis Multi Purification Advanced Process. Diakses dari from <https://amidiswater.com/why-amidis/>. Diakses pada Januari 15, 2021.
- AOAC. 2005. *Official Method of Analysis of the Association of Analytical Chemists 18th Edition*. AOAC, Washington DC.
- Araki, E., Ashida, K., Aoki, N., Takahashi, M., Hamada, S. 2016. Characteristics of Rice Flour Suitable for the Production of Rice Flour Bread Containing Gluten and Methods of Reducing the Cost of Producing Rice Flour. *JARQ*, 50(1):23 – 31.

- Badan Pusat Statistik. 2020. *Luas Panen dan Produksi Padi di Indonesia 2019*. Diakses dari: <https://www.bps.go.id/pressrelease/2020/02/04/1752/luas-panen-dan-produksi-padi-pada-tahun-2019-mengalami-penurunan-dibandingkan-tahun-2018-masing-masing-sebesar-6-15-dan-7-76-persen.html>. Diakses pada 2020 Juli 3.
- Badan Standarisasi Nasional. 2015. *SNI 8217: 2015 Mi kering*. Badan Standarisasi Nasional, Jakarta
- Barak, S., Mudgil, D., dan Khatkar, B. S. 2013. Effect of Compositional Variation of Gluten Proteins and Rheological Characteristics of Wheat Flour on the Textural Quality of White Salted Noodles. *International Journal of Food Properties*, 17(4):731–740. doi:10.1080/10942912.2012.675611.
- Bi, J. 2015. Multiple-sample discrimination tests. Chpt. 8 in *Sensory Discrimination Tests and Measurements: Sensometrics in Sensory Evaluation*. John Wiley & Sons, Sussex.
- Brookfield Engineering. Noodles Elasticity. (n.d.). Diakses dari <https://www.brookfieldengineering.com/learning-center/application-notes/texture-applications/food-and-beverage/noodles-elasticity>. Diakses pada November 28, 2020.
- Brown, A. 2015. *Understanding Food: Principles and Preparation Fifth Edition*. Cengage Learning, Stamford.
- Cabrera-Chávez, F., Calderón, A., Islas-Rubio, A., Marti, A., Marengo, M., Pagani, M., dan Iametti, S. 2012. Molecular rearrangements in extrusion processes for the production of amaranth-enriched, gluten-free rice pasta. *LWT - Food Science and Technology*, 47(2), 421–426. doi:10.1016/j.lwt.2012.01.040.
- Chaichaw,, C., Naiviku, O., Thongngam, M. 2011. Effect of Heat-Moisture Treatment on Qualities of Gluten-Free Alkaline Rice Noodles from Various Rice Flour Varieties. *Kasetsart J. (Nat. Sci.)* 45(3):490 – 499.
- Chang, H., dan Wu, L. 2008. Texture and Quality Properties of Chinese Fresh Egg Noodles Formulated with Green Seaweed (*Monostroma nitidum*) Powder. *Journal of Food Science*, 73(8):S398–S404. doi:10.1111/j.1750-3841.2008.00912.x
- Chokchaithanawiwat, P., Rungsardthong, V., Thumthanaruk, B., Puttanlek, C., Uttapap, D., Boonraksa, S., Wonngsa, J. 2019. Product development of dried noodle from wheat flour and riceberry rice flour by extrusion. *IOP Conf. Series: Earth and Environmental Science*, 346:012043. DOI:10.1088/1755-1315/346/1/012043.

- Choy, A. 2011. Enhancing the quality of instant noodles: The impact of low protein wheat flour, ingredients and processing conditions. [Unpublished doctoral thesis]. School of Applied RMIT University.
- Du, L., Brenner, T., Xie, J., Liu, Z., Wang, S., Matsukawa, S. 2016. Gelation of Iota/Kappa Carrageenan Mixtures. *Gums and Stabilisers for the Food Industry 18 : Hydrocolloid Functionality for Affordable and Sustainable Global Food Solutions*. The Royal Society of Chemistry. DOI: 10.1039/9781782623830-00047.
- Dul, M., Paluch, K., Kelly, H., Healy, A., Sasse, A., Tajber, L. 2015. Self-assembled carrageenan/protamine polyelectrolyte nanoplexes— Investigation of critical parameters governing their formation and characteristics. *Carbohydrate Polymers*, 123:339-349. DOI: 10.1016/j.carbpol.2015.01.066.
- Egharevba, H. 2019. Chemical Properties of Starch and Its Application in the Food Industry. Chpt. 1 in *Chemical properties of starch*. DOI: 10.5772/intechopen.87777. IntechOpen.
- Espinosa-Solis, V., Zamudio-Flores, P., Tirado-Gallegos, J., Ramírez-Mancinas, S., Olicas-Orozco, G., Espino-Díaz, M., Hernández-González, M., García-Cano, V., Sánchez-Ortíz, O., Burnrosto-Figueroa, J., Baeza-Jiménez, R. 2019. Evaluation of Cooking Quality, Nutritional and Texture Characteristics of Pasta Added with Oat Bran and Apple Flour. *Foods*, 8(8):299-310.
- Fari, M., Rajapaksa, D., Ranaweera, K. 2011. Quality characteristics of noodles made from selected varieties of Sri Lankan rice with different physicochemical characteristics. *Journal of the National Science Foundation of Sri Lanka*, 39(1):53- 60. DOI: 10.4038/jnsfsr.v39i1.2923.
- Fernandes, M., Sehn, G., Leoro, M., Chang, Y., Steel, C. 2013. Effect of adding unconventional raw materials on the technological properties of rice fresh pasta. *Food Sci. Technol. Campinas*, 33(2): 257-264. DOI:10.1590/S0101-20612013005000041.
- Fiorda, F., Soares Júnior, M., da Silva, F., Souto, L., dan Grosman, M. 2013. Amaranth flour, cassava starch and cassava bagasse in the production of gluten-free pasta: technological and sensory aspects. *International Journal of Food Science & Technology*, 48(9):1977–1984. doi:10.1111/ijfs.12179.
- Fu, X. 2008. Asian noodles: History, classification, raw materials, and processing. *Food Research International*, 41(9):888–902. doi:10.1016/j.foodres.2007.11.007.

- Garcia, L., Silva, A., Cunha, P., dan Damiani, C. 2016. Preparation of Gluten-free Noodles Incorporated of Jabuticaba Peel Flour . *Journal of food and nutrition research*, 4(42):82-87. DOI: 10.12691/jfnr-4-2-3.
- Gatade, A. dan Sahoo, A. 2015. Effect of additives and steaming on quality of air-dried noodles. *J. Food Sci. Technol.*, 52, 8395–8402.
- Han, H., Cho, J., dan Koh, B. 2011^a. Processing properties of Korean rice varieties in relation to rice noodle quality. *Journal of Food Science and Biotechnology*, 20(5): 1277-1282. doi:10.1007/s10068-011-0176-5.
- Han, J., Seo, T., Lim, S., dan Park, D. 2011^b. Utilization of rice starch with gums in Asian starch noodle preparation as substitute for sweet potato starch. *Food Science and Biotechnology*, 20(5), 1173–1178. doi:10.1007/s10068-011-0162-y
- Herranz, B., Canet, W., dan Alvarez, M. 2017. Corn starch and egg white enriched gluten-free chickpea flour batters: Rheological and structural properties. *International Journal of Food Properties*, 20(sup1):S489–S506. doi:10.1080/10942912.2017.1299760.
- Hou, G., and Kruk, M. 1998. Asian Noodle Technology. *Technical Bulletin*, 10(12):1-10.
- Howard, B., Hung, Y., dan McWatters, K. 2010. Analysis of Ingredient Functionality and Formulation Optimization of Pasta Supplemented with Peanut Flour. *Journal of Food Science*, 76(1):E40–E47. doi:10.1111/j.1750-3841.2010.01886.x.
- Heo, H., Baik, B.-K., Kang, C.-S., Choo, B.-K., dan Park, C. S. 2012. Influence of amylose content on cooking time and textural properties of white salted noodles. *Food Science and Biotechnology*, 21(2):345–353. doi:10.1007/s10068-012-0046-9.
- Heo, S., Lee, S.M., Shim, J.H., Yoo, S.H., Lee, S., 2013. Effect of dry- and wet-milled rice flours on the quality attributes of gluten-free dough and noodles. *J. Food Eng.*, 116(1):213-217. DOI: 10.1016/j.jfoodeng.2012.11.017.
- Hotchkiss, S., Trius, A., Philp, K., Brooks, M., Campbell, R. 2016. The use of carrageenan in food. Chpt. 10 in *Carrageenans*. Nova Science Publishers, Inc., Australia.
- Huh, H., Shin, W., Kim, Y. 2019. Textural and cooking qualities of noodles made with soy flour and hydroxypropyl methylcellulose. *International Food Research Journal*, 26(2): 421-428.

- Impaprasert, R., Piyarat, S., Sophontanakij, N., Sakulnate, N., Paengkanya, S., Borompichaichartkul, C., & Srzednicki, G. 2016. Rehydration and Textural Properties of Dried Konjac Noodles: Effect of Alkaline and Some Gelling Agents. *Horticulturae*, 3(1), 20. doi:10.3390/horticulturae3010020.
- Indiarto, R., Nurhadi, B., Subroto, E. 2012. Kajian Karakteristik Tekstur (*Texture Profil Analysis*) dan Organoleptik Daging Ayam Asap Berbasis Teknologi Asap Cair Tempurung Kelapa. *Jurnal Teknologi Hasil Pertanian*, 5(2):106-116.
- Jamal, S., Ahmed, I., Qazi, I. 2015. Quality evaluation of noodles prepared from blending of broken rice and wheat flour. *Starch – Stärke*, 67:905–912.
- James, C. S. 2013. *Analytical Chemistry of Foods*. Springer Verlag, UK.
- Jeong, S., Kim, M., Yoon, M.-R., & Lee, S. 2017. Preparation and characterization of gluten-free sheeted doughs and noodles with zein and rice flour containing different amylose contents. *Journal of Cereal Science*, 75:138–142. doi:10.1016/j.jcs.2017.03.022
- Jia, F., Ma, Z., Wang, X., Li, X., Liu, L., & Hu, X. 2019. Effect of kansui addition on dough rheology and quality characteristics of chickpea-wheat composite flour-based noodles and the underlying mechanism. *Food Chemistry*, 298:125081. doi:10.1016/j.foodchem.2019.125081
- Johnson, K. dan Mauer, L. 2019. Effects of Controlled Relative Humidity Storage on Moisture Sorption and Amylopectin Retrogradation in Gelatinized Starch Lyophiles. *Journal of Food Science*, 0(0):1-17. doi:10.1111/1750-3841.14472.
- Jung, K., Lee, H., Lee, S., dan Kim, J. 2016. Retrogradation of heat-gelatinized rice grain in sealed packaging: investigation of moisture relocation. *Food Science and Technology*, 37(1): 97–102. doi:10.1590/1678-457x.07816
- Karim, R. dan Sultan, M. 2015. *Yellow Alkaline Noodle: Processing Technology and Quality Improvement*. SpringerBriefs in Food, Health, and Nutrition.
- Kasunmala, I., Navaratne, S., Wickramasinghe, I. 2020. Effect of process modifications and binding materials on textural properties of rice noodles. *International Journal of Gastronomy and Food Science*, 21:100217. DOI:https://doi.org/10.1016/j.ijgfs.2020.100217.
- Kaur, A., Shevkani, K., Katyal, M., Singh, N., Ahlawat, A. K., dan Singh, A. M. 2016. Physicochemical and rheological properties of starch and flour from different durum wheat varieties and their relationships with noodle quality.

Journal of Food Science and Technology, 53(4):2127–2138.
doi:10.1007/s13197-016-2202-3

Kim, Y., Kee, J., Lee, S., Yoo, S. 2014. Quality improvement of rice noodle restructured with rice protein isolate and transglutaminase. *Food Chem.*, 145:409-416.

Kraithong, S., Lee, S., Rawdkuen, S. 2018. The Influence of Hydrocolloids on the Properties Organic Red Jasmine Rice Noodles, Namely on Antioxidant Activity, Cooking, Texture, and Sensory Properties. *Starch – Stärke*, 71: 1800145. DOI: 10.1002/star.201800145.

Larrosa V., Lorenzo G., Zaritzky N. and Califano A. 2016. Improvement of the texture and quality of cooked gluten-free pasta. *LWT - Food Sci. Technol.*, 70:96-103.

Lacko-Bartošová, M. dan Korczyk – Szabó, J. 2013. Texture of Cooked Spelt Wheat Noodles. *Journal of Microbiology, Biotechnology and Food Sciences*, 9(4):2256-2261.

Lambrecht, M. A., Rombouts, I., Nivelles, M. A., & Delcour, J. A. 2016. The Role of Wheat and Egg Constituents in the Formation of a Covalent and Non-covalent Protein Network in Fresh and Cooked Egg Noodles. *Journal of Food Science*, 82(1), 24–35. doi:10.1111/1750-3841.13558

Lawless, H. and Heymann, H. 2013. *Sensory Evaluation of Food: Principles and Practices*. Springer, New York.

Leffler D., Acaster S., Gallop K., Dennis M., Kelly C. and Adelman D. 2017. A novel patient-derived conceptual model of the impact of celiac disease in adults: Implications for patient-reported outcome and health-related quality-of-life instrument development. *Value in Health*, 20(4):637-643.

Lestari, P., Reflinur., Handoko, D., dan Mastur. 2018. Keragaman Genetik Varietas Padi *Japonica* dan *Indica* Berdasarkan Marka DNA Terkait Mutu Rasa. *Scripta Biologica*, 5(1):21–25. DOI: 10.20884/1.SB.2018.5.1.751.

Lestari, D., Kresnowati, M., Rahmani, A., Aliwarga, L., dan Bindar Y. 2019. Effect of Hydrocolloid on Characteristics of Gluten Free Bread from Rice Flour and Fermented Cassava Flour (Fercaf). *Reaktor*, 19(3):89-95.

Li, Y., Liang, J., Yang, M., Chen, J., dan Han, B. 2015. Traditional Chinese Rice Noodles: History, Classification, and Processing Methods. *Cereal Foods World*, 60(3):123-127. DOI:10.1094/CFW-60-3-0515.

- Li, M., Dhital, S., & Wei, Y. 2017. Multilevel Structure of Wheat Starch and Its Relationship to Noodle Eating Qualities. *Comprehensive Reviews in Food Science and Food Safety*, 16(5):1042–1055. doi:10.1111/1541-4337.12272.
- Li, L., Wang, N., Ma, S., Yang, S., Chen, X., Ke, Y., & Wang, X. 2018. Relationship of Moisture Status and Quality Characteristics of Fresh Wet Noodles Prepared from Different Grade Wheat Flours from Flour Milling Streams. *Journal of Chemistry*, 2018:1–8. doi:10.1155/2018/7464297
- Low, Y., Effarizah, M., dan Cheng, L. 2019. Factors Influencing Rice Noodles Qualities. *Food Reviews International*, 1–14. DOI:10.1080/87559129.2019.1683747
- Luo, L., Guo, X., dan Zhu, K.. 2015. Effect of steaming on the quality characteristics of frozen cooked noodles. *LWT - Food Science and Technology*, 62(2):1134–1140. doi:10.1016/j.lwt.2015.02.008.
- Mamat, K., Yusof, M., Hassan, S., Yusoff, W. 2016. Temperature and Humidity Determination for Dried Instant Noodle Drying Machine. *ARPN Journal of Engineering and Applied Sciences*, 11(12):7853-7857.
- Marengo, M., Amoah, I., Carpen, A., Benedetti, S., Zanoletti, M., Buratti, S., Lutterodt, H., Johnson, P., Manful, J., Marti, A., Bonomi, F., dan Iametti, S. 2018. Enriching gluten-free rice pasta with soybean and sweet potato flours. *Journal of Food Science and Technology*, 55(7): 2641–2648. doi:10.1007/s13197-018-3185-z.
- Marti, A., Barbiroli, A., Marengo, M., Fongaro, L., Iametti, S., dan Pagani, M. A. 2013. Structuring and texturing gluten-free pasta: egg albumen or whey proteins? *European Food Research and Technology*, 238(2), 217–224. doi:10.1007/s00217-013-2097-4.
- Marti, A., Seetharaman, K., dan Pagani, M. A. 2010. Rice-based pasta: A comparison between conventional pasta-making and extrusion cooking. *Journal of Cereal Science*, 52:404-409. doi:10.1016/j.jcs.2010.07.002
- Masakuni, T., Teruya, T., dan Tamaki, Y. 2014. The Principles of Starch Gelatinization and Retrogradation. *Food and Nutrition Sciences*, 5:280-291. DOI:10.4236/fns.2013.53035.
- Maslin, S., Wahyuni, S., Ansharullah. 2017. Pengaruh Penambahan Rumput Laut (*Eucheuma cottonii*) terhadap Penilaian Organoleptik Mie Wikau Maombo. *J. Sains dan Teknologi Pangan*, 2(5): 873-888.
- Mayasti, N., Ushada, M., Ainuri, M. 2018. Analisa Mutu Produk Spageti Berbasis Tepung Beras, Jagung, Mocaf, dan Kedelai. *Jurnal Pangan*, 27(2):129-140.

- Milani, J. and Maleki, G. 2012. Hydrocolloids in Food Industry. Chpt. 2 in *Food Industrial Processes - Methods and Equipment*. pp. 17-38. Intech, Croatia.
- Monica, L., Giriwono, P., Rimbawan. 2018. Pengembangan Mi Kering Berbahan Dasar Tepung Ubi Jalar Ungu (*Ipomoea batatas* L.) sebagai Pangan Fungsional Tinggi Serat. *Jurnal Mutu Pangan*, 5(1):17-24.
- Nishinari, K., Fang, Y., & Rosenthal, A. 2019. Human Oral Processing and Texture Profile Analysis Parameters – Bridging the gap between the sensory evaluation and the instrumental measurements. *Journal of Texture Studies* 50:369-380. doi:10.1111/jtxs.12404.
- Nurhidajah, Ulvie, Y., Suyanto, A. 2018. Karakteristik Fisik dan Kimia Beras Hitam dengan Variasi Metode Pengolahan. Prosiding Seminar Nasional Unimus 1.
- Padalino, L., Conte, A., dan Del Nobile, M. 2016. Overview on the General Approaches to Improve Gluten-Free Pasta and Bread. *Foods*, 5(4), 87. doi:10.3390/foods5040087.
- Padalino, L., Mastromatteo, M., Sepielli, G., dan Nobile, M. A. D. 2011. Formulation Optimization of Gluten-Free Functional Spaghetti Based on Maize Flour and Oat Bran Enriched in b-Glucans. *Materials*, 4(12):2119–2135. doi:10.3390/ma4122119.
- Pakhare, K., Dagadkhair, C., Udachan, S., dan Andhale, A. 2016. Studies on Preparation and Quality of Nutritious Noodles by Incorporation of Defatted Rice Bran and Soy Flour. *Journal of Food Processing & Technology*, 7(10). doi:10.4172/2157-7110.1000629.
- Peleg, M. 2019. The Instrumental Texture Profile Analysis (TPA) Revisited. *Journal of Texture Studies* 50:362-368. doi:10.1111/jtxs.12392
- Poonsri, T., Jafarzadeh, S., Ariffin, F., Abidin, S., Barati, Z., Latif, S., Müller, J. Improving Nutrition, Physicochemical and Antioxidant Properties of Rice Noodles with Fiber and Protein-rich Fractions Derived from Cassava Leaves. *Journal of Food and Nutrition Research*, 7(4):325-332. DOI:10.12691/jfnr-7-4-10.
- Pu, H., Wei, J., Wang, L., Huang, J., Chen, X., Luo, C., Liu, S., Zhang, H. 2017 Effects of potato/wheat flours ratio on mixing properties of dough and quality. of noodles. *J. Cereal Sci.*, 76:236–242.
- Purwandari, U., Hidayati, D., Tamam, B., Arifin, S. 2014. Gluten-free noodle made from gathotan (an Indonesian fungal fermented cassava) flour:

- cooking quality, textural, and sensory properties. *International Food Research Journal* 21(4):1615-1621.
- Qazi, I., Rakshit, S., and Tran, T. 2011. Effect of physico-chemical properties of tropical starches and hydrocolloids on rice gels texture and noodles water retention ability. *Starch/Starke*, 63, 558–569.
- Rauf, R. dan Muna, Z. 2018. Elongation, cooking loss and acceptance of wet noodles substituted with fennel leaves flour. In Proceeding Ictess (Internasional Conference on Technology, Education and Social Sciences).
- Réhault-Godbert, S., Guyot, N., Nys, Y. 2019. The Golden Egg: Nutritional Value, Bioactivities, and Emerging Benefits for Human Health. *Nutrients*, 11(3):684-710. doi:10.3390/nu11030684
- Roy, B. dan Dunna, V. 2013. Rice (*Oryza sativa* L.). Chpt. 4 in *Breeding, Biotechnology and Seed Production of Field Crops*. pp. 71-100. New India Publishing Agency, India.
- Salehi, F. 2019. Improvement of gluten-free bread and cake properties using natural hydrocolloids: A review. *Food Science & Nutrition*, 0(0):1-12. doi:10.1002/fsn3.1245
- Sandhu, K., Mukesh, M. 2010. Studies on noodle quality of potato and ice starches and their blends in relation to their physicochemical, pasting and el textural properties. *LWTFood Sci. Technol.*, 43(8):289-1293.
- Shevkani K, Singh N, Singh S, Ahlawat A, Singh M. 2011. Relationship between physicochemical and rheological properties of starches from Indian wheat lines. *Int J Food Sci Technol*, 46:2584–2590.
- Shobha, D., Vijayalakshmi, D., Puttaramnaik, Asha, K. 2015. Effect of maize based composite flour noodles on functional, sensory, nutritional and storage quality. *J. Food Sci. Technol.*, 52:8032–8040.
- Smewing, J. 2016. Navigating Noodle Texture: Taking the Rheological Route. *Cereal Foods World*, 61(3):92–95. doi:10.1094/cfw-61-3-0092.
- Smitha, S., Rajiv, J., Begum, K., & Indrani, D. (2008). Effect of hydrocolloids on rheological, microstructural and quality characteristics of parotta—an unleavened indian flat bread. *Journal of Texture Studies*, 39(3), 267–283. Doi:10.1111/j.1745-4603.2008.00142.x.
- Sobota, A., dan Zarzycki, P. 2013. Effect of pasta cooking time on the content and fractional composition of dietary fiber. *Journal of Food Quality*, 36(2):127–132.

- Sosa, M., Califano, A., dan Lorenzo, G. 2018. Influence of quinoa and zein content on the structural, rheological, and textural properties of gluten-free pasta. *European Food Research and Technology*, 245:343-353. doi:10.1007/s00217-018-3166-5
- Sun, K., Liao, A., Zhang, F., Thakur, K., Zhang, J., Huang, J., Wei, Z. 2019. Microstructural, Textural, Sensory Properties and Quality of Wheat–Yam Composite Flour Noodles. *Foods*, 8(10):519. DOI:10.3390/foods8100519.
- Suwannaporn, P., dan Wiwattanawanich, K. 2011. Effects of water requirement and substitution level on wheat-rice noodles with hydrocolloids. *Starch - Stärke*, 63(8), 493–502. doi:10.1002/star.201100005.
- Suwannaporn, P., Wiwattanawanich, K., dan Tester, R. F. 2013. Effect of water requirement and alkali on wheat-rice noodle quality. *Starch - Stärke*, 66(5-6):475–483. doi:10.1002/star.201300124.
- Tan, H.-L., Tan, T.-C., & Easa, A. M. 2018. The use of selected hydrocolloids to enhance cooking quality and hardness of zero-salt noodles. *International Journal of Food Science & Technology*, 53(7):1603–1610. doi:10.1111/ijfs.13742.
- Tan, H.-L., Tan, T.-C., & Easa, A. M. 2020. The use of selected hydrocolloids and salt substitutes on structural integrity, texture, sensory properties, and shelf life of fresh no salt wheat noodles. *Food Hydrocolloids*, 108:105996. doi:10.1016/j.foodhyd.2020.105996.
- Tasia, C. 2020. *Karakterisasi Fisik dan Sensori Mi Singkong Kering dengan Variasi Jenis Protein serta Rasio Tepung Singkong dan Tapioka*. (Laporan Skripsi, Universitas Pelita Harapan, Karawaci).
- Tijani, A., Oke, E., Bakare, H., dan Tayo, T. 2017. Quality evaluation of instant noodles produced from composite breadfruit flour. *Researcher*, 9(1): 21-26. doi:10.7537/marsrsj090117.03.
- Tong, L., Gao, X., Lin, L., Liu, Y., Zhong, K., Liu, L., Zhou, X., Wang, L., Zhou, S. Effects of semidry flour milling on the quality attributes of rice flour and rice noodles in China. *Journal of Cereal Science*, 62:45-49. DOI:10.1016/j.jcs.2014.12.007.
- Wang, S., Li, C., Copeland, L., Niu, Q., & Wang, S. 2015. Starch Retrogradation: A Comprehensive Review. *Comprehensive Reviews in Food Science and Food Safety*, 14(5): 568–585. doi:10.1111/1541-4337.12143.

- Wei, X., Zhu, K., Guo, X. 2017. The impact of protein cross-linking induced by alkali on the quality of buckwheat noodles. *Food Chem.*, 221:1178–1185.
- Weng, Z., Wang, B., Weng, Y. 2019. Preparation of white salted noodles using rice flour as the principal ingredient and the effects of transglutaminase on noodle qualities. *Food Bioscience*, 33:100501. DOI:10.1016/j.fbio.2019.100501
- Widatmoko R., Estiasih T. 2015. Karakteristik fisikokimia dan organoleptik mie kering berbasis tepung ubi jalar ungu pada berbagai tingkat penambahan gluten. *J. Pangan Agroindustri*, 3(4): 1386-1392.
- Wilderjans, E., Luyts, A., Goesaert, H., Brijs, K., dan Delcour, J. A. 2010. A model approach to starch and protein functionality in a pound cake system. *Food Chemistry*, 120(1):44–51. doi:10.1016/j.foodchem.2009.09.067
- Wieser, H. 2007. Chemistry of gluten proteins. *Food Microbiology*, 24(2):115–119. doi:10.1016/j.fm.2006.07.004.
- Wójtowicz, A., Zidoune, M., Benatallah, L., Mitrus, M., Sujak, A. 2018. Optimization of Rice-Field Bean Gluten-Free Pasta Improved by the Addition of Hydrothermally Treated Rice Flour. *Italian Journal of Food Science*, 30(2):226-248.
- World Instant Noodles Association. 2019. Global Demand for Instant Noodles. Diakses dari <https://instantnoodles.org/en/noodles/market.html>. Diakses pada Januari 15, 2021.
- Wu, T., Wang, L., Li, Y., Qian, H., Liu, L., Tong, L., Zhou, X., Wang, L., Zhou, S. 2019. Effect of milling methods on the properties of rice flour and gluten-free ricebread. *LWT-Food Science and Technology*, 108:137–144. DOI: 10.1016/j.lwt.2019.03.050.
- Xuan, Y., Yi, Y., Liang, H., Wei, S., Chen, N., Jiang, L., ... Li, T. 2020. Amylose content and RVA profile characteristics of noodle rice under different conditions. *Agronomy Journal*, 2020:1-13. doi:10.1002/agj2.20079
- Yang, Q., dan Ng, M. L. 2017. Paired Comparison/Directional Difference Test/2-Alternative Forced Choice (2-AFC) Test, Simple Difference Test/Same-Different Test. Chpt. 5 in *Discrimination Testing in Sensory Science*, pp. 109–134. Elsevier, UK.
- Ye, X., dan Sui, Z. 2016. Physicochemical properties and starch digestibility of Chinese noodles in relation to optimal cooking time. *International Journal of Biological Macromolecules*, 84:428–433. DOI:10.1016/j.ijbiomac.2015.12.054

Yu, K., Zhou, H., Zhu, K., Guo, X., dan Peng, W. 2020. Water Cooking Stability of Dried Noodles Enriched with Different Particle Size and Concentration Green Tea Powders. *Foods*, 9(3):298. doi:10.3390/foods9030298.

Zhang, S., Lu, Q., Yang, H., dan Meng, D. 2011. Effects of Protein Content, Glutenin-to-Gliadin Ratio, Amylose Content, and Starch Damage on Textural Properties of Chinese Fresh White Noodles. *Cereal Chemistry Journal*, 88(3):296–301. doi:10.1094/cchem-05-10-0072

