

## DAFTAR PUSTAKA

- Al-Ahmad, A., Juwita, Ratulangi, S., dan Malik, A. 2015. Penetapan kadar fenolik dan flavonoid total ekstrak methanol buah dan daun patikala (*Etlingera elatior* (Jack) R.M.S.M). *Pharmaceutical Sciences and Research*, 2(1): 1-10.
- Albab, U., Nirwana, R., dan Firmansyah, R. 2018. Aktivitas antioksidan daun jambu air (*Syzygium samarangense* (BL.) Merr. ET. Perry) serta optimasi suhu dan lama penyeduhan. *Walisongo Journal of Chemistry*, 2(1): 18-30.
- Al-Ghafari, A., Shorbaji., Sarori, L., Baduwailan, E., Basaar, A., Doghaither, H., Al-Marzouki, dan Omar, U. 2016. Phenolic contents and antioxidant activities of green tea with and without lemon. *Natural Sciencies*, 8: 247-255.
- Akila, B., Vijayalakshmi, R., Hemalatha, G., dan Arunkumar, R. 2018. Development and evaluation functional property of guava leaf based herbal tea. *Journal of Pharmacognosy and Phytochemistry*, 7(3): 3036-3039.
- Akyuz, S., dan Yarat, A. 2010. The pH and neutralizable acidity of the most consumed Turkish fruit and herbal teas. *Oral Health and Dental Management*, 9(2):75-78.
- Amanto,B., Aprilia, T., dan Nursiwi, A. 2019. Pengaruh lama blanching dan rumus petikan daun tin karakteristik fisik, kimia, serta sensoris teh daun tin (*Ficus carica*). *Jurnal Teknologi Hasil Pertanian*, 12(1):1-11.
- Amarowicz, R., dan Janiak, M. 2018. Hydrolysable Tannins. Chpt. Hydrolysable Tannins in Ecyclopedia of Food Chemistry. Ed. Laurence Melton, Fereidoon Shahidi, and Peter Vareliis. pp 337-343. Elsevier, Amsterdam.
- Al-Qudah, T., Zahra, U., Rehman, R., Majeed, M., Sadique, S., Nisar, S., Al-Qudah, T., dan Tahtamouni, R. 2018. Lemon as a source of functional and medicinal ingredient: A Review. *International Journal of Chemical and Biochemical Scinces*, 14: 55-61.
- Atomssa, T., dan Gholap, A. 2011. Characterization of caffeine and determination of caffeine in tea leaves using uv-visible spectrometer. *African Journal of Pure and Applied Chemistry*, 5(1): 1-8.
- Ashok, P., dan Upadhyaya, K. 2012. Tanin are astringent. *Journal of Pharmacy and Pythochemistry*, 1(3): 45-50.
- Association of Official Analytical Chemist [AOAC]. 2005. *Official methods of analysis of the association of official analytical chemist*. Association of Official Analytical Chemist Inc, Virginia.

- Augšpole, I., Duma, M., dan Ozola, B. 2018. Bioactive compound in herbal infusion. *Agronomy Research*, 16(2): 1322-1330.
- Badan Standardisasi Nasional (BSN). 2000. SNI 01-3836-2000 tentang teh kering dalam kemasan. Badan Standardisasi Nasional, Jakarta.
- Badan Standardisasi Nasional (BSN). 2004. SNI 06-6989.11 tentang air dan air limbah bagian 11: Cara uji derajat keasaman (ph) dengan menggunakan Alat pH meter. Badan Standardisasi Nasional, Jakarta.
- Badan Standarisasi Nasional (BSN). 2006. SNI 01-2346 tentang Petunjuk pengujian organoleptik dan atau sensori. Badan Standardisasi Nasional, Jakarta.
- Bartoszek,M., Polak, J., dan Chorążewski, M. 2018. Comparison of antioxidant capacities of different types of tea using the spectroscopy methods and semi-empirical mathematical model. *European Food Research and Technology*, 244: 595-601.
- Boukhatem, M., Boumiza, A., Nada, H., Rajabi, M., dan Mousa, S. 2020. *Minyak Eukaliptus* essensial oil as a natural food preservative: antioxidant, antibacterial and antifungal properties in vitro and in real food martrix (orangina fruit juice). *Applied Science*, 10(16):1-17.
- Boulekbache-Makhlof, L., Maudec, E., Mazauric, J., Madani, K., dan Cheynier, V. 2013. Qualitative and semi-qualitative anaylis of phenolic in *Minyak Eukaliptus* by high performance liquid chromatography coupled with diode array detection and electrospray ionisation mass spectrometry. *Phytochemical Analysis*, 24(2): 162-170.
- Boulekbache-Makhlof, L., Said, Z., Slimani, S., Remini, H., Idir-Himed, H., Mazauric, J., dan Madani, K. 2016. Phytochemical analysis and antioxidant activity of chromatographic fraction from *Minyak Eukaliptus* plant. *Journal of Chemical Engineering & Bioanalytical Chemistry*, 1(1): 1-10.
- Braun, L., and Cohen, M. 2015. Herbs & Natural Supplements. 4 ed. Elsevier, Chatswood.
- Burgos, E., Liaudanskas, M., Viskelis, J., Zvikas, V., Janulis, V., dan Serranillos, M. 2018. Antioxidant activity, neuroprotective properties and bioactive constituents analysis of varying polarity extracts from *Minyak Eukaliptus* leaves. *Journal of Food and Drugs Analysis*, 26(4): 1293-1302.
- Caballero, B., Finglas, P., dan Toldra, F. 2016. Encyclopedia of Food and Health. Academic Press, London.

- Chandrasekara, A., dan Shahidi, F. 2018. Herbal beverages: bioactive compounds and their role in disease risk reduction- A Review. *Journal Tradit Complement Medical*, 8(4): 451-458.
- Chakhrabarti, G., Bhattacharjee, S., dan Bhattacharyya, S. 2017. Evaluation of antioxidant profile and phytochemical constituents of some herb-supplemented black tea infusions. *Internaitonal journal of Pharmacy and Pharmaceutical Sciences*, 9(12): 131-135.
- Chang, M., Lin, Y., Chang, Y., Huang, W., Lin, W., Chen, C., Huang, S., dan Lin, Y. 2020. Effects of infusion and storage on antioxidant activity and total phenoloc content of black tea. *Applied Sciences*, 10(8): 3-10.
- David, A., Arulmoli, R., dan Parasuraman, S. 2016. Overviews of biological importance of quercetin: a bioactive flavonoid. *Pharmacognosy Review*, 10(20): 84-89.
- Damayanti, E., dan Kurniawati, P. 2017. Perbandingan metode penentuan vitamin C pada minuman kemasan menggunakan metode spektrofotometer UV-Vis dan iodimetri. *Proceeding Seminar Nasional Kimia*: 258-266. Universitas Negeri Malang, Malang.
- Dev, C., dan Nidhi, S. 2016. Basketful benefit of citrus limon. *International Research Journal of Pharmacy*, 7(6): 1-4.
- Dewata, I., Wipradnyadewi, P., dan Widarta, I. 2017. Pengaruh lama dan suhu penyeduhan terhadap aktivitas antioksidan dan sifat sensoris teh herbal daun alpukat (*Persea americana* Mill.). *Jurnal ITEPA*, 6(2):30-39.
- Dewatisari, W., Rumiyanti, L., dan Rakhmawati, I. 2017. Rendemen dan skirining fitokimia pada ekstrak daun *Sansevieria* sp. *Jurnal Ilmu Terapan*, 17(3): 197-202.
- Dusun, C., Djarkasi, G, dan Tuju, T. 2017. Kandungan polifenol dan aktivitas antioksidan teh daun jambu biji getas merah (*Psidium guanjava* L). *Jurnal Ilmiah Fakultas Pertanian*, 1(7):1-15.
- El-Moein, N., Mahmoud, E., dan Shalaby, E. 2012. Antioxidant mechanism of active ingredients separated from *Minyak Eukaliptus*. *Organic Chemistry Current Research*, 1(2): 1-7.
- Enko, J., dan Świgło, A. 2015. Influence of the interaction between tea (*Camellia sinensis*) extracts and ascorbic acid on their antioxidant acitivy: analysis with interaction indexed and isobolograms. *Food Additives & Contaminants:Part A*, 32(8): 1-9.

- Etheridge, C., dan Derbyshire, E. 2019. Herbal infusion and health a review of findings from human studies, mechanisms and future research direction. *Nutrition & Food Science*, 30(1): 1-17.
- Erez, Y., Simkovitch, R., Shomer, S., Gepshtein, R., dan Huppert, D. 2014. Effect of acid on the ultraviolet -visible absorption and emission properties of curcumin. *Journal of Physical Chemistry*, 118(5): 872-884.
- Fatemeh, H., Sanusi, J., dan Kanthimathi, M. 2016. Temperature and time of steeping affect the antioxidant properties of white, green, and black tea infusion. *Journal Food Science*, 81(1): 246-254.
- Firshty, F. 2013. Pengaruh penambahan ekstrak buah belimbing wuluh (*Averrhoa bilimbi*, L) terhadap pembuatan minuman fungsional teh hitam. Diploma Skripsi. Universitas Andalas, Padang.
- Fratiwi, Y. 2015. The potential of guava leaf (*Psidium guajava* L.) for diarrhea. *Medical Journal of Lampung University*, 4(1): 113-118.
- Gulcin, I. 2020. Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology*, 94(3): 651-715.
- Grumezescu, A., dan Holban, A. 2019. Functional and Medicinal Beverages. Woodhead Publishing, Duxford.
- Gupta, G., Chahal, J., dan Arora, D. 2011. *Psidium guajava Linn*: current research and future prospects. *Journal of Pharmacy Research*, 4(1): 42-46.
- Habtemariam, S. 2019. Medicinal Foods as Potential Therapies for Type-2 Diabetes and Associated Disease. Academic Press, London.
- Hanif, M., Nawaz, H., Khan, M., dan Byrne, H. 2020. Medicinal Plants of South Asia: Novel Sources for Drug Discovery. Elsevier, Amsterdam
- Hardoko, Putri, T., dan Eveline. 2015. In vitro anti-gout activity and phenolic content of “black tea” soursop (*Annona muricata* L.) leaves. *Journal of Chemical and Pharmaceutical Research*, 7(11):735-743.
- Hartanti, L., Yonas, S., Mustamu, J., Wijaya, S., Setiawan, H., dan Soegianto, L. 2019. Influence of extraction methods of bay leaves (*Syzgium polyanthum*) on antioxidant and HMG-CoA Reductase inhibitory activity. *Helijon*, 5(4): 1-15.
- Hidayah, N. 2016. Pemanfaatan senyawa metabolit sekunder tanaman (tanin dan saponin) dalam mengurangi emisi metan ternak ruminansia. *Jurnal Sain Peternakan Indonesia*, 11(2): 89-98.

- He,H. 2017. Research progress on theaflavins: efficacy, formation, and preparation. *Food Nutrition Research*, 61(1):1-9.
- Herald, T., Gadgil, P., Perumal, R., Scoot, B., dan Wilson, J. 2014. High-throughput micro-plate HCl-vanillin assay for screening tannin content in sorghum grain. *Journal of The Science of Food and Argicultural*, 94(10): 2133-2136.
- Hough, G., Wakeling, I., Mucci, A., Chambers, E., Gallardo, I., dan Alves, L. 2006. Number of consumers necessary for sensory acceptability test. *Food Quality and Preference*, 17(6): 522-526.
- Ibrahim, Y. A., Musa, A., dan Yakasai, I. A. 2017. Spectrophotometric method for determination of catechins in green tea and herbal formulations. *Nigeria Journal of Pharmaceutical Sciences*, 16(1): 25-30.
- Illing, I., Safitri, W., dan Erfiana. 2017. Uji fitokimia ekstrak buah dengen. *Jurnal dinamika*, 8(1): 66-84.
- Ismanto, S., Anggraini T., Aisman., dan Betri, W. 2017. The effect of drying temperature to chemical components of surian herbal tea leaves (*Toona sureni*, (Blume) Merr.). *Journal of Pharmaceutical, Biological and Chemical Sciences*. 8(1):229-238.
- Jin, Y., Zhao, J., Kim, E., Kim, K., Kang, S., Lee, H., dan Lee, J. 2019. Comprehensive investigation of the effects of brewing condition in sample preparation of green tea infusions. *Molecules*, 24(9): 1-12.
- Kaemba, A., Suryanto, E., dan Mamuaja, C. 2017. Karakteristik fisiko kimia dan akvitias antioksidan beras analog dari sagu buruk (*Arenga micriocarpha*) dan ubi jalar (*Ipomea batatas l. poiret*). *Jurnal Ilmu dan Teknologi Pangan*, 5(1): 1-8.
- Kilel, E., Wanyoko, J., Faraj, A., dan Ngoda, P. 2019. Effect of citric acid on the total monomeric anthocyanins and antioxidant activity of liquor made from unprocessed purple leafed TRFK 306 kenyan tea clone. *Food and Nutrition Sciences*, 10(10):1191-1201.
- Kusuma, I., Putra, I., dan Darmayanti, L. 2019. Pengaruh suhu pengeringan terhadap aktivitas antioksidan teh herbal kulit kakao (*Theobroma cacao L.*). *Jurnal Ilmu dan Teknologi Pangan*,8(1): 85-93.
- Laily, N., Kusumaningtyas, R., Sukarti, I., dan Rini, M. 2015. The potency of guava *Psidium Guajava* (l.) leaves as a functional immunostimulatory ingredient. *Procedia Chemistry*, 14: 301-307.
- Lewoyehu, M., dan Amare, M. 2019. Comparative evaluation of analytical methods for determining the antioxidant activities of honey: a review. *Cogent Food & Agriculture*, 5(1):1-24.

- Li, Y., Yao, J., Han, C., Yang, J., Chaudhry, M., Wang, S., Liu, H., dan Yin, Y. 2016. Quercetin, inflammation and immunity. *Nutrients*, 8(167): 1-14.
- Liang, Y., dan Xu, Y. 2001. Effect of pH on cream particle formation and solids extraction yield of black tea. *Food Chemistry*, 74(2): 155-160.
- Lü, J., Lin, P., Yao, Q., dan Chen, C. 2010. Chemical and molecular mechanism of antioxidant: experimental approaches and model system. *Journal of Cellular and Molecular Medicine*, 14(4): 840-860.
- Luís, A., Nieva, D., Pereira, H., Gominho, J., Domingues, F., dan Duarte, A. 2014. Stumps of *Minyak Eukaliptus* as a source of antioxidant and antimicrobial polyphenols. *Molecules*, 19(10): 16428-16448.
- Mailoa, M., Mahendradatta, M., Laga, A., dan Djide, N. 2013. Tannin extract of guava leaves (*Psidium guajava* L) variation with concentration organic solvents. *International Journal of Scientific and Technology Research*, 2(9): 106-110.
- Majchrzak, D., Mitter, S., dan Elmadafa, I. 2004. The effect of ascorbic acid on total antioxidant activity of black and green tea. *Food Chemistry*, 88(3): 447-451.
- Masek, A., Latos, M., Chrzescijanska, E., dan Zaborski, M. 2017. Antioxidant properties of rose extract (*Rosa villosa* L.) measured using electrochemical and UV/Vis spectrophotometric methods. *International Journal of Electrochemical Science*, 12: 10994-11005.
- Makni, M., Jemai, R., Kriaa, W., Chtourou, Y., dan Fetoui, H. 2018. *Citrus limon* from Tunisia: Phytochemical and physicochemical properties and biological activities. *BioMed Research International*, 2018:1-10.
- Malangngi, L., Sangi, M., dan Paedong, J. 2012. Penentuan kandungan tanin dan uji aktivitas antioksidan ekstrak biji buah alpukat (*Persea americana* Mill.). *Jurnal MIPA Unsrat*, 1(1): 5-10.
- Maniyar, S., Jargar, J., Das, S., Dhundasi, A., dan Das, K. 2012. Alteration of chemical behaviour of L-ascorbic acid in combination with nickel sulfate at different pH solution in vitro. *Asian Pacific Journal of Tropical Biomedicine*, 2(3):220-222.
- Miele, S., Tegli, S., Garcia, C., Izquierdo, Cerboneschi, M., and Bargiachhi, E. 2019. Hydrolysable Tannin in Agriculture. Chpt. 5 in Tannins Structural Properties, Biological Properties and Current Knowledge. Ed. Alfredo Aires. pp 326. DOI: 10.5772/intechopen.80170.
- Milani, J., Amuzadeh, A., dan Moetamedzadegen, A. 2018. Effect of different additives on antioxidant capacity of black tea. *Journal of Culinary Science and Technology*, 18(2): 1-10.

- Mitra, S. P. 2014. UV-Vis spectrophotometry plus HPLC to measure the level of catechin/polyphenolics and to understand its oxidized conditions in commercially available green and black teas. *Indian Journal of Chemistry*, 53(1): 1255-1262.
- Murugesan, P., Venkateswaran, G., Sathish, G., dan Shanmugaselvan, V. 2020. Enhancing the quality of naturally oxidized tea with ascorbic acid. *International Journal of Advanced Engineering Research and Science*, 7(4):2456-1908.
- Nafisah, D., dan Widyaningsih, T. 2018. Metode pengeringan dan rasio penyeduhan pada proses pembuatan teh cascara kopi arabika (*Coffea arabica* L.). *Jurnal Pangan dan Agroindustri*, 6(3): 37-47.
- Naseer, S., Hussain, S., Naeem, N., Pervaiz, M., dan Rahman, M. 2018. The pytochemistry and medicinal value of *Psidium guajava* (guava). *International Journal of Phytomedicine and Pytotherapy*, 4(32): 1-8.
- Nimse, S., dan Pal, D. 2015. Free radicals, natural antioxidant, and their reaction mechanisms. *RSC Advances*, 35(5): 27986-28006.
- Palafox-Carlos, H., Chávez, J., Mundo, R., Namiesnik, J., Gorinstein, S., dan Aguilar,G. 2012. Antioxidant interactions between major phenolic compounds found in 'Ataulfo' mango pulp: chlorogenic, gallic, protocatechuic and vanillic acids. *Molecules*, 17(11): 12657-12664.
- Pathare, P., Opara, U., dan Al-said, F. 2013. Color measurement and analysisin fresh and processed foods: a review. *Food Bioprocess Technology*, 6:36-60.
- Puspitasari, A., Susanti, E., dan Khustiana, A. 2019. Aktivitas antioksidan dan penetapan kadar vitamin C perasan daging buah lemon (*Citrus limon*(L.) Osbeck) menggunakan metode ABTS. *Jurnal Ilmiah Teknosains*, 5(2):99-104.
- Pou, K. 2016. Fermentation: the key step in the processing of black tea. *Journal of Biosystem Engineering*, 41(2): 85-92.
- Raho, G. 2017. Antimicrobial Activity of Minyak Eukaliptus Oils. Chpt. Antimicroboal Activity of Minyak Eukaliptus in Antimicrobial Research: Novel Bioknowledge and Educational Programs. Ed. Antonio Mendez Villas. pp 68-78. Formatax Research Center S.L, Spain.
- Rahmayani, U., Pringgennies, D., dan Djunaedi, A. 2013. Uji aktivitas antioksidan ekstrak kasar keong bakau (*Telescopium telescopium*) dengan pelarut yang berbeda terhadap metode DPPH (*Diphenyl Picril Hidrazil*). *Journal of Marine Research*, 2(4): 36-45.

- Rohdiana, D. 2015. Teh: proses, karakteristik dan komponen fungsional. *Food Review Indonesia*, 10(8): 34-37.
- Rohadi, Lelita, D., dan Putri, A. 2019. Antioxidant capacity of white tea (*Camellia sinensis*) extract: compared to green, oolong and black tea. *International Conference on Food Science& Technology*, 292:1-7.
- Rosida, A., dan Tjitraresmi, A. 2018. Potensi tanaman *Melatomataceae* sebagai antioksidan. *Farmaka*, 16(1): 24-33.
- Salas, M., Estilla, A., Valdes, J., Cruz, A., Herrera, R., Cerdá, R., dan Chavez, J. 2018. Gallic Acid as a Putative Antioxidant in Usage Against Liver Disease. Chpt 26 in *The Liver Oxidative Stress and Dietary Antioxidant*. Ed. Vinood B. Patel and Victor R. Preddy. pp 317-322. Academic Press, London.
- Sánchez, N., Coronado, R., Canongo, C. dan Carlos, B. 2019. Antioxidant Compounds and Their Antioxidant Mechanism. Chpt.2 in *Antioxidant*. Ed. Emad Shalaby. DOI:10.5722/intechopen.77838.
- Savitri, K., Widarta, I., dan Jambe, A. 2019. Pengaruh perbandingan teh hitam (*Camellia sinensis*) dan jahe merah (*Zingiber officinale* var. *Rubrum*) terhadap karakteristik teh celup. *Jurnal Ilmu dan Teknologi Pangan*, 8(4): 419-429.
- Shannon, E., Jaiswal, A.K., dan Abu-Ghannam, N. 2018. Polyphenolic content and antioxidant capacity of white, green, black and herbal teas: a kinetic study. *Food Research*, 2(1): 1-11.
- Shiva, B., Nagaraja, A., Srivastav, M., Kumari, S., Goswami, A., Singh, R., dan Arun, M. 2017. Characterization of guava (*Psidium guajava*) germplasm based on leaf and fruit parameter. *Indian Journal of Agriculture Sciences*, 87(5): 634-638.
- Siah, W., Azman, M., Jeeven, K., Hayazan, M., dan Tahir, S. 2011. Effect of infusion condition on total phenolic content and antioxidant activity in *Centella asiatica* tea. *Journal of Tropical Agriculture and Food Science*, 39(2): 149-156.
- Singh, A., dan Kumar, S. 2019. Application of Tannins in Industry. Chpt.7 in *Tannins Structural Properties, Biological Properties and Current Knowledge*. Ed. Alfredo Aires. pp 445. DOI: 10.5772/intechopen.80170
- Sipahelut, S., Tetelapta, G., dan Patty, J. 2017. Kajian penambahan minyak atsiri dari daging buah pala (*Myristica fragrans Houtt.*) pada Cake Terhadap daya terima konsumen. *Jurnal Sains dan Teknologi Pangan*, 2(2): 486-495.

- Siregar, T.M., dan Kristianti, C. 2019. Mikroenkapsulasi senyawa fenolik ekstrak daun kenikir (*Cosmos caudatus* K.). *Jurnal Aplikasi Teknologi Pangan*, 8 (1): 31-37.
- Sonker, P., Verma, S., dan Gupta, P. 2017. To study the pharmacological effect and benefit of *Minyak Eukaliptus* in different types of disease. *International journal of Pharmacology & Pharmacotherapeutics*, 6(1): 81-88.
- Szczykutowicz, Marta., Szopa, A., dan Ekiert, H. 2020. *Citrus limon* (Lemon) phenomenon- a review of the chemistry, pharmacological properties, application in the modern pharmaceutical, food, and cosmetics industries and biotechnological studies. *Plants*, 9(1): 1-24.
- Tanaka, T., Matsuo, Y., dan Kouno, I. 2010. Chemistry of secondary produced during processing tea and selected food. *Interantional Journal of Molecular Sciences*, 11(1): 14-40.
- Tarlak, F., Ozdemir, M., dan Melikoglu, M. 2016. Computer vision system approach in colour measurements of foods: Part II.validation of methodology with real foods. *Food Science Technology*, 36(3): 499-504.
- Tipduangta, P., Julsrigival, J., Chaithatwatthana, K., Pongterdask, N., Tipduangta, P., dan Chansakaow, S. 2019. *Antioxidant Properties of Thai Tradisional Herbals Teas. Beverages*, 5(44):1-8.
- Teshome, K. 2019. Effect of tea processing methods on biochemical composition and sensory quality of black tea (*Camellia sinensis* (L.) O. Kuntze):A review, *Journal of Horticulture and Forestry*, 11(16): 84-95.
- Uçan, F., Ağçam, E., dan Akyıldız, A. 2016. Bioactive coumpounds and quality parameters of natural cloudy lemon juices. *Journal Food Science Technology*, 55(3): 1465-1474.
- Ulandari, D., Nocianitri, K., dan Arihantana, N. 2019. Pengaruh suhu pengeringan terhadap kandungan bioaktif dan karakteristik sensoris teh *white peony*. *Jurnal Ilmu dan Teknologi Pangan*, 8(1): 36-47.
- Vecchio, M., Loganes, C., dan Minto, C. 2016. Beneficial and healthy properties of *eucalyptus* plants: a great potential use. *The Open Agriculture Journal*, 10 (1): 52-57.
- Veljković, J., Pavlović, A., Mitić, S., Tosić, S., Stojanović, M., Kalicanin, B., Stankovic, D., Stojanovic, M., Mitic, M., Brčanovic. 2013. Evaluation of individual phenolic compound and antioxidant properties of black, green, herbal, and fruit tea infusions consumed in Serbia: Spectrophotometrical and electrochemical approaches. *Journal of Food and Nutrition Research*, 52(1): 12-24.

- Widyasari, E., Sriyani, M., Daruwati, I., Halimah, I., dan Nuraeni, W. 2019. Karakteristik fisiko-kimia senyawa bertanda  $^{99m}\text{tc}$ -kuersetin. *Jurnal Sains dan Teknologi Nuklir Indonesia*, 20(1): 9-18.
- Widyawati, P., Budianta, T., Werdani, Y., dan Halim, O. 2018. Aktivitas antioksidan minuman daun beluntas teh hitam (*Pluchea indica Less-Camellia sinensis*). *Agritech*, 38(2): 200-207.
- Weli, A., Kaabi, A., Sahabi, J., Said, A., Hossain, M., dan Riyami, S. 2019. Chemical composition and biological activities of the essential oils of *Psidium guajava* leaf. *Journal of King Saud University*, 31(4): 993-998.
- Widyowati, H., Ulfah, M., dan Sumantri. 2014. Uji aktivitas antioksidan ekstrak etanolik herbal alfalfa (*Medicago sativa L.*) dengan metode DPPH (1,1 difenil-2-pikrilhidrazil). *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 11(1): 25-33.
- Yamin, M., Furtuna, D., dan Hamzah, F. 2017. Lama pengeringan terhadap aktivitas antioksidan dan mutu teh herbal daun ketepeng cina (*Cassia alata L.*). *Jom FAPERTA*, 4(2):1-15.
- Yin, J., Becker, E., Andersen, M., dan Skibsted. 2012. Green tea extract as food antioxidant. Synergism and antagonism with  $\alpha$ -tocopherol in vegetable oil and their colloidal system. *Food Chemistry*, 135(4): 2195-2202.
- Yenrina, R., Sayuti, K., dan Anggraini, T. 2016. Effect of natural colorants on color and antioxidant activity of “ Kolang Kaling” (Sugar Palm Fruit) jam. *Pakistan Journal of Nutrition*, 15(12):580-586.
- Yuniartini, N., Kusnadi, J., dan Zubaidah, E. 2015. The effect of various tea processing methods on antioxidant activity of guava (*Psidium guajava L.* var Pomifera) leaves tea in East Java Indonesia. *International Journal of PharmTech Research*, 7(4): 580-586.
- Zulharmita, Kasypiah, U., dan Rivai, H. 2012. Pembuatan dan karakterisasi ekstrak kering daun jambu biji. *Jurnal Farmasi Higea*, 4(2): 147-157.
- Zeng, L., Ma, M., Li, C., dan Lou, L. 2017. Stability of tea polyphenol solution with different ph at different temperatures. *International Journal of Food Properties*, 20(1): 1-8.