

ACKNOWLEDGEMENTS

First of all, the author would like to give praise and gratitude to Lord Jesus Christ for His blessings given to the author in the completion of this thesis entitled “UTILIZATION OF MEALWORMS (*TENEBRIO MOLITOR* L.) AND YOUNG JACKFRUIT FLESH (*ARTOCARPUS HETEROPHYLLUS* L.) AS CHICKEN-ANALOGUE FRIED PATTIES ADDED WITH ARTIFICIAL CHICKEN FLAVOR.”

This thesis was written based on the research conducted from August 2020 to November 2020. This thesis was written as the partial fulfillment of the academic requirement to obtain the degree of *Sarjana Teknologi Pertanian*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan, Jakarta.

This thesis cannot be successfully completed without the support from many people. Therefore, the author would like to express gratitude to those who have helped and supported the author throughout the process of this thesis, including:

1. Ir. W. Donald R. Pokatong, M.Sc., Ph.D., Head of Food Technology Study Program, as thesis supervisor who had given supervision, meaningful advices, and constructive suggestions from the preparation of thesis proposal up to completion of the thesis.
2. Eric Jobiliong, Ph.D. as Dean of Faculty of Science and Technology, Universitas Pelita Harapan, who have supported our studies in the Faculty of Science and Technology.
3. Dr. Nuri Arum Anugrahati as Vice Dean of Faculty of Science and Technology, Universitas Pelita Harapan, who have supported our studies in the Faculty of Science and Technology.
4. Laurence, S.T., M.T. as Director of Faculty Administration and Student Affairs of Faculty of Science and Technology, Universitas Pelita Harapan, who have supported our studies in the Faculty of Science and Technology.

5. Ratna Handayani, M.P. as Deputy Head of Food Technology Study Program for the guidance throughout the thesis project period.
6. Yuniwaty Halim, M.Sc. as the Head of Quality Control and Research Laboratory, Dr. Tagor M. Siregar, M.Si. as the Head of Chemistry Laboratory, and Natania, M.Eng. as the Head of Food Processing Laboratory, where the author conducted the project.
7. Intan Cidarbulan Matita, Ph.D. as academic advisor for the guidance throughout the undergraduate study period.
8. Aileen, S.T.P., Regy Tahapary, Darius, Aji, and Adhi for the help and information during the work in the laboratory.
9. All other lecturers, assistant lecturers, and staffs of Food Technology Study Program for the support and help during the thesis project period.
10. Beloved parents, Rachmat Djurijanto and Juliawati Andaria, and little sister, Felicia Djurijanto, for the love, support, and prayers given to the author during the thesis completion.
11. Calmness Felia Halim, for the emotional support and help during the thesis period.
12. Gobinder Singh, Steven Ibrahim, Febiana Christy, Stevany Natanael, Oei Ming Ay, and Jessica Jocelyn as partners on the same team for the support and help during the thesis period.
13. Christopher Jason, Christopher Setiawan, Michael Austin, Michael Adrian, Vincent Renardy Kwantoso, Yesyurin Kirana, Celine Margaretha, Charlene Octavian, Joanne Tirta, Mona Felicia, Shania Edeline, Artiar Secakusuma, Sheren Julian as author's friends who gave endless help, support and prayers for the author during the thesis period.
14. All friends and relatives who had not been mentioned but also took part in supporting the author during the thesis period.

The author realized that this report still has some flaws. Therefore, the author would like to apologize for any mistakes in the report and would appreciate any criticisms and suggestions given to this report. The author also hopes that this

report may be beneficial to those who will read it in the future. Thank you and God bless you.

Tangerang, February 2021

(Michael Djurijanto)




TABLE OF CONTENTS

	page
COVER.....	
FINAL ASSIGNMENT STATEMENT AND UPLOAD AGREEMENT.....	
APPROVAL BY THESIS SUPERVISOR.....	
APPROVAL BY THESIS EXAMINATION COMMITTEE.....	
ABSTRACT.....	v
ACKNOWLEDGEMENTS.....	vi
TABLE OF CONTENTS.....	ix
LIST OF FIGURES.....	xii
LIST OF TABLES.....	xiii
LIST OF APPENDICES.....	xiv
CHAPTER I INTRODUCTION	
1.1 Background.....	1
1.2 Research Problem.....	2
1.3 Objectives.....	3
1.3.1 General Objective.....	3
1.3.2 Specific Objectives.....	3
CHAPTER II LITERATURE REVIEW	
2.1 Processed Meats.....	4
2.2 Meat Analogue.....	5
2.3 Mealworms.....	5
2.4 Jackfruit.....	8
2.5 Carrageenan.....	9
2.6 Artificial Chicken Flavoring.....	10
CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials & Equipment.....	12
3.2 Preliminary Steps.....	13
3.2.1 Mealworm Powder Preparation.....	13
3.2.2 Boiled Young Jackfruit Flesh Preparation.....	13
3.3 Main Research.....	15
3.3.1 Preparation of Chicken-analogue fried patties.....	15
3.4 Analytical Methods.....	17
3.4.1 Moisture Content (AOAC, 2005).....	17
3.4.2 Ash Content (AOAC, 2005).....	18
3.4.3 Protein Content (AOAC, 2005).....	18
3.4.4 Carbohydrate Content (AOAC, 2005).....	19

3.4.5 Dietary Fiber Content (AOAC, 2005)	19
3.4.6 Fat Content (AOAC, 2005).....	20
3.4.7 Color Analysis (Magdic, 2009; Shevell, 2003)	20
3.4.8 Texture Analysis (Verma <i>et al.</i> , 2015)	21
3.4.9 Cooking Loss (Verma <i>et al.</i> , 2015)	21
3.4.10 Yield (Verma <i>et al.</i> , 2015).....	21
3.4.11 Expressible Moisture (Park, 2005)	22
3.4.12 Diameter Change (Verma <i>et al.</i> , 2015).....	22
3.4.13 Sensory Evaluation	22
3.5 Experimental Design.....	23
3.5.1 Research Stage I	23
3.5.2 Research Stage II	24
CHAPTER IV RESULTS AND DISCUSSION	
4.1 Taxonomy Identification of Mealworm.....	26
4.2 Physicochemical Characteristics of Mealworm powder.....	26
4.2.1 Moisture Content	26
4.2.2 Protein Content	27
4.2.3 Fat Content.....	27
4.2.4 Ash Content	27
4.2.5 Carbohydrate Content	28
4.2.6 Cooking Loss	28
4.2.7 Lightness.....	28
4.2.8 Hue.....	28
4.3 Effect of Ratio of Young Jackfruit Flesh to Mealworm Powder on Physicochemical Characteristics of Chicken- Analogue Fried Patties.....	29
4.3.1 Moisture Content	29
4.3.2 Protein Content	30
4.3.3 Fat Content.....	31
4.3.4 Ash Content	32
4.3.5 Carbohydrate Content	33
4.3.6 Hardness	34
4.3.7 Springiness.....	35
4.3.8 Cooking Loss	36
4.3.9 Hue.....	37
4.3.10 Lightness.....	38
4.3.11 Diameter Change	39
4.3.12 Expressible Moisture	41
4.4 Selection of Best Chicken-analogue fried patties Formulation Based on Protein and Cooking Loss	42

4.5 Effect of Artificial Chicken Flavor Concentration on Organoleptic Properties of Chicken-analogue fried patties.....	43
4.5.1 Scoring Test Results	43
4.5.2 Hedonic Test Results	46
4.6 Selection of Best Chicken-Analogue Fried Patties Formulation Added with Different Artificial Chicken Flavor Concentrations Based on Sensory	50
4.7 Comparison Between the Selected Chicken-Analogue Fried Patties Formulation and Control.....	50
4.7.1 Physicochemical Characteristics	50
4.7.2 Organoleptic Properties	51
 CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions.....	53
5.2 Suggestions	54
 BIBLIOGRAPHY	55
 APPENDICES	59



LIST OF FIGURES

		page
Figure 2.1	Mealworms (<i>Tenebrio molitor</i>)	6
Figure 2.2	Jackfruit plant and fruit (left) Cross sectional cut of the fruit (right)	9
Figure 3.1	Mealworm powder production flowchart	14
Figure 3.2	Boiled young jackfruit flesh production flowchart.....	14
Figure 3.3	Chicken-analogue fried patties production flowchart research stage I	16
Figure 3.4	Chicken-analogue fried patties production flowchart research stage II.....	17
Figure 4.1	Effect of ratio of young jackfruit flesh to mealworm powder on the moisture content of chicken-analogue fried patties.....	30
Figure 4.2	Effect of ratio of young jackfruit flesh to mealworm powder on the protein content of chicken-analogue fried patties.....	31
Figure 4.3	Effect of ratio of young jackfruit flesh to mealworm powder on the fat content of chicken-analogue fried patties.....	32
Figure 4.4	Effect of ratio of young jackfruit flesh to mealworm powder on the ash content of chicken-analogue fried patties.....	33
Figure 4.5	Effect of ratio of young jackfruit flesh to mealworm powder on the carbohydrate content of chicken-analogue fried patties	34
Figure 4.6	Effect of ratio of young jackfruit flesh to mealworm powder on the hardness of chicken-analogue fried patties.....	35
Figure 4.7	Effect of ratio of young jackfruit flesh to mealworm powder on the springiness of chicken-analogue fried patties.....	36
Figure 4.8	Effect of ratio of young jackfruit flesh to mealworm powder on the cooking loss of chicken-analogue fried patties.....	37
Figure 4.9	Effect of ratio of young jackfruit flesh to mealworm powder on the hue of chicken-analogue fried patties	38
Figure 4.10	Effect of ratio of young jackfruit flesh to mealworm powder on the lightness of chicken-analogue fried patties	39
Figure 4.11	Effect of ratio of young jackfruit flesh to mealworm powder on the diameter change of chicken-analogue fried patties	41
Figure 4.12	Effect of ratio of young jackfruit flesh to mealworm powder on the expressible moisture of chicken-analogue fried patties.....	42

LIST OF TABLES

	page
Table 2.1	Essential amino acids comparison between mealworms, raw chicken breast, and raw chicken thigh 6
Table 2.2	Proximate analysis of mealworms 7
Table 2.3	Proximate analysis of young jackfruit flesh..... 9
Table 3.1	Chicken-analogue fried patties formulations for research stage I... 15
Table 3.2	Chicken-analogue fried patties formulations for research stage II .. 16
Table 3.3	°Hue interpretation 21
Table 3.4	Scoring test parameters 23
Table 3.5	7-point hedonic test scale 23
Table 3.6	Experimental design for research stage I 24
Table 3.7	Experimental design for research stage II..... 25
Table 4.1	Chemical composition of fresh mealworms and mealworm powder 26
Table 4.2	Physical characteristics of mealworm powder..... 26
Table 4.3	Result of color scoring test on chicken-analogue fried patties 43
Table 4.4	Result of aroma scoring test on chicken-analogue fried patties..... 44
Table 4.5	Result of taste scoring test on chicken-analogue fried patties 45
Table 4.6	Result of hardness scoring test on chicken-analogue fried patties 45
Table 4.7	Result of springiness scoring test on chicken-analogue fried patties 46
Table 4.8	Result of color hedonic test on chicken-analogue fried patties 46
Table 4.9	Result of aroma hedonic test on chicken-analogue fried patties..... 47
Table 4.10	Result of taste hedonic test on chicken-analogue fried patties 48
Table 4.11	Result of hardness hedonic test on chicken-analogue fried patties 48
Table 4.12	Result of springiness hedonic test on chicken-analogue fried patties 49
Table 4.13	Result of overall acceptance hedonic test on chicken-analogue fried patties 49
Table 4.14	Physicochemical characteristics of chicken-analogue fried patties and control..... 51
Table 4.15	Scoring test results of chicken-analogue fried patties and control... 52
Table 4.16	Hedonic test results of chicken-analogue fried patties and control 52

LIST OF APPENDICES

	page
Appendix A . Taxonomy Identification	
Identification of <i>Tenebrio Molitor L.</i> Taxonomy	A-1
Appendix B. Chemical Characteristics of Mealworm Powder	
Fat Content of Mealworm Powder.....	B-1
Ash Content of Mealworm Powder	B-2
Carbohydrate Content of Mealworm Powder	B-3
Yield of Mealworm Powder	B-4
Lightness of Mealworm Powder.....	B-5
°Hue Value of Mealworm Powder.....	B-6
Appendix C. Chemical Characteristics of Chicken-Analogue Fried Patties	
Moisture Content of Chicken-Analogue Fried Patties.....	C-1
Protein Content of Chicken-Analogue Fried Patties.....	C-3
Fat Content of Chicken-Analogue Fried Patties	C-5
Ash Content of Chicken-Analogue Fried Patties.....	C-7
Carbohydrate Content of Chicken-Analogue Fried Patties	C-9
Dietary Fiber Content of Selected Chicken-Analogue Fried Patty Formulation	C-11
Appendix D. Physical Characteristics of Chicken-Analogue Fried Patties	
Hardness Characteristics of Chicken-Analogue Fried Patties	D-1
Springiness of Chicken-Analogue Fried Patties	D-3
Cooking Loss of Chicken-Analogue Fried Patties	D-5
Diameter Change of Chicken-Analogue Fried Patties.....	D-7
Lightness Value of Chicken-Analogue Fried Patties.....	D-9
°Hue Value of Chicken-Analogue Fried Patties	D-11
Expressible Moisture of Chicken-Analogue Fried Patties.....	D-13
Appendix E. Sensory Evaluation of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	
Scoring Questionnaire.....	E-1
Hedonic Questionnaire	E-2
Appendix F. Scoring Test Data on Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	
Scoring Color Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	F-1

Scoring Aroma Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	F-4
Scoring Taste Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	F-7
Scoring Hardness Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	F-10
Scoring Springiness Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	F-13

Appendix G. Hedonic Test Data on Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	
Hedonic Color Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	G-1
Hedonic Aroma Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	G-4
Hedonic Taste Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	G-7
Hedonic Hardness Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	G-10
Hedonic Springiness Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor	G-13
Hedonic Overall Acceptance Data of Chicken-Analogue Fried Patties Added with Artificial Chicken Flavor.....	G-16

Appendix J. Research Documentation	
Research Documentation	J-1

