

DAFTAR PUSTAKA

- Abdel-Aal, E. M., Rabalski, I., Hernandez, M., L'Hocine, L., Patterson, C. A., dan Hucl, P. 2019. Effect of sodium chloride, sucrose, and xanthan gum on pasting properties and gel syneresis of hairless canary seed starch. *Cereal Chemistry*, 96(5).
- Abeyasundara, A. T., Navaratne, S., Wickramasinghe, I., dan Ekanayake, D. 2015. Determination of Changes of Amylose and Amylopectin Content of Paddy during Early Storage. *International Journal of Science and Research (IJSR)*, 6(1): 6-391.
- Aini, N., Wijonarko, G., dan Sustriawan, B. 2016. Sifat Fisik, Kimia, dan Fungsional Tepung Jagung yang Diproses Melalui Fermentasi. *Agritech*, 36(2): 160-169.
- AOAC. 1995. "Official Methods of Analysis. Association of Official Analytical Chemists." Benjamin Franklin Station, Washington.
- AOAC. 2005. "Official Methods of Analysis. Association of Official Analytical Chemists." Benjamin Franklin Station, Washington.
- Baek, M. H., Yoo, B., dan Lim, S. T. 2004. Effects of sugars and sugar alcohols on thermal transition and cold stability of corn starch gel. *Food Hydrocolloids*, 18(1): 133-142.
- Baker, L. A. dan Rayas-Duarte, P. 1998. Freeze-Thaw Stability of Amaranth Starch and the Effects of Salt and Sugars. *Cereal Chemistry*, 75(3): 301-307.
- Bello-Pérez, L. A. dan Paredes-López, O. 1996. Starch and Amylopectin - Effects of Solutes on Clarity of Pastes. *Starch/Stärke*, 48(6): 205-207.
- Bello-Pérez, L. A., García-Suárez, F. J. L., dan Agama-Acevedo, E. 2007. Mango Carbohydrates. *Food*, 1(1): 36-40.
- Biliaderis, C. G. dan Prokopowich, D. J. 1994. Effect of polyhydroxy compounds on structure formation in waxy maize starch gels: A calorimetric study. *Carbohydrate Polymers*, 23(3): 193-202.
- Cai, X., Hong, Y., Gu, Z., dan Zhang, Y. 2011. The effect of electrostatic interactions on pasting properties of potato starch/xanthan gum combinations. *Food Research International*, 44(9): 3079-3086.
- Chantaro, P. dan Pongsawatmanit, R. 2009. Influence of sucrose on thermal and pasting properties of tapioca starch and xanthan gum mixtures. *Journal of Food Engineering*, 98(1): 44-50.

- Charoenrein, S. dan Muadklay, J. 2008. Effects of hydrocolloids and freezing rates on freeze-thaw stability of tapioca starch gels. *Food Hydrocolloids*, 22(7): 1268-1272.
- Chen, H., Wang, Y., Leng, Y., Zhao, Y., dan Zhao, X. 2014. Effect of NaCl and sugar on physicochemical properties of flaxseed polysaccharide-potato starch complexes. *ScienceAsia*, 40(1): 60-68.
- Chen, L., Tian, Y., Tong, Q., Zhang, Z., dan Jin, Z. 2017. Effect of pullulan on the water distribution, microstructure and textural properties of rice starch gels during cold storage. *Food Chemistry*, 214, 702-709.
- Costa, R. A. S., Bonomo, R. C. F., Rodrigues, L. B., Santos, L. S., dan Veloso, C. M. 2020. Improvement of texture properties and syneresis of arrowroot (*Maranta arundinacea*) starch gels by using hydrocolloids (guar gum and xanthan gum). *Journal of the Science of Food and Agriculture*, 100(7).
- Das, P. C., Khan, M. J., Rahman, M. S., Majumder, S., dan Islam, M. N. 2019. Comparison of the physico-chemical and functional properties of mango kernel flour with wheat flour and development of mango kernel flour based composite cakes. *NFS Journal*, 17: 1-7.
- El Saadany, R. M. A., Foda, Y. H., dan El Saadany, F. M. 1980. Studies on Starch Extracted from Mango Seeds (*Mangifera indica*) as a New Source of Starch. *Starch/Stärke*, 32(4): 113-116.
- Espinosa-Solis, V., Jane, J., dan Bello-Perez, L. A. 2009. Physicochemical Characteristics of Starches from Unripe Fruits of Mango and Banana. *Starch/Stärke*, 61(5): 291-299.
- Ezeigbo, O., Ukabi, C., Ike-Amadi, C., dan Ekaiko, M. 2015. Determination of starch and cyanide contents of different species of fresh cassava tuber in abia state, nigeria. *British Biotechnology Journal*, 6: 10-15.
- Feng, T., Gao, L., Zhuang, H., Ye, R., Xu, Z., Liu, Y., dan Bing, F. 2016. Effects of NaCl and CaCl₂ on Physical Properties of *Mesona Blumes Gum/Rice Starch Mixed Gel*. *Advance Journal of Food Science and Technology*, 12(3): 138-144.
- Gallant, D. J., Bouchet, B., Buléon, A., dan Pérez, S. 1992. Physical characteristics of starch granules and susceptibility to enzymatic degradation. *Eur J Clin Nutr.*, 46:S3–S16.
- Guo, K., Lin, L., Fan, X., Zhang, L., dan Wei, C. 2018. Comparison of structural and functional properties of starches from five fruit kernels. *Food Chemistry*, 257: 75-82.

- Hemavathy, J., Prabhakar, J. V. dan Sen, D. P. 1988. Drying and storage behavior of mango (*Mangifera indica*) seeds and composition of kernel fat. *Asean Food Journal*, 4(2): 59-65.
- Herawati, H. 2011. Potensi Pengembangan Produk Pati Tahan Cerna Sebagai Pangan Fungsional. *Jurnal Litbang Pertanian*, 30(1): 31-39.
- Hong, Y., Gu, Z., He, H., dan Zhang, Y. 2014. Effects of hydrocolloids on corn starch retrogradation. *Starch – Stärke*, 67(3-4).
- Ifmaily. 2018. Penetapan Kadar Pati Pada Buah Mangga Muda (*Mangifera Indica L*) Menggunakan Metode Luff Schoorl. *Jurnal Katalisator*, 3(2): 106-113.
- Kim, C. S. dan Walker, C. E. 1992. Changes in Starch Pasting Properties Due to Sugars and Emulsifiers as Determined by Viscosity Measurement. *Journal of Food Science*, 57(4): 1009-1013.
- Kittipoom, S. 2012. Utilization of Mango seed. *International Food Research Journal*, 19(4): 1325-1335.
- Klein, B., Pinto, V. Z., Vanier, N. L., Zavareze, E. R., Colussi, R., Evangelho, J. A., Gutkoski, L. C., dan Dias, A. R. G. 2013. Effect of single and dual heat-moisture treatments on properties of rice, cassava, and pinhao starches. *Carbohydrate Polymers*, 98: 1578-1584.
- Krüger, A., Ferrero, C., dan Zaritzky, N. E. 2003. Modelling corn starch swelling in batch systems: Effect of sucrose and hydrocolloids. *Journal of Food Engineering*, 58(2): 125-133.
- Lee, M. H., Baek, M. H., Cha, D. S., Park, H. J., dan Lim, S. T. 2002. Freeze-thaw stabilization of sweet potato starch gel by polysaccharide gums. *Food Hydrocolloids*, 16(4): 345-352.
- Lisboa, H. M., Ferreira, S., Araujo, T., Souza, N., Rodrigues, L., Pasquali, M., Trindade, G., dan Rocha, A. P. 2019. Physicochemical, morphological and antioxidant properties of spray-dried mango kernel starch. *Journal of Agriculture and Food Research*, 1: 100012.
- Lo, C. T. dan Ramsden, L. Effect of xanthan and galactomannan on the freeze/thaw properties of starch gel. *Food / Nahrung*, 44(3): 211-214.
- Lutfi, Z., Nawab, A., Alam, F., Hasnain, A., dan Haider, S. Z. 2017. Influence of xanthan, guar, CMC and gum acacia on functional properties of water chestnut (*Trapa bispinosa*) starch. *International Journal of Biological Macromolecules*, 103: 220-225.

- Lutfi, Z., Alam, F., Nawab, A., Haq, A., dan Hasnain, A. 2019. Effect of NaCl on physicochemical properties of xanthan gum – Water chestnut starch complexes. *International Journal of Biological Macromolecules*.
- Maldonado-Celis, M. E., Yahia, E. M., Bedoya, R. Landázuri, P., Loango, N., Aguillón, J., Restrepo, B., dan Ospina, J. C. G. 2019. Chemical Composition of Mango (*Mangifera indica L.*) Fruit: Nutritional and Phytochemical Compounds. *Front Plant Sci.*, (10: 1073).
- Mandala, I. G., Palogou, E. D., dan Kostaropoulos, A. E. 2002. Influence of preparation and storage conditions on texture of xanthan–starch mixtures. *Journal of Food Engineering*, 53: 27-38.
- Mandala, I. G. dan Bayas, E. 2004. Xanthan effect on swelling, solubility and viscosity of wheat starch dispersions. *Food Hydrocolloids*, 18(2): 191-201.
- Meireles, M. A. A. dan Alcázar-Alay, S. C. 2015. Physicochemical properties, modifications and applications of starches from different botanical sources. *Food Sci. Technol (Campinas)*, 35(2).
- Nawab, A., Alam, F., Haq, M. A., dan Hasnain, A. 2016. Effect of guar and xanthan gums on functional properties of mango (*Mangifera indica*) kernel starch. *International Journal of Biological Macromolecules*, 93(Pt A): 630-635.
- Nussinovitch, A. 1997. “Hydrocolloid Applications: Gum technology in the food and other industries.” Berlin, Springer Science+Business Media Dordrecht.
- Patil, P. D., Gokhale, M. V., dan Chavan, N. S. 2014. Mango Starch: Its Use and Future Prospects. *Innovare Journal of Food Sciences*, 2(1): 29-33.
- Philips, G. O. dan Williams, P. A. 2009. “Handbook of hydrocolloids, Second edition.” Boca Raton, CRC Press.
- Pracaya. 2004. “Bertanam Mangga.” Penebar Swadaya, Jakarta.
- Purnomo, Y. dan Winarti, S. 2006. “Olahan Biji Buah.” Tribus Agrisarana, Surabaya.
- Razavi, S. M. A. 2019. “Emerging Natural Hydrocolloids: Rheology and Functions.” New Jersey, John Wiley & Sons, Inc.
- Rizal, S., Sumarlan, S. H., dan Yulianingsih, R. 2013. Pengaruh Konsentrasi Natrium Bisulfat Dan Suhu Pengeringan Terhadap Sifat Fisik-Kimia Tepung Biji Nangka (*Artocarpus heterophyllus*). *Jurnal Bioproses Komoditas Tropis*, 1(2): 1-10.

- Singh, N., Kaur, M., Sandhu, K. S., dan Guraya, H. S. 2004. Physicochemical, morphological, thermal and rheological properties of starches separated from kernels of some Indian mango cultivars (*Mangifera indica L.*). *Food Chemistry*, 85: 131-140.
- Song, J., Kwon, J., Choi, J., Kim, Y., dan Shin, M. 2006. Pasting properties of non-waxy rice starch-hydrocolloid mixtures. *Starch/Stärke*, 58(5): 223-230.
- Song, J., Kim, Y., dan Shin, M. 2008. Textural Properties and Structures of Wheat and Maize Starch-Gum Mixed Gels During Storage. *Food Sci. Biotechnol.*, 17(1): 20-25.
- Sonthalia, M. dan Sikdar, D. C. 2015. Production of Starch from Mango (*Mangifera indica L.*) Seed Kernel and Its Characterization. *International Journal of Technical Research and Applications*. 3(3): 346-349.
- Tesfaye, T dan Sithole, B. 2020. Valorisation of Mango Seeds via Extraction of Starch: Using Response Surface Methodology to Optimise the Extraction Process. Chpt. 11 in “Opportunities for Biomass and Organic Waste Valorisation: Finding Alternative Solutions to Disposal in South Africa,” ed. Linda Godfrey, Johann F. Görgens, Henry Roman. Routledge, London.
- Thory, R. dan Sandhu, K. S. 2017. A Comparison of mango kernel starch with a novel starch from litchi (*Litchi chinensis*) kernel: Physicochemical, morphological, pasting, and rheological properties. *International Journal of Food Properties*, 20(4): 911-921.
- Wang, W., Zhou, H., Yang, H., dan Cui, M. 2016. Effects of salts on the freeze-thaw stability, gel strength and rheological properties of potato starch. *J Food Sci Technol.*, 53(9): 3624-3631.
- Wüstenberg, T. 2015. “Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals and Applications, First Edition.” Weinheim, Wiley-VCH Verlag GmbH & Co. KGaA.
- Yadav, D. dan Singh, SP. 2017. Mango: History origin and distribution. *Journal of Pharmacognosy and Phytochemistry*, 6(6): 1257-1262.
- Yadav, D., Singh, KS., dan Singh, SP. 2018. Mango: Taxonomy and botany. *Journal of Pharmacognosy and Phytochemistry*, 7(2): 3253-3258.
- Yamazaki, E., Sago, T., Kasubuchi, Y., Imamura, K., Matsuoka, T., Kurita, O., Nambu, H., dan Matsumura, Y. Improvement on the freeze-thaw stability of corn starch gel by the polysaccharide from leaves of *Corchorus olitorius L.* *Carbohydrate Polymers*, 94: 555-560.

- Yang, H., Cui, M., Zhou, H., Wang, C., Shi, L., dan Chang, T. 2014. Effects of salts on physicochemical, microstructural and thermal properties of potato starch. *Food Chemistry*, 156: 137-143.
- Yatnatti, S. dan Vijayalakshmi, D. 2018. Study of Soup Mix Incorporated with Starch Extract from Mango “*Mangifera indica*” Seed Kernels. *Current Research in Nutrition and Food Science*, 6(3): 816-825.
- Zhang, C., Lim, S., dan Chung, H. 2019. Physical modification of potato starch using mild heating and freezing with minor addition of gums. *Food Hydrocolloids*, 94.

