

## DAFTAR PUSTAKA

- Ahmad M., Anwar–Ul–Hassan G., Khalid A., Viqar Uddin A. 1993. Effects of kaempferol–3–O–rutinoside on rat blood pressure. *Phytotherapy Research*, 7: 314–316.
- Ainsworth, E. A. & Gillespie, K. M. 2007. Estimation of total phenolic content and other oxidation substrates in plant tissues using Folin-Ciocalteu reagent. *Nature Protocols*, 2:875-877.
- Aljamali, N. 2015. Identification methods of unknown. *International Journal of Medical Research and Pharmaceutical Sciences*, 2: 4.
- Anne W & Patel, M. 2004. Naringenin inhibits glucose uptake in MCF-7 breast cancer cells: A mechanism for impaired cellular proliferation. *Breast Cancer Research and Treatment*, 85 (2): 103–110.
- Arts, I & Hollman, P. 2005. Polyphenols and disease risk in epidemiologic studies. *The American Journal of Clinical Nutrition*, 81: 317–325.
- Athira, U. 2017. Evaluation of carbohydrate and phenol content of citrus fruits species. *International Journal of Applied Research*, 3: 160-164.
- Baek, J., Lee, H., Kang, K. & Kim, K. 2017. Chemical constituent from the fruit of *Citrus unshiu* and their inhibitory effects on acetylcholinesterase. *Journal of Chemistry and Chemical Engineering*, 36: 15-22.
- Bag, G., Devi, P., Bhaigyabati, T. 2014. Assesment of total flavonoid content and antioxidant activity of methanolic rhizome extract of three *Hedycium* species of Manipur Valley. *International Journal Pharmacology Science*, 28: 154- 159.
- Bagchi, K & Puri, S. 1998. Free radicals and antioxidants in health and disease. *La Revue de Sante de la Mediterranee orientale*, 4: 350-360.
- Balitjestro. 2012. Tren Jeruk Impor dan Posisi Indonesia sebagai Produsen Jeruk Dunia. Retrieved from Balai Penelitian Tanaman Jeruk dan Buah Subtropika: <http://balitjestro.litbang.pertanian.go.id/trend-jeruk-impordan-posisi-indonesia-sebagai-produsen-jeruk-dunia/> (28 September 2017).
- Banerjee, S & Mazumdar, S. 2012. Electrospray ionization mass spectrometry: A technique to access the information beyond the molecular weight of the analyte. *International Journal of Analytical Chemistry*, 12: 456-478.
- Barrion, A., Hurtada, W., Papa, I., Zulayvar, T & Ye, M. 2014. Phytochemical composition, antioxidant and antibacterial properties of pummelo (*Citrus maxima* (Burm) Merr) against *Escherichia coli* and *Salmonella typhimurium*. *Food and Nutrition Science*, 5: 749- 758.
- Bendary, E., Francis, R & Hady, S. 2013. Antioxidant and structure activity relationship (SARs) of some phenolic and aniline compounds. *Annal of Agricultural Sciences*, 58: 173- 181.

- Bierhaus, A., Hofmann, M., Ziegler, R. & Nawroth, P. 1998. AGEs and their interaction with AGE-receptor in vascular disease and diabetes melitus. *Cardiovascular Research*, 37: 586- 600.
- Bocco A, Cuvelier M E, Richard H, Berset C. 1998. Antioxidant activity and phenolic composition of citrus peel and seed extracts. *Journal of Agricultural and Food Chemistry*: 46, 2123–2129.
- Boesl, U. 2016. Time-of-flight mass spectrometry: Introduction to the basics. *Mass Spectrometry Reviews.*, 3: 306-309.
- Brett, G., Hollands, W., Needs, P. Teucher, B., Dainty, J., Davis, B., Brodbelt, J & Kroon, P. 2009. Absorbtion, metabolism and excretion of flavanones from single portions of orange fruit and juice and effects of anthropometric variables and contraceptive pill use on flavanone creationon. *The British Journal of Nutrition*, 101: 664-675.
- Brickell, C., Alexander, C., Cubey, J., & David, M. 2016. *International Code Nomenclature for Cultivated Plants*, ISHS.
- Brito, A., Ramirez, J., Areche, C & Simirgiotis, M. 2014. HPLC-UV-MS profiles of phenolic compounds and antioxidant activity of fruits from three citrus species consumed in Northern Chile. *Molecules*, 19: 17400-17421.
- Brown, J., Khodr, H Hider, C & Rice-Evans, C. 1998. Structural dependence of flavonoid interactions with Cu<sup>2+</sup> ions: implications for their antioxidant properties. *Biochemical Journal*, 33:1173–1178.
- Brownlee, M. (2001) Review article biochemistry and molecular cell biology of diabetic complications. *Nature*, 414: 813-820.
- Chávez, R. 2017. Phenolic antioxiant capacity: A review of the state of the art. Chapter 4.
- Chiang, H., Lin, J., Hsiao, P., Tsai, S. & Wen, K. 2011. Hydrolysates of citrus plants stimulate melanogenesis protecting against UV-induced dermal damage. *Phytotherapy*, 25: 569-76.
- Chinese Pharmacopoeia Commission. 2005. *Pharmacopoeia of the People's Republic of China*. People's Medical Publishing House: Beijing
- Clarke, W. 2017. Mass spectrometry in the clinical laboratory: determining the need and avoiding pitfalls. *Mass Analyzer*, 2: 67-72.
- Cole, G. M., Lim G.P., Yang F., Teter B., Begum A., Ma Q., Harris White M.E & Frautschy S.A. 2005. Prevention of Alzheimer's disease: Omega-3 fatty acid and phenolic antioxidant interventions. *Neurobiology of Aging*, 26: 133-136.
- D'Archivio, M., Filesi, C., Benedetto, R. I., Gargiulo, R., Giovannini, C. & Masella R. 2007. Polyphenols, dietary sources and bioavailability. *Ann Ist Super Sanità*, 43(4): 348-361.

- David, A., Arulmoli, R & Parasuraman, S. 2016. Overviews of biological importance of quercetin: a bioactive flavonoid. *Pharmacognosy Review*, 10: 84- 89.
- Di Majo, D., Giammaco, M., Guardia, M. & Finotti, E. 2005. Flavanones in citrus fruit: structure- antioxidant activity relationship. *Food Research International*. 38:1161- 1166.
- Diaconu, C., Vlase, L. & Filip, L. 2017. Assesment of flavonoid content in citrus juices using LC/MS method. *Farmacia*, 65: 92-96.
- Dried Blood Spot Laboratory. *Compound Detection by LC-MS/MS*. Retrieved from Dried Blood Spot Laboratory: <http://www.dbsl.nl/analyzing-methods/> (12 Maret 2018)
- Dugas, A., Acosta, J., Bonin, G., Price, K & Fischer, N. 2000. Evaluation of the total peroxy radical scavenging capacity of flavonoids: structure-activity relationship. *Journal of Natural Products*, 63: 327- 331.
- Duthie, G.G., Gardner, P.T & Kyle, J.A., 2003. Plant polyphenols: are they the new magic bullet? *The Proceedings of Nutrition Society*, 62: 599–603.
- Ellong, E., Billard, C., Adenet, S & Rochefort, K. 2015. Polyphenols, carotenoids, vitamin C content in tropical fruit and vegetables and impact of the processing methods. *Food and Nutrition Science*, 6: 299- 313.
- Escobedo, Z., Uribe, J., Fragoso, A & Torres, J. 2014. Phytochemical and antioxidant activity of juce, flavedo, albedo, and comminuted orange. *Journal of Functional Foods*, 6: 470- 481.
- European Molecular Biology. 2018. *Kaempferol 3-O-rutinoside*. Retrieved from European Molecular Biology: <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:69657> (21 Mei 2018).
- Farvid, M., Chen, W., Michaels, K., & Cho, E. 2016. Fruit and vegetable consumption in adolescence and early adulthood and risk of breast cancer: population-based cohort study. *BMJ*, 353: 1-5.
- Fidrianny, I., Sari, E & Ruslan, K. 2016. Phytochemical content and antioxidant activities in different organ of pomelo using 2,2-diphenyl-1-picrylhydrazyl and phosphomolybdenum assays. *Asian Journal of Pharmaceutical and Clinical Research*, 9: 185-190.
- Fikrina, W., Susanto, S., Efendi, D & Melati, M. 2015. Studi on fruit quality of selected seeded pummelo cultivars and its relationship with antioxidant activity content during storage period. *Journal of Agricultural Science*, 37: 1-9.
- Food and Agriculture Organization. 2015. *FAO Statistical Pocketbook: Food and Agriculture Organization of the United Nations*, Rome.

- Fraga, C., Galleano, M & Verstraeten, S. 2010. Basic biochemical mechanisms behind the health benefits of polyphenols. *Molecular Aspects of Medicine*, 31: 435- 445.
- Gattuso, G., Barreca, D., Gargiulli, C., Leuzzi, U. & Caristi, C. 2007. Flavonoid Composition of *Citrus* Juices. *Molecules*, 12:1641-1673.
- Ghasemi, K., Ghasemi, Y & Ali, M. 2009. Antioxidant activity, phenol, and flavonoid contents of 13 citrus species peels and tissues. *Journal Pharmacy Science*, 22: 227- 281.
- Gomes-Rochette, N., Silveira, D., Nabavi, S., Mota, E., Pinheiro, D & Daglia, M. Fruit as potent natural antioxidants and their biological effects. *Current Pharmacy Biotechnology*, 17: 986-993.
- Gorinstein, S., Kruszewska, H., Poovarodom, S & Tashma, Z. 2011. Antioxidant properties and bioactive constituents of some rare exotic Thai fruits and comparison with conventional fruits: in vitro and in vivo studies. *Food Research International*, 44: 2222-2232.
- Ho, C., Lam, C., Chan, I & Cheung, R. 2003. Electrospray ionization mass spectrometry: principal and clinical applications. *Clinical Biochemist Reviews*, 24: 3-12.
- Huang, D., Ou, B. & Prior, R. 2005. The chemistry behind antioxidant capacity assays. *Journal of Agriculture and Food Chemistry*, 53: 1841- 1856.
- Hussain, T., Tan, B., Yin, Y & Blachier, F. 2016. Oxidative stress and inflammation: What polyphenols can do for us? *Oxidative Medicine*, 3: 187-195.
- Huynh, L. & Nguyen, P. 2013. Chemical composition and functional properties of Vietnamase pomelo peel's essential oil extracted by coldpressing and vaccum hydrodistillation methods. *Journal of Essential Oil Bearing Plants*, 18: 806- 817.
- Imeh, U & Khokhar, S. 2002. Distribution of conjugated and free phenols in fruits: antioxidant activity and cultivar variations. *Journal Agriculrute and Food Chemical*, 50: 6301.
- Ioannone, F., Miglio, C., Raguzzini, M & Serafini, M. 2013. Flavonoid and immune function. *Diet, Immunity, and Inflammation*, 379- 415.
- Isabelle, M., Lee, B. L., Lim, M. T., Koh, W. P., Huang, D. and Ong, C. H. 2010. Antioxidant activity and profiles of common fruits in Singapore. *Food Chemistry* 123: 77–84.
- Kanno, S., Tomizawa, A., Hiura, T., Osanai, Y., Shouji, A., Ujibe, M., Ohtake, T., Kimura I. 2005. Inhibitory effects of naringenin on tumor growth in human cancer cell lines and sarcoma S-180-implanted mice. *Biological and Pharmaceutical Bulletin*, 28 (3): 527–530.

- Kementerian Pertanian. 2005. *Prospek dan Arah Pengembangan Agrobisnis Jeruk*. Retrieved from Badan Litbang Pertanian: [http://www.litbang.pertanian.go.id/special/publikasi/doc\\_hortikultura/jeruk/jeruk-bagian-b.pdf](http://www.litbang.pertanian.go.id/special/publikasi/doc_hortikultura/jeruk/jeruk-bagian-b.pdf) (3 Maret 2017).
- Kementerian Pertanian. 2016. *Outlook Jeruk*. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Khanam, Z., Ching, C. H., Zakaria, N. H. M., Sam, K. H. & Bhats, I. U. H. 2014. Phytochemical analyses and DNA cleavage activity of *Citrus maxima* fruit. *International Conference on Chemistry and Environmental Sciences Research*, 1:82-88.
- Kim, Y., Young, M. & Bobe, N. 2009. Bioactive food components, inflammatory targets, and cancer prevention. *Cancer Prevention Research*, 2: 200- 209.
- King Saud University. 2016. *Flavonoid Extraction*. Retrieved from King Saud University:[http://fac.ksu.edu.sa/sites/default/files/exp.03\\_flavonoids\\_extraction\\_0.pdf](http://fac.ksu.edu.sa/sites/default/files/exp.03_flavonoids_extraction_0.pdf) (17 Januari 2017).
- Kumar, S & Pandey, A. 2013. Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal*, 3:1-16.
- Li, B.B., Smith, B. & Hossain M. 2006. Extraction of phenolics from citrus peels I. Solvent extraction method. *Separation and Purification Technology*, 48:182-188.
- Lim, Y., Lim, T & Tee, J. 2007. Antioxidant properties of several tropical fruits: A comparative studies. *Food Chemistry*, 103: 1003-1008.
- Lim, T.K. 2012. *Edible Medicinal and Non-Medicinal Plants*. New York: Springer.
- Lima, G. P., Vianello, F., Correa, C., Campos, R. & Borguini M. 2014. Polyphenols in Fruits and Vegetables and Its Effect on Human Health. *Food and Nutrition Sciences*, 5: 1065-1082.
- Liu, X., Luo, R., Wu, B & Zhang. 1996. Flora of China. *Science Press*, 30:178-181.
- Lobo, V., Phatak, A & Chandra, N. 2010. Free radicals, antioxidant and function foods: Impact on human health, 8: 118-126.
- Lu, Y & Chen, D. F. 2009. Analysis of *Schisandra chinensis* and *Schisandra sphenanthera*. *Journal of Chromatography*, 1216: 1980–1990.
- Ma, Y., Liu, Y., Sun, A., Du, Y., Ye, M., Pu, X & Qi, X. 2017. Intestinal absorption and neuroprotective effects of kaempferol-3-O-rutinoside. *Royal Society of Chemistry*, 50: 31408-31416.
- Machets, J., Fleurlet, A & Billot, J. 1990. *Fruit Phenolics*. USA: CRC Press.
- Manner H. I., Buker R. S. & Smith V. E. 2006. Citrus species (citrus): Species Profiles for Pacific Island Agroforestry, Permanent Agriculture Resources (PAR), Hawaii, 1–35.

- Manthay, JA., Grohmann, K., Guthrie N. 2001. Biological properties of citrus flavanoids pertaining to cancer and inflammation. *Current Medical Chemistry*, 8:135–153.
- McCord, J. 2000. The evolution of free radicals and oxidative stress. *American Journal of Medicine*, 108:652-659.
- Middelton E. 1998. Effect of plant flavonoids on immune and inflammatory cell function. *Flavonoids in the Living System*. Plenum Press; New York.
- Minoggio, M., Bramati, L., Simonetti, P., Gardana, C., Iemoli, L., Santangelo, E., Mauri, P., Spigno, P. & Soressi, G. 2003. Polyphenol pattern and antioxidant activity of different tomato lines and cultivars. *Annals of Nutrition & Metabolism*, 47: 64–69.
- Monica, B & Ioana, G. 2012. Antioxidant (antiradical) compounds. *Journal of Bioequivalence & Bioavailability*, 45: 181-189.
- Nogata, Y., Sakamoto, K., Shiratsuchi, H., Ishii, T., Yano, M. & Ohta, H. 2006. Flavonoid composition of fruit tissues of citrus species. *Bioscience, biotechnology and biochemistry*, 70:178-192.
- Nugroho, A. 2017. Identification and quantification of flavonoids in Carica papaya leaf and peroxynitrite-scavenging activity. *Asian Pacific Journal of Tropical Biomedicine*, 6:99-108.
- Oboh, G & Ademosun, A. 2012. Characterization of the antioxidant properties of phenolic extracts some citrus peels. *Journal Food Science Technology*, 6: 729-736.
- Pandey, A & Tripathi, S. 2014. Concept of standardization, extraction, and phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy*, 5: 115- 119.
- Papadopoulos, K. 2008. Food Chemistry Research and Development. Nova Science Publisher: New York.
- Parmar, H & Kar, A. 2007. Antidiabetic potential of *Citrus sinensis* and *Punica granatum* peel extracts in alloxan treated male mice. *Biofactors*, 31: 17-24.
- Pękal, A & Pyrzynska, K. 2013. Application of free radical diphenylpicrylhydrazyl (DPPH) to estimate the antioxidant capacity of food samples. *Analytical Methods*, 17: 27- 38.
- Piluzza, G & Bullitta, S. 2011. Correlation between phenolic content and antioxidant properties in twenty-four plant species of traditional ethnoveterinary use in the Mediterranean area. *Pharmaceutical Biology*, 3: 240-247.
- Pitt, J. 2009. Principles and application of liquid chromatography- mass spectrometry in clinical biochemistry. *Clinical Biochem Reviews*, 30, 19-34.

- Rahayu, A., Susanto, S., Purwoko, B., Saraswati, I. 2012. Karakter morfologi dan kimia kultivar pamelo (*Citrus maxima* Burm. Mer) berbiji dan tanpa berbiji. *Jurnal Agron Indonesia*, 1: 48-55.
- Ramful, D., Tarnus, E., Aruona, O. I., Bourdon, E. and Bohorun, T. 2011. Polyphenol composition, vitamin C content and antioxidant capacity of Mauritian citrus fruit pulps. *Food Research International*, 44: 2088–2099.
- Ratna, S., Subandiyah, S., Rugayah, Daryono, B & Nugroho, L. 2013. Assesment of taxonomic affinity of Indonesia pumello (*Citrus maxima* Burm Merr.) based on morphological characteristics. *American Journal of Agricultural*, 8: 182-190.
- Rauha, J., Remes, S., Heinonen, M., Hopia, A., Kähkönen, M., Kujala, P. 2000. Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology*, 56 (1): 3–12.
- Reshef, N., Hayari, Y., Goren, C., Boaz, M., Madar, Z. & Knobler, H. 2005. Antihypertensive effect of sweetie fruit in patients with stage I hypertension. *American Journal of Hypertension*, 18: 1360–1363.
- Rice-Evans, C., Miller J & Paganga, G. 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*, 20: 933–956.
- Robbins, R. J. 2003. Phenolic acids in foods: An overview of analytical methodology. *Journal of Agricultural and Food Chemistry*, 51: 2866–2887.
- Sánchez, J., Garcia, R. & Cors, M. 2010. 1,1-Diphenyl-2-picrylhydrazyl radical and superoxide anion scavenging activity of *Rhizophora mangle* (L.) bark. *Pharmacognosy Research*, 5: 279- 284.
- Sánchez-Rabameda, F., Jáuregui, O., Casals, I., Andrés-Lacueva, C., Izquierdo-Pulido & Lamuela-Raventós, R. 2003. Liquid chromatographic/electrospray ionization tandem mass spectrometric study of the phenolic composition of cocoa (*Theobroma cacao*). *Journal of Mass Spectrometry*, 38 (1): 35–42.
- Sanmartin, S., Otero, S., Sellero, S & Alvarez, M. 2011. Antioxidant properties of dimethyl sulfoxide and its viability as a solvent in the evaluation of neuroprotective antioxidants. *Journal Pharmacology Toxicology Merthods*, 2: 209- 215.
- Sarker, S. D., Latif, Z. & Gray, A. I. 2005. *Natural Products Isolation 2<sup>nd</sup> Edition*. New Jersey: Humana Press. pp. 46.
- Scalbert, A & Williamson, G. 2000. Dietary intake and bioavailability of polyphenols. *Journal of Nutritio*, 130: 2073-2085.
- Shahidi, F & Naczak, M. 2004. *Phenolics in Food and Nutraceuticals*. CRC Press LLC.

- Shan, Y. 2016. *Comprehensive Utilization of Citrus By-Products*. Elsevier: Amsterdam.
- Sharififar, F., Nudeh, G. & Mirtajaldini, M. 2009. Major flavonoids with antioxidant activity from *Teucrium polium* L. *Food Chemistry*, 112: 885-888.
- Song, Y., Tong, L., Ma, K., Wang, L., Li, G., Liu, F. & Wu, Y. 1995. *Species Systematization and Quality Evaluation of Commonly Used Chinese Traditional Drugs, North-China* Ed., vol. 2, Beijing Medical University & Peking Union Medical College Press: Beijing.
- Sugumaran, K., Zakaria, N., Abdullah, R & Jalani, N. 2017. Optimization of antimicrobial activity of flavonoid extracts from pomelo (*Citrus grandis*) peel as food wrap. *American Institute of Physics*, 20: 1-7.
- Surinrut, P., Kaewsutthi, S. & Surakarnkul, R. 2005. Radical scavenging activity in fruit extracts. *Acta Horticultura*, 679: 201- 203.
- Susanto, S. 2013. Botani dan Kajian Kekerabatan Kultivar Pamelu. Retrieved from Institut Pertanian Bogor: [http://repository.ipb.ac.id/jspui/bitstream/123456789/66413/4/Bab %203%20Ragam%20Pamelu.pdf](http://repository.ipb.ac.id/jspui/bitstream/123456789/66413/4/Bab%203%20Ragam%20Pamelu.pdf) (22 September 2017).
- Susanto, S., Rahayu, A., Purwoko, B. & Dewi, I. 2011. Karakter morfologi dan kimia kultivar pamelu (*Citrus maxima* (Burm) Merr.) berbiji dan tanpa biji. *Journal Agron Indonesia*, 40: 48-55.
- Terpstra, A., Lapre, J & Beynen, A. 2002. The hypocholesterolemic effect of lemon peels, lemon pectin, and the waste stream material of lemon peel in hybrid F1B hamsters. *Europe Journal Nutrition*, 41: 19-26.
- Thorat, I., Jagtap, D., Mohapatra, D & Joshi, D. 2013. Antioxidants, their properties, uses in food products and their legal implications. *International Journal of Food Studies*, 2: 81-104.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G. & Kaur, H. 2011. Phytochemical screening and Extraction: A Review. *Internationale Pharmaceutica Scientia*, 1:98-106.
- Toh, J. J., Kho, H. E. & Azrina, A. 2013. *International Food Research Journal*, 20:1661-1668. Comparison of antioxidant properties of pomelo [*Citrus grandis* (L) Osbeck] varieties
- Tsai, H., Chang, S & Chang, S. 2007. Antioxidant content and free radical scavenging activity of fresh red pummelo [*Citrus grandis* (L) Osbeck] juice and freeze-dried products. *Journal of Agricultural and Food Chemistry*, 55:2867- 2872.
- Tsao, R. 2010. Chemistry and Biochemistry of Dietary Polyphenols. *Nutrients*, 2:1231-1246.



- Vijaylakshmi, P & Radha, R. 2015. An overview: *Citrus maxima*. *The Journal of Phytopharmacology*, 4: 263- 267.
- Vasquez, L.C., Alañón, M.E., Robledo, V., Coello, M.S., Gutierrez, I., Moroto, M., Jordan, J., Galindo, M., & Jiménez, M.M. 2016. Bioactive flavonoids, antioxidant behavior, and cytoprotective effects of dried grapefruit peels (*Citrus paradise* Macf.). *Oxidative Medicine and Celular Longevity*, 2:1-12.
- Wang, H., Cao, G & Prior, R. 1996. Total antioxidant capacity of fruits. *Journal Agriculture Food Chemical*, 44: 701- 705.
- Wang, H., Nair, M., Strasburg, G., Booren, A. & Gray, J. 1999. Antioxidant polyphenols from tart cherries (*Prunus cerasus*). *Journal of Agricultural and Food Chemistry*, 47: 840–844.
- Wang, S. 2003. Antioxidant capacity of berry crops, culinary herbs and medicinal herbs. *Acta Holticultura*, 620: 461-473.
- Wang, X., Ouyang, Y., Liu, J. & Zhao, G. 2014. Flavonoid intake and risk of CVD: A systematic review and meta-analysis of prospective cohort studies. *British Journal of Nutrition*, 111: 1–11.
- Wang, Y., Chuang, Y & Hsu, H. 2008. The flavonoid, carotenoid and pectin content in peels of citrus cultivated in Taiwan. *Food Chemistry*, 106: 277-284.
- Wu, S., Ng, C., Tzeng, W., Ho, K. & Shyu, Y. 2011. Functional antioxidant and tyrosinase inhibitory properties of extracts of Taiwanase pummelo (*Citrus grandis*). *African Journal of Biotechnology*, 10: 7668- 7674.
- Xi, W., Fang, B., Zhao, Q., Jiao, B. & Zhou, Q. 2014. Flavonoid composition and antioxidant activities of Chinese local pummelo (*Citrus grandis* Osbeck) varieties. *Food Chemical*, 161: 230- 238.
- Xie, W., Zhao, Y & Zhang, Y. 2011. Traditional Chinese medicines in treatment of patients with type 2 diabetes mellitus. *Hindawi Publishing Corporation*, 11:167-177
- Yang, X., Kang, S.M., Jeon, B.T., Kim, Y.D., Ha, J.H., Kim, Y.T & Jeon, Y.J. 2011. Isolation and identification of an antioxidant flavonoid compound from citrus-processing by-product. *Journal Science Food Agriculture*, 91(10):1925-7.
- Yao, L., Jiang, Y., Shi, J., Datta, F & Siinganusong, R. 2004. Flavonoid in food and their health benefits. *Plant Food for Human Nutrition*, 59: 113- 122.
- Yoshikawa, M., Murakami, T., Ishiwada, T., Morikawa, T., Kagawa, M. & Matsuda, H. 2002. New flavonol oligoglycosides and polyacylated sucroses with inhibitory effects on aldose reductase and platelet aggregation from the flowers of *Prunus mume*. *Journal of Natural Products*, 65: 1151-1155.

- Yu, E., Kim, G., Lee, J., Park, S., Yi, S., Lee, S., Kim, J., Jin, J., Aty, A & Shim, J. 2014. Flavonoid profiles of immature and mature fruit tissues of *Citrus grandis Osbeck* (Dangyuja) and overall contribution to the antioxidant effect. *Biomedical Chromatograph*, 29:590-594.
- Zefang, L., Zhao, Z., Hongmei, W & Jie, Y. 2016. Phenolic composition and antioxidant capacities of Chinese Local Pummelo Cultivars' Peel. *Horticultural Plant Journal*, 2: 133-140.
- Zhang, L., Song, L., Zhang, P & Lin, R. 2015. Solubilities of naringin and naringenin in different solvents and dissociation constants of naringenin. *Journal of Chemical and Engineering Data*, 60: 932-940.
- Zhang, Y., Sun Y., Xi W., Shen Y., Qiao L., Zhong L., YeX & Zhou Z. 2014. Phenolic compositions and antioxidant capacities of Chinese wild mandarin (*Citrus reticulata* Blanco) fruits. *Food Chemistry*, 145: 674-680.
- Zhao, L., Wem, E., Upur, H & Tian, S. 2017. High performance liquid chromatography-Diode Array Detector method for the simultaneous determination of five compounds in the pulp and seed of sea buckthorn. *Pharmacognosy Magazine*, 13: 136-140.
- Zheng, J., Zhao, Q., Zhang, Y & Jiao, B. 2014. Simultaneous determination of main flavonoids and phenolic acid in citrus fruit by ultra performance liquid chromatography. *Science Agricultural*, 47: 4706- 4717.
- Zoratti, L., Karpinen, K & Jaakola, L. 2014. Light-controlled flavonoid biosynthesis in fruits. *Frontiers in Plant Science*, 5: 534.