

## ACKNOWLEDGEMENTS

Praise God the almighty for His blessing and guidance that had been given unto the author during preparation, research, and completion of this thesis report entitled “EFFECT OF CARBOXYMETHYL CELLULOSE (CMC) AND EGG CONCENTRATION ON NOODLE ANALOGUE CHARACTERISTICS”.

This thesis report is written based on the research that was conducted from August 2020 to December 2020. This thesis report is written as partial fulfillment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian* Food Technology Study Program at Pelita Harapan University. This thesis report is also useful for the author to apply the knowledge that has been gained and to obtain new experiences.

This thesis report would not be completed without the support, assistance, prayers, and guidance from many parties during laboratory experiment and completion of this report. Therefore, the author would like to express the greatest gratitude to those parties, whether directly or indirectly, including:

1. Eric Jobiliong, Ph.D., as the Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
2. Dr. Nuri Arum Anugrahati, S.Si., MP., as the Vice Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
3. Laurence, S.T., M.T., as the Director of Faculty Administration and Student Affairs, Universitas Pelita Harapan.
4. Ir. Wilbur Donald Raymond Pokatong, Ph.D., as the Head of Food Technology Department, Faculty of Science and Technology, Universitas Pelita Harapan.
5. Ratna Handayani, MP., as the Deputy Head of Food Technology Department, Faculty of Science and Technology, Universitas Pelita Harapan.
6. Yuniwaty Halim, M.Sc., as the author's Thesis Supervisor and as the Head of Quality Control Laboratory for the time, guidance, support throughout the thesis program and completion of the report, and for the chance that has been given to author to conduct the thesis research in the laboratory.

7. Natania, M.Eng., as the Head of Food Processing Technology Laboratory for the chance that has been given to author to conduct the thesis research in the laboratory.
8. Mr. Paoji, Mr. Adih, Mr. Regy, and Mr. Darius as the laboratory assistant who have given many helps to the author during the thesis research.
9. All of the lecturers and staffs of Food Technology Department who have helped and given many knowledges to the author during the thesis research.
10. Parents, Ida Bagus Komang Ardika and Merry Liong, as well as sister and brother, Ida Ayu Putu Liangga Dewi and Ida Bagus Made Arya Permana, as the beloved family of the author for the support, time, prayers, and criticisms during the thesis program.
11. Danang Aji Prasetyo, Firena Setyanti Merrylynda Simanjuntak, Nindita Pratama, Salsabila Dhia Karendrarswari, Muhammad Rifky Fajriansyah, Diandra Tirta Kusuma, Irene Natasha, and Febiana Christy as best friends of author who gave endless supports, motivations, time, prayers, and consolations for the author during the lecture period, thesis research, and completion of this report.
12. Clara Tasia, Madeleine Gracia, and Laurensia Leonnie as seniors of the author who have given supports, information, and motivation during lecture period, thesis program, and completion of this report.
13. 2017 C friends who have given supports, information, prayers, and motivation during lecture period.
14. 2017 A and B friends who have given supports and helps during lecture period and thesis program.
15. All friends and relatives who had not been mentioned but also took part in supporting the author during completion of thesis program and report.

The author is aware that this report is not perfect, and the author apologizes if the author might have done some faults during the thesis program and completion of this report. The author would gladly accept any criticisms and suggestions given

to this report. Finally, the author hopes that this report would be useful for the readers. Thank you.

Tangerang, January 21<sup>st</sup>, 2021

(Ida Ayu Komang C. D.)





3.3.2	Water Absorption (Kraithong <i>et al.</i> , 2019).....	22
3.3.3	Texture Analysis (Putra, 2008).....	23
3.3.6	Tensile Strength and Elongation (Sun <i>et al.</i> , 2019; Nouri <i>et al.</i> , 2015).....	23
3.3.5	Sensory Test (Tarwendah, 2017).....	24
3.3.5.1	Hedonic Test.....	24
3.3.5.2	Paired Comparison Test.....	24
3.3.6	Proximate Analyses.....	25
3.3.6.1	Moisture Content (AOAC, 2005).....	25
3.3.6.2	Protein Content (AOAC, 2005).....	25
3.3.6.3	Total Fat Content (AOAC, 2005).....	26
3.3.6.4	Ash Content (AOAC, 2005).....	27
3.3.6.5	Total Carbohydrate Content (AOAC, 2005).....	27
CHAPTER IV RESULTS AND DISCUSSIONS.....		28
4.1	Characteristics of Noodle Analogue with Variation of CMC and Egg Concentration.....	28
4.1.1	Cooking Loss.....	28
4.1.2	Water Absorption.....	30
4.1.3	Hardness.....	32
4.1.4	Adhesiveness.....	33
4.1.5	Springiness.....	34
4.1.6	Cohesiveness.....	36
4.1.7	Tensile Strength.....	38
4.1.8	Elongation.....	39
4.1.9	Hedonic Test.....	41
4.1.9.1	Taste.....	41
4.1.9.2	Aroma.....	42
4.1.9.3	Chewiness.....	43
4.1.9.4	Hardness.....	44
4.1.9.5	Adhesiveness.....	45
4.1.9.6	Overall Acceptance.....	45
4.1.10	Determination of the Best Concentration of CMC and Egg on Noodle Analogue Characteristics.....	46
4.2	Comparison of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle.....	47
4.2.1	Proximate Analyses.....	47
4.2.2	Cooking Loss and Water Absorption.....	50
4.2.3	Texture.....	51
4.2.4	Paired Comparison Test.....	53
CHAPTER V CONCLUSIONS AND SUGGESTIONS.....		56
5.1	Conclusions.....	56
5.2	Suggestions.....	57
BIBLIOGRAPHY.....		568



## LIST OF FIGURES

	page
Figure 3.1	Flow chart of noodle production process.....18
Figure 4.1	Effect of concentration of CMC and egg on cooking loss of noodle analogue.....29
Figure 4.2	Effect of concentration of CMC and egg on water absorption of noodle analogue.....31
Figure 4.3	Effect of concentration of CMC and egg on hardness of noodle analogue.....32
Figure 4.4	Effect of concentration of CMC and egg on adhesiveness of noodle analogue.....34
Figure 4.5	Effect of concentration of CMC on springiness of noodle analogue.....35
Figure 4.6	Effect of concentration of CMC and egg on cohesiveness of noodle analogue.....37
Figure 4.7	Effect of concentration of CMC and egg on tensile strength of noodle analogue.....38
Figure 4.8	Effect of concentration of CMC and egg on elongation of noodle analogue.....40
Figure 4.9	Effect of concentration of CMC and egg on taste of noodle analogue.....41
Figure 4.10	Effect of concentration of CMC and egg on chewiness of noodle analogue.....43
Figure 4.11	Effect of concentration of CMC and egg on hardness of noodle analogue.....44
Figure 4.12	Effect of concentration of CMC and egg on overall acceptance of noodle analogue.....46

## LIST OF TABLES

	page
Table 2.1	Chemical composition of rice flour per 100 grams..... 8
Table 2.2	Quality standard of rice flour based on SNI no. 3549:2009..... 8
Table 2.3	Nutrient content of chicken egg .....11
Table 3.1	Formulation of noodle production stage I.....17
Table 3.2	Experimental design of noodle production stage I.....19
Table 3.3	Experimental design of noodle production stage II .....21
Table 3.4	Settings of Texture Analyzer on TPA (Texture Profile Analysis) Mode .....23
Table 3.5	Settings of Texture Analyzer on Tensile strength analysis .....24
Table 4.1	Hedonic test of aroma parameter of noodle analogue with variation of CMC and egg concentration .....42
Table 4.2	Hedonic test of adhesiveness parameter of noodle analogue with variation of CMC and egg concentration .....45
Table 4.3	Proximate content of best formulation noodle analogue and commercial wheat-based noodle .....47
Table 4.4	Cooking loss and water absorption of best formulation noodle analogue and commercial wheat-based noodle .....50
Table 4.5	Texture of best formulation noodle analogue and commercial wheat- based noodle .....51
Table 4.6	Paired comparison test results of best formulation noodle analogue and commercial wheat-based noodle .....54



## LIST OF APPENDICES

	page
Appendix A.	
Moisture Content of Noodle Analogue with Variation of CMC and Egg Concentration .....	A-1
Appendix B.	
Cooking Loss of Noodle Analogue with Variation of CMC and Egg Concentration .....	B-1
Post Hoc Duncan Statistics Results of Cooking Loss of Noodle analogue with Variation of CMC and Egg Concentration.....	B-4
Appendix C.	
Water Absorption of Noodle Analogue with Variation of CMC and Egg Concentration .....	C-1
Post Hoc Duncan Statistics Results of Water Absorption of Noodle analogue with Variation of CMC and Egg Concentration .....	C-4
Appendix D.	
Hardness of Noodle Analogue with Variation of CMC and Egg Concentration .....	D-1
Post Hoc Duncan Statistics Results of Hardness of Noodle analogue with Variation of CMC and Egg Concentration.....	D-3
Appendix E.	
Adhesiveness of Noodle Analogue with Variation of CMC and Egg Concentration .....	E-1
Post Hoc Duncan Statistics Results of Adhesiveness of Noodle analogue with Variation of CMC and Egg Concentration.....	E-3
Appendix F.	
Springiness of Noodle Analogue with Variation of CMC and Egg Concentration .....	F-1
Post Hoc Duncan Statistics Results of Hardness of Noodle analogue with Variation of CMC and Egg Concentration.....	F-2
Appendix G.	
Cohesiveness of Noodle Analogue with Variation of CMC and Egg Concentration .....	G-1
Post Hoc Duncan Statistics Results of Cohesiveness of Noodle analogue with Variation of CMC and Egg Concentration.....	G-3
Appendix H.	
Tensile Strength of Noodle Analogue with Variation of CMC and Egg Concentration .....	H-1

Post Hoc Duncan Statistics Results of Tensile Strength of Noodle analogue with Variation of CMC and Egg Concentration .....	H-3
---	-----

Appendix I.

Elongation of Noodle Analogue with Variation of CMC and Egg Concentration .....	I-1
Post Hoc Duncan Statistics Results of Elongation of Noodle analogue with Variation of CMC and Egg Concentration.....	I-3

Appendix J.

Statistical Analysis of Hedonic Test of Taste of Noodle Analogue with Variation of CMC and Egg Concentration.....	J-1
Post Hoc Duncan Statistics Results of Taste of Noodle analogue with Variation of CMC and Egg Concentration.....	J-1

Appendix K.

Statistical Analysis of Hedonic Test of Aroma of Noodle Analogue with Variation of CMC and Egg Concentration.....	K-1
---	-----

Appendix L.

Statistical Analysis of Hedonic Test of Chewiness of Noodle Analogue with Variation of CMC and Egg Concentration.....	L-1
Post Hoc Duncan Statistics Results of Chewiness of Noodle analogue with Variation of CMC and Egg Concentration.....	L-1

Appendix M.

Statistical Analysis of Hedonic Test of Hardness of Noodle Analogue with Variation of CMC and Egg Concentration.....	M-1
Post Hoc Duncan Statistics Results of Hardness of Noodle analogue with Variation of CMC and Egg Concentration.....	M-1

Appendix N.

Statistical Analysis of Hedonic Test of Adhesiveness of Noodle Analogue with Variation of CMC and Egg Concentration.....	N-1
--	-----

Appendix O.

Statistical Analysis of Hedonic Test of Overall Acceptance of Noodle Analogue with Variation of CMC and Egg Concentration .....	O-1
Post Hoc Duncan Statistics Results of Overall Acceptance of Noodle analogue with Variation of CMC and Egg Concentration .....	O-1

Appendix P.

Moisture Content of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	P-1
--	-----

Independent Samples Test Result of Moisture Content of Best Formulation  
Noodle Analogue and Commercial Wheat-based Noodle .....P-1

Appendix Q.

Protein Content of Best Formulation Noodle Analogue and Commercial  
Wheat-based Noodle .....Q-1  
Independent Samples Test Result of Protein Content of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....Q-2

Appendix R.

Total Fat Content of Best Formulation Noodle Analogue and Commercial  
Wheat-based Noodle .....R-1  
Independent Samples Test Result of Total Fat Content of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....R-2

Appendix S.

Ash Content of Best Formulation Noodle Analogue and Commercial Wheat-  
based Noodle .....S-1  
Independent Samples Test Result of Ash Content of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....S-2

Appendix T.

Total Carbohydrate Content of Best Formulation Noodle Analogue and  
Commercial Wheat-based Noodle.....T-1  
Independent Samples Test Result of Total Carbohydrate Content of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....T-2

Appendix U.

Cooking Loss of Best Formulation Noodle Analogue and Commercial  
Wheat-based Noodle .....U-1  
Independent Samples Test Result of Cooking Loss of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....U-1

Appendix V.

Water Absorption of Best Formulation Noodle Analogue and Commercial  
Wheat-based Noodle .....V-1  
Independent Samples Test Result of Water Absorption of Best  
Formulation Noodle Analogue and Commercial Wheat-based Noodle....V-1

Appendix W.

Hardness of Best Formulation Noodle Analogue and Commercial Wheat-  
based Noodle .....W-1  
Independent Samples Test Result of Hardness of Best Formulation  
Noodle Analogue and Commercial Wheat-based Noodle .....W-1

Appendix X.	
Adhesiveness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	X-1
Independent Samples Test Result of Adhesiveness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	X-1
Appendix Y.	
Springiness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	Y-1
Independent Samples Test Result of Springiness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	Y-1
Appendix Z.	
Cohesiveness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	Z-1
Independent Samples Test Result of Cohesiveness of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	Z-1
Appendix AA.	
Tensile Strength of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AA-1
Independent Samples Test Result of Tensile Strength of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AA-1
Appendix AB.	
Elongation of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AB-1
Independent Samples Test Result of Elongation of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AB-1
Appendix AC.	
Data from Paired Comparison Test of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AC-1
One-Sample Test Result of Paired Comparison Test of Best Formulation Noodle Analogue and Commercial Wheat-based Noodle .....	AC-1
Appendix AD.	
Hedonic Test Questionnaire .....	AD-1
Appendix AE.	
Paired Comparison Test Questionnaire .....	AE-1

Appendix AF.  
Certificate of Analysis of Noodle Analogue' Emulsifier.....AF-1

Appendix AG.  
Production Process of Noodle Analogue.....AG-1

