

DAFTAR PUSTAKA

- Alam, M. N. H. Z., Kumar, J. J., Whyte, D. J., Doeven, E. H. & Kouzani, A. (2018). A portable sensor for cell optical density measurement in microfluidic chips. *Measurement and Control*, 51 (7-8): 213–222. DOI: 10.1177/002029401878344.
- Anastasia, L., Pinontoan, R. & Sanjaya, A. (2020). *Identifikasi Molekuler Isolat Fungi Pendekolorisasi Pewarna Tekstil Komersial = Molecular Identification of Fungal Isolates as Biological Agents for the Decolorization of Commercial Textile Dye*. Universitas Pelita Harapan.
- Benkhaya, S., M' rabetb, S. & El Harfia, A. (2020). A review on classifications, recent synthesis and applications of textile dyes. *Inorganic Chemistry Communications*, 115 (107891): 1-36. DOI: 10.1016/j.inoche.2020.107891.
- Bhatia, D., Sharma, N. J., Singh, J. & Kanwar, R. S. (2017). Biological methods for textile dye removal from wastewater: A review. *Environmental Science Technology*, 0: 1-41.
- Bisswanger, H. (2014). Enzyme assays. *Perspectives in Science*, 1: 41-55. DOI: 10.1016/j.pisc.2014.02.005.
- Chaplin, M. F. (2001). Water: its importance to life. *Biochemistry and Molecular Biology Education*, 29: 54-59.
- Chandanshive, V. V., Rane, N. R., Gholave, A. R., Patil, S. M., Jeon, B.-H. & Govindwar, S. P. (2016). Efficient decolorization and detoxification of textile industry effluent by *Salvinia molesta* in lagoon treatment. *Environmental Research*, 150: 88–96. DOI: 10.1016/j.envres.2016.05.047.
- Dewi, R. S., Kasiamdari, R. S., Martani, E. & Purwestri, Y. A. (2018). Decolorization and detoxification of batik dye effluent containing Indigosol Blue-04B using fungi isolated from contaminated dye effluent. *Indonesian Journal of Biotechnology*, 23 (2): 54-60. DOI: 10.22146/ijbiotech.32332.
- Falade, A. O., Eyisi, O. A. L., Mabinya, L. V., Nwodo, U. U. & Okoh, A. I. (2017). Peroxidase production and ligninolytic potentials of fresh water bacteria *Raoultella ornithinolytica* and *Ensifer adhaerens*. *Biotechnology Reports*, 16 (2017): 12–17. DOI: 10.1016/j.btre.2017.10.001.
- Fu, Y. & Viraraghavan, T. (2001). Fungal decolorization of dye wastewater: A review. *Bioresource Technology*, 79: 251-262.
- Gao, Y., Yang, B. & Wang, Q. (2018). Biodegradation and decolorization of dye wastewater: A review. *IOP Conference Series: Earth and Environmental Science*, 178: 1-5. DOI: 10.1088/1755-1315/178/1/012013.
- Garg, S. K. & Modi, D. R. (1999). Decolorization of pulp-paper mill effluents by white-rot fungi. *Critical Reviews in Biotechnology*, 9 (2): 85–112. DOI: 10.1080/0738-859991229206.

- Gladman, S. (2021). *De novo Genome Assembly for Illumina Data*. Diakses dari Melbourne Bioinformatics: <https://www.melbournebioinformatics.org.au/tutorials/tutorials/assembly/assembly-protocol/> (08 Februari 2021).
- Gow, N. A. R., Latge, J-P. & Munro, C. A. (2017). The fungal cell wall: Structure, biosynthesis, and function. *Microbiol Spectrum*, 5(3):1-25. DOI: 10.1128/microbiolspec.FUNK-0035-2016.
- Gupta, V. K., Khamparia, S., Tyagi, I., Jaspal, D. & Malviya, A. (2015). Decolorization of mixture of dyes: A critical review. *Global Journal of Environmental Science & Management*, 1 (1): 71-94. DOI: 10.7508/gjesm.2015.01.007.
- Hao, O. J., Kim, H. & Chiang, P. C. (2000). Decolorization of wastewater. *Critical Reviews in Environmental Science and Technology*, 30 (4): 449-505. DOI: 10.1080/10643380091184237.
- Haridas, S., Salamov, A. & Grigoriev, I. V. (2018). 'Fungal genome annotations' dalam De Vries, R. P. *et al.* (eds.), *Fungal Genomics: Methods and Protocols, Methods in Molecular Biology*, vol. 1775. Berlin: Springer Science+Business Media. Hal. 171 & 173-175. DOI: 10.1007/978-1-4939-7804-5_15.
- Holey, B. A. (2015). Decolourization of congo red dye by bacteria and consortium isolated from dye contaminated soil. *International Research Journal of Science and Engineering*, 3 (3): 107-112.
- Husain, Q. (2006). Potential applications of the oxidoreductive enzymes in the decolorization and detoxification of textile and other synthetic dyes from polluted water: A review. *Critical Reviews in Biotechnology*, 26 (4): 201–221. DOI: 10.1080/07388550600969936.
- Husain, Q. (2010). Peroxidase mediated decolorization and remediation of wastewater containing industrial dyes: a review. *Reviews in Environmental Science and Bio/Technology*, 9 (2): 117–140. DOI: 10.1007/s11157-009-9184-9.
- Ihssen, J., Schubert, M., Thöny-Meyer, L. & Richter, M. (2014). Laccase catalyzed synthesis of iodinated phenolic compounds with antifungal activity. *Public Library of Science*, 9: 1-10.
- Jin, X.-C., Liu, G.-Q., Xu, Z.-H., & Tao, W.-Y. (2006). Decolorization of a dye industry effluent by *Aspergillus fumigatus* XC6. *Applied Microbiology and Biotechnology*, 74 (1): 239–243. DOI: 10.1007/s00253-006-0658-1.
- Kıvanc, M. & Özen, M. D. (2017). Screening of fungi for decolorization of dye wastewater. *International Proceedings of Chemical, Biological and Environmental Engineering*, 100 (2017): 1-7. DOI: 10.7763/IPCBE. 2017. V100. 1.

- Kong, J., Huh, S., Won, J. I., Yoon, J., Kim, B. & Kim, K. (2019). GAAP: A Genome Assembly + Annotation Pipeline. *BioMed Research International*, 2019: 1–12. DOI:10.1155/2019/4767354.
- Legorreta-Castañeda, A. J., Lucho-Constantino, C. A., Beltrán-Hernández, R. I., Coronel-Olivares, C. & Vázquez-Rodríguez, G. A. (2020). Biosorption of water pollutants by fungal pellets. *Water*, 12 (1155): 1-38. DOI: 10.3390/w12041155
- Lellis, B., Favaro-Polonio, C. Z., Pamphile, J. A. & Polonio, J. C. (2019). Effects of textile dyes on health and the environment and bioremediation potential of living organisms. *Biotechnology Research and Innovation*, 3: 275-290. DOI: 10.1016/j.biori.2019.09.001.
- Lewis, S. W. (2009). 'Chapter 11: Analysis of dyes using chromatography' dalam Houck, M. M., *Identification of Textile Fibers*. Cambridge: Woodhead Publishing Limited. Hal. 12 -15.
- Lindsey, J. S. (2018). *Calculational Modules and Databases of Absorption and Emission Spectra for Diverse Compounds*. Diakses dari PhotochemCAD™: <https://www.photochemcad.com/PhotochemCAD.html> (01 Maret 2021).
- Liu, S., Xu, X., Kang, Y., Xiao, Y. & Liu, H. (2020). Degradation and detoxification of azo dyes with recombinant ligninolytic enzymes from *Aspergillus* sp. with secretory overexpression in *Pichia pastoris*. *Royal Society Open Science*, 7(9), 1-15. DOI:10.1098/rsos.200688.
- Lohardja, E., Pinontoan, R. & Sanjaya, A. (2020). Analisis gen calmodulin, gen 28S rDNA, dan gen ITS pada genom untuk identifikasi *Aspergillus* sp. TM3 = Calmodulin gene, 28s rdna gene, and its gene analysis in genome for *Aspergillus* sp. TM3 identification. Universitas Pelita Harapan.
- Longhinotti, E., Pozza, F., Furlan, L., Sanchez, M. D. N. D. M., Klug, M., Laranjeira, M. C. M. & Fávere, V. T. (1998). Adsorption of anionic dyes on the biopolymer chitin. *Journal of the Brazilian Chemical Society*, 9 (5): 435-440.
- Ma, L. J. & Fedorova, N. D. (2010). A practical guide to fungal genome projects: strategy, technology, cost and completion. *Mycology*, 1 (1): 9-24. DOI: 10.1080/21501201003680943.
- Mukherjee, T. & Das, M. (2013). Degradation of malachite green by *Enterobacter asburiae* strain XJUHX-4TM. *CLEAN - Soil, Air, Water*, 42 (6): 849–856. DOI:10.1002/clen.201200246.
- National Center for Biotechnology Information. (2018). Aspwel1. Diakses dari National Center for Biotechnology Information: https://www.ncbi.nlm.nih.gov/assembly/GCF_003344945.1/#/st (16 Februari 2021).
- Ngieng, N. S., Zulkharnain, A., Roslan, H. A. & Husaini, A. (2013). Decolourisation of synthetic dyes by endophytic fungal flora isolated from

- senduduk plant (*Melastoma malabathricum*). *ISRN Biotechnology*, 2013 (260730): 1-7. DOI: 10.5402/2013/260730.
- Przystaś, W., Zabłocka-Godlewska, E. & Grabińska-Sota, E. (2018). Efficiency of decolorization of different dyes using fungal biomass immobilized on different solid supports. *Brazilian Journal of Microbiology*, 49(2): 285–295. DOI: 10.1016/j.bjm.2017.06.010.
- Putra, W. (2018). *Sungai Citarum Masih Tercemar Limbah Tekstil dan Kertas*. Diakses dari DetikCom: <https://news.detik.com/berita-jawa-barat/d-3850610/sungai-citarum-masih-tercemar-limbah-tekstil-dan-kertas> (10 September 2020).
- Qin, X., Luo, H., Zhang, X., Yao, B., Ma, F. & Su, X. (2018). Dye-decolorizing peroxidases in *Irpex lacteus* combining the catalytic properties of heme peroxidases and laccase play important roles in ligninolytic system. *Biotechnology for Biofuels*, 11 (1): 1-11. DOI: 10.1186/s13068-018-1303-9.
- Rahman, F. B. A. & Akter, M. (2016). Removal of dyes form textile wastewater by adsorption using shrimp shell. *International Journal of Waste Resources*, 6 (244): 1-5. DOI: 10.4172/2252-5211.1000244.
- Samson, R. A., Visagie, C. M., Houbraken, J., Hong, S. B., Hubka, V., Klaassen, C. H. W., Perrone, G., Seifert, K. A., Susca, A., Tanney, J. B., Varga, J., Kocsube, S., Szigeti, G., Yaguchi, T. & Frisvad, J. C. (2014). Phylogeny, identification and nomenclature of the genus *Aspergillus*. *Studies in Mycology*, 78: 141–173. DOI: 10.1016/j.simyco.2014.07.004.
- Sarker, M. D. R., Chowdhury, M. & Deb, A. M. (2019). Reduction of color intensity from textile dye wastewater using microorganisms: A review. *International Journal of Current Microbiology and Applied Sciences*, 8 (2): 3407-3415.
- Shani, R. (2019). *Sungai di Jepara Tercemar Limbah Pewarna Tekstil*. Diakses dari Medcom.id: <https://www.medcom.id/nasional/daerah/0kpVyQ5N-sungai-di-jepara-tercemar-limbah-pewarna-tekstil> (10 September 2020).
- Takano, T., Yamamoto, N., Suzuki, T., Dohra, H., Choi, J. H., Terashima, Y., Yokoyama, K., Kawagishi, H. & Yano, K. (2019). Genome sequence analysis of the fairy ring-forming fungus *Lepista sordida* and gene candidates for interaction with plants. *Scientific reports*, 9 (5888): 1-8. DOI: 10.1038/s41598-019-42231-9.
- Watanabe, T., Tanaka, M., Masaki, K., Fujii, T. & Iefuji, H. (2009). Decolorization and semi-batch continuous treatment of molasses distillery wastewater by *Aspergillus tubingensis* DCT6. *Water Science and Technology*, 59 (11): 2179–2185. DOI:10.2166/wst.2009.240.
- Yadav, M., Rai, N. & Yadav, H. S. (2017). The role of peroxidase in the enzymatic oxidation of phenolic compounds to quinones from *Luffa aegyptiaca* (gourd) fruit juice. *Green Chemistry Letters and Reviews*, 10 (3): 154–161. DOI: 10.1080/17518253.2017.1336575.