

## DAFTAR PUSTAKA

1. Germain A, Kupfer DJ. Circadian rhythm disturbances in depression. *Hum Psychopharmacol.* 2008;23:571–85.
2. Carskadon MA, Sharkey KM, Knopik VS, McGeary JE. Short sleep as an environmental exposure: a preliminary study associating 5-HTTLPR genotype to self-reported sleep duration and depressed mood in first-year university students. *SRS.* 2012;35:791–6.
3. Lee A, Myung SK, Cho JJ, Jung YJ, Yoon JL, Kim MY. Night shift work and risk of depression: meta-analysis of observational studies. *J Korean Med Sci.* 2017;32:1091–6.
4. Sookoian S, Gemma C, Gianotti TF, Burgueño A, Alvarez A, González CD, et al. Serotonin and serotonin transporter gene variant in rotating shift workers. *SRS.* 2007;30:1049–53.
5. Owens MJ, Nemeroff CB. Role of serotonin in the pathophysiology of depression: focus on the serotonin transporter. *Clin Chem.* 1994;40:288–95.
6. McCarter T. Depression overview. *Am Health Drug Benefits.* 2008;1:44-51.
7. Zhou X, Bi B, Zheng L, Li Z, Yang H, Song H, et al. The prevalence and risk factors for depression symptoms in a rural Chinese sample population. *PLoS One.* 2014;9:1-6
8. Hegazy NN. Prevalence of depressive symptoms among healthcare providers in Shibin El - Kom city in Menoufia governorate. *Menoufia Med J.* 2018;31:708–15.
9. Vargas D de, Dias APV. Depression prevalence in Intensive Care Unit nursing workers: a study at hospitals in a northwestern city of São Paulo State. *Rev Lat Am Enfermagem.* 2011;19:1114–21.
10. Brandford AA, Reed DB. Depression in registered nurses. *Workplace Health Saf.* 2016;64:488–511.
11. Gong Y, Han T, Yin X, Yang G, Zhuang R, Chen Y, et al. Prevalence of

- depressive symptoms and work-related risk factors among nurses in public hospitals in southern China: A cross-sectional study. *Sci Rep.* 2015;4:1–5.
- 12. Gherardi-Donato EC da S, Cardoso L, Teixeira CAB, Pereira S de S, Reisdorfer E. Association between depression and work stress in nursing professionals with technical education level. *Rev Lat Am Enfermagem.* 2015;23:733–40.
  - 13. Gao Y-Q, Pan B-C, Sun W, Wu H, Wang J-N, Wang L. Depressive symptoms among Chinese nurses: prevalence and the associated factors. *J Adv Nurs.* 2012;68:1166–75.
  - 14. Albert PR. Why is depression more prevalent in women. *J Psychiatry Neurosci.* 2015;40:219-221.
  - 15. Oleson EB, Cheer JF. A brain on cannabinoids: the role of dopamine release in reward seeking. *Cold Spring Harb Perspect Med.* 2012;1:2-10.
  - 16. Belujon P, Grace AA. Dopamine system dysregulation in major depressive disorders. *Int J Neuropsychopharmacol.* 2017;20:1036–46.
  - 17. Jenkins TA, Nguyen JCD, Polglaze KE, Bertrand PP. Influence of tryptophan and serotonin on mood and cognition with a possible role of the gut-brain axis. *Nutrients.* 2016;20:1-8.
  - 18. Aan HRM, Mathew SJ, Charney DS. Neurobiological mechanisms in major depressive disorder. *CMAJ.* 2009;180:305–13.
  - 19. Qin DD, Rizak J, Feng XL, Yang SC, Lü LB, Pan L, et al. Prolonged secretion of cortisol as a possible mechanism underlying stress and depressive behaviour. *Sci Rep.* 2016;6:1–9.
  - 20. Melrose S. Perfectionism and depression: vulnerabilities nurses need to understand. *Nurs Res Pract.* 2011;1:1-6
  - 21. McEwen BS. Physiology and neurobiology of stress and adaptation: central role of the brain. *Physiol Rev.* 2007;87:873–904.
  - 22. Jones D, Harvey J, Giza D, Rodican C, Barreira PJ, Macias C. Parental death in the lives of people with serious mental illness. *J Loss Trauma.* 2003;8:307-322
  - 23. Yang L, Zhao Y, Wang Y, Liu L, Zhang X, Li B, et al. The effects of

- psychological stress on depression. *Curr Neuropharmacol.* 2015;13:494–504.
- 24. Mello A , Mello MF, Carpenter LL, Price LH. Update on stress and depression: the role of the hypothalamic-pituitary-adrenal (HPA) axis. *Rev Bras Psiquiatr.* 2003;25:231–8.
  - 25. Negele A, Kaufhold J, Kallenbach L, Leuzinger-Bohleber M. Childhood trauma and its relation to chronic depression in adulthood. *Depress Res Treat.* 2015.
  - 26. Rutherford A, Zwi AB, Grove NJ, Butchart A. Violence: a glossary. *J Epidemiol Community Health.* 2007;61:676–80.
  - 27. Maslim R. Buku saku diagnosis gangguan jiwa dari PPDGJ III dan DSM 5. Jakarta: PT Nuh Jaya; 2013. 64p.
  - 28. Halvani GH, Nodoushan IS, Hoboubati H. Effect of shift work on the frequency of depression in nursing staff of yazd university of medical sciences. *J Community Heal Res.* 2012;1:104–9.
  - 29. Ferri P, Guadi M, Marcheselli L, Balduzzi S, Magnani D, Di Lorenzo R. The impact of shift work on the psychological and physical health of nurses in a general hospital: a comparison between rotating night shifts and day shifts. *Risk Manag Healthc Policy.* 2016;9:203–11.
  - 30. Costa G. Shift work and health: current problems and preventive actions. *Saf Health Work.* 2010;1:112–23.
  - 31. Hansen MV, Madsen MT, Hageman I, Rasmussen LS, Bokmand S, Rosenberg J, et al. The effect of melatonin on depression, anxiety, cognitive function and sleep disturbances in patients with breast cancer. *BMJ Open.* 2012;2:1-2.
  - 32. Guo Y, Liu Y, Huang X, Rong Y, He M, Wang Y, et al. The effects of shift work on sleeping quality, hypertension and diabetes in retired workers. *PLoS One.* 2013;8:1-5.
  - 33. Moon HJ, Lee SH, Lee HS, Lee K-J, Kim JJ. The association between shift work and depression in hotel workers. *Ann Occup Environ Med.* 2015;27:1-9
  - 34. Tai S-Y, Lin P-C, Chen Y-M, Hung H-C, Pan C-H, Pan S-M, et al. Effects of marital status and shift work on family function among registered nurses. *Ind*

- Health. 2014;52:296–303.
35. Chan M-C, Spieth PM, Quinn K, Parotto M, Zhang H, Slutsky AS. Circadian rhythms: from basic mechanisms to the intensive care unit. Crit Care Med. 2012;40:246–53.
  36. Angerer P, Schmook R, Elfantel I, Li J. Night work and the risk of depression. Dtsch Arztebl Int. 2017;114:404–11.
  37. De Berardis D, Orsolini L, Serroni N, Girinelli G, Iasevoli F, Tomasetti C, et al. The role of melatonin in mood disorders. ChronoPhysiology Ther. 2015;11:5–65.
  38. Sookoian S, Gemma C, Gianotti TF, Burgueño A, Alvarez A, González CD, et al. Serotonin and serotonin transporter gene variant in rotating shift workers. 2007;30:1049–53.
  39. Tritama TK. Konsumsi Alkohol dan Pengaruhnya terhadap Kesehatan. J Major. 2015;4:7–10.
  40. Sari Y, Johnson VR, Weedman JM. Role of the serotonergic system in alcohol dependence: from animal models to clinics. Prog Mol Biol Transl Sci. 2011;98:401–43.
  41. Kroenke K, Spitzer RL, Williams JB. The PHQ-9: validity of a brief depression severity measure. J Gen Intern Med. 2001;9:606-613.
  42. Udedi M, Muula AS, Stewart RC, Pence BW. The validity of the patient health Questionnaire-9 to screen for depression in patients with type-2 diabetes mellitus in non-communicable diseases clinics in Malawi. BMC Psychiatry, 2019;19:81.
  43. Molebatsi, K., Motlhathledi, K. & Wambua, G.N. The validity and reliability of the patient health questionnaire-9 for screening depression in primary health care patients in Botswana. BMC Psychiatry. 2020; 20:1-8.
  44. Reynolds WM. The PHQ-9 works well as a screening but not diagnostic instrument for depressive disorder. BMJ, Evid Based Mental Health, 2010;13:3-96

45. Manea L, Gilbody S, McMillan D. Optimal cut-off score for diagnosing depression with the patient health questionnaire (PHQ-9): a meta-analysis. *CMAJ*. 2012;184:191-6.
46. Bhana A, Rathod SJ, Selohilwe O, Kathree T. The validity of the patient health questionnaire for screening depression in chronic care patients in primary health care in South Africa. *BMC Psychiatry*, 2015;15:118.
47. Butler G. Definitions of stress. *Occas Pap R Coll Gen Pract*. 1993;61:1–5.
48. Arafa, M. A., Nazel, M. W., Ibrahim, N. K., & Attia, A. Predictors of psychological well-being of nurses in Alexandria, Egypt. *Int J Nurs Pract*. 2003;9: 313-320.
49. Skinner, K., & Scott, R. D. Depression among female registered nurses. *Nurs Manage*. 1993; 24: 42-45
50. Luca M, Bellia S, Bellia M, Luca A, Calandra C. Prevalence of depression and its relationship with work characteristics in a sample of public workers. *Neuropsychiatr Dis Treat*. 2014; 10: 519–525.
51. Alonso J, Angermeyer MC, Bernert S, Bruffaerts R, Brugha TS, et al. Prevalence of mental disorders in Europe: results from the European study of the epidemiology of mental disorders project. *Acta Psychiatr Scand Suppl*. 2004;109:21–27.
52. Bijl RV, Ravelli A, van Zessen G. Prevalence of psychiatric disorder in the general population: results of the Netherlands mental health survey and incidence study. *Soc Psychiatry Psychiatr Epidemiol*. 1998;33: 587–595
53. Craft LL, Landers DM. The effect of exercise on clinical depression and depression resulting from mental illness: a meta-analysis. *J Sport Exerc Psychol*. 1998;20:339–357
54. McCullough M.E., Larson D.B. Religion and depression: A review of the literature. *Twin Res*. 1999;2:126–136.

55. Loudoun R, Bohle P. Work/non-work conflict and health in shiftwork: relationships with family status and social support. *Int J Occup Environ Health*. 1997; 3: 71–7.
56. Beck A, Crain AL, Solberg LI, et al. Severity of depression and magnitude of productivity loss. *Ann Fam Med*. 2011;9: 305–311.

