

## BIBLIOGRAPHY

- Abasi, S., Mousavi, S. M., Mohebi, M., and Kiani, S. 2009. Effect of time and temperature on moisture content, shrinkage, and rehydration of dried onion. *Iranian Journal of Chemical Engineering*, 6(3):57–70.
- Alam, M.J., Huq, A.O. Prodhan, U.K. and Talukder, M.U. 2013. Development of fibre enriched herbal biscuits by incorporating tulsi leaves on wheat flour: a preliminary study on sensory evaluation and chemical composition. *Research & Reviews: Journal of Herbal Science* 2(2): 1-5.
- Alara, O. R., Abdurahman, N. H., Abdul Mudalip, S. K., and Olalere, O. A. 2018. Mathematical modeling of thin layer drying using open sun and shade of Vernonia amygdalina leaves. *Agriculture and Natural Resources*, 52(1):53–58,
- Amador, B. M., Garibay, A. N., Diéguez, E. T., Hernández, A. F., Matson, M. V. C., and Espinoza, A. V. 2013. Proximate analysis among 24 Ocimum cultivars under two cultivation environments: A comparative study. *Journal of Food, Agriculture & Environment*, 11(3), 2842–2848.
- Association of Official Analytical Chemist (AOAC). 2000. “Official Methods of Analysis”. Association of Official Analytical Chemist Inc. Maryland, USA
- Association of Official Analytical Chemist (AOAC). 2005. “Official Methods of Analysis”. Association of Official Analytical Chemist Inc. Maryland, USA
- Association of Official Analytical Chemist (AOAC). 2013. “Official Methods of Analysis”. Association of Official Analytical Chemist Inc. Maryland, USA
- Aulia, F, and Sunarharum, W.B. 2020. Beetroot (*Beta Vulgaris L. Var. Rubra L.*) flour proportion and oven temperature affect the physicochemical characteristics of beetroot cookies. *International Conference on Green Agro-industry and Bioeconomy*, 475.
- Azam, M., Khandelwal, B. M., Garg, S. K., and Pandey, S. 2014. Characteristics of beetroot (*Beta vulgaris L.*) drying under different drying methods. *Jawaharlal Nehru Krishi Vishwa Vidyalaya*, 48(2), 224–231.
- Babarykin, D., Smirnova, G., Pundinsh, I., Vasiljeva, S., Krumina, G., and Agejchenko, V. 2019. Red beet (*Beta vulgaris*) impact on human health. *Journal of Biosciences and Medicines* 7(3): 61–79.
- Bach, V., Mikkelsen, L., Kidmose, U., and Edelenbos, M. 2014. Culinary preparation of beetroot (*Beta vulgaris*L.): the impact on sensory quality and

- appropriateness. *Journal of the Science of Food and Agriculture*, 95(9), 1852–1859.
- Badan Standardisasi Nasional (BSN). 2009. SNI 3751:2009 *Tepung Terigu sebagai Bahan Makanan*. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional (BSN). 2011. SNI 3973:2011 *Biskuit* Jakarta: Badan Standardisasi Nasional.
- Baião, D. D. S., Da Silva, D. V., Del Aguila, E. M., and Paschoalin, V. M. F. 2017. Nutritional, bioactive and physicochemical characteristics of different beetroot formulations. *Food Additives* 6(6): 21-44
- Bazaria, B., and Kumar, P. 2018. Optimization of spray drying parameters for beetroot juice powder using response surface methodology (RSM). *Journal of the Saudi Society of Agricultural Sciences*, 17(4): 408–415.
- Bhateja, S., and Geetika A. 2012. Therapeutic benefits of holy basil (Tulsi) in general and oral medicine: a review. *International Journal of Research in Ayurveda and Pharmacy* 3(6): 761–64.
- Bowornprasittikun, M., Thanamai, T., Nutwong, S., Sangswang, A., and Naetiladdanon, S. 2019. Induction Food Dehydrator with Temperature Control. *2019 7th International Electrical Engineering Congress (IEECON)*.
- Chopra, N., Rani, and Singh, A. 2018. Physico-nutritional and sensory properties of cookies formulated with quinoa, sweet potato and wheat flour blends. *Current Research in Nutrition and Food Science Journal* 6(3): 798–806.
- Ciurzyńska, A., Falacińska, J., Kowalska, H., Kowalska, J., Galus, S., Marzec, A., and Domian, E. 2021. The effect of pre-treatment (blanching, ultrasound and freezing) on quality of freeze-dried red beets. *Foods*, 10(1), 132–147.
- Clark, S., and Winter, C. K. 2015. Diacetyl in foods: a review of safety and sensory characteristics. *Comprehensive Reviews in Food Science and Food Safety*, 14(5): 634–643.
- Diego Q., K., Barberá, R., and Cilla, A. 2015. Iron bioavailability in iron-fortified cereal foods: the contribution of in vitro studies. *Critical Reviews in Food Science and Nutrition*, 57(10):2028–2041.
- Dhawan, D., and Sharma S. 2019. Exploration of the nourishing, antioxidant and product development potential of beetroot (*Beta Vulgaris*) flour. *International Journal of Health Sciences and Research* 9(6): 280-284.

- Hamid, M. G., and Mohamed Nour, A. A. 2018. Effect of different drying methods on quality attributes of beetroot (*Beta vulgaris*) slices. *World Journal of Science, Technology and Sustainable Development*, 15(3), 287–298.
- Handa, C., Goomer, S. and Siddhu, A. 2012. Physicochemical properties and sensory evaluation of fructoligosaccharide enriched cookies. *Journal of Food Science and Technology* 49(2): 192–99.
- Hartsel, J. A., Eades, J., Hickory, B., and Makriyannis, A. 2016. Cannabis sativa and Hemp. *Nutraceuticals*, 735–754.
- Heshe, G. G., Haki, G. D., Woldegiorgis, A. Z., and Gemed, H. F. 2015. Effect of conventional milling on the nutritional value and antioxidant capacity of wheat types common in Ethiopia and a recovery attempt with bran supplementation in bread. *Food Science & Nutrition*, 4(4):534–543.
- Hess, J. M., Jonnalagadda, S. S. and Slavin, J. L. 2016. What is a snack, why do we snack, and how can we choose better snacks? a review of the definitions of snacking, motivations to snack, contributions to dietary intake, and recommendations for improvement. *Advances in Nutrition* 7(3): 466–75.
- Hjerpsted, J., Leedo, E., and Tholstrup, T. 2011. Cheese intake in large amounts lowers LDL-cholesterol concentrations compared with butter intake of equal fat content. *The American Journal of Clinical Nutrition*, 94(6):1479–1484.
- Hasenhuettl, G. L., and Hartel, R. W. 2008. In *Food Emulsifiers and Their Applications: Second Edition* (pp. 307–326). Springer Science, LLC.
- Ingle, M., Ingle, M. P. Thorat, S. S., Nimbalkar, C. A. and Nawkar., R.R. 2017. Nutritional evaluation of cookies enriched with beetroot (*Beta Vulgaris* L.) powder. *International Journal of Current Microbiology and Applied Sciences* 6(3): 1888–96.
- Institute of Medicine (US) Panel on Micronutrient. 2001. Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. *National Academic Press* .
- Jayasinghe, S., Kruger, R., Walsh, D., Cao, G., Rivers, S., Richter, M., and Breier, B. 2017. Is Sweet Taste Perception Associated with Sweet Food Liking and Intake? *Nutrients*, 9(7), 750.
- Jebitta, S. R., Allwin, J., HajiraBanu, A., Rifqa, R. F., and Swetha, R. A. 2020. Design and fabrication of portable food dehydrator. *International Journal of Food Science and Nutrition*, 5(4): 493–52.

- Kalamartzis, I., Dordas, C., Georgiou, P., and Menexes, G. 2020. The use of appropriate cultivar of basil (*Ocimum basilicum*) can increase water use efficiency under water stress. *Agronomy*, 10(1):70-86.
- Kashif, M., and Ullah, S. 2013. Chemical Composition and Minerals Analysis of Hippophae rhamnoides, Azadirachta indica, Punica granatu and Ocimum sanctum Leaves. *World Journal of Dairy & Food Sciences*, 8(1), 67–73.
- Kerr, W. L., Ward, C. D., McWatters, K. H., and Resurreccion, A. V. 2000. Effect of milling and particle size on functionality and physicochemical properties of cowpea Flour. *Cereal Chemistry Journal*, 77(2): 213–219.
- Kharchenko, Y., Sharan, A., Yermeeva, O., and Novak, L. 2017. Yield of intermediate products in the drought process of wheat milling. *Ukrainian Food Journal* 6(4): 603–17.
- Kumar, Y.. 2015. Beetroot: a super food. *International Journal of Engineering Studies and Technical Approach* 1(3): 20–26.
- Licina, V., Jelacic, S., Beatovic, D., and Antic-Mladenovic, S. 2014. Mineral composition of different basil (*Ocimum* spp.) genotypes. *Chemical Industry*, 68(4): 501–510.
- Lisa, M., Lufthi, M., and Susilo, B. 2015. Pengaruh suhu dan lama pengeringan terhadap mutu tepung jamur tiram putih (*Plaeotus ostreatus*). *Jurnal Keteknikaan Pertanian Tropis Dan Biosistem*, 3(3), 270–279.
- Lu, G., Edwards, C. G., Fellman, J. K., Mattinson, D. S., and Navazio, J. 2003. Biosynthetic origin of geosmin in red beets (*Beta Vulgaris* L.). *Journal of Agricultural and Food Chemistry*, 51(4):1026–1029.
- Lucky, A. R., Al-Mamun, A., Hosen, A., Toma, M. A., and Mazumder, M. A. R. 2020. Nutritional and sensory quality assessment of plain cake enriched with beetroot powder. *Food Research*, 4(6):2049–2053.
- Malav, P., Pandey, A., Bhatt, K. C., Gopala Krishnan, S., and Bisht, I. S. 2015. Morphological variability in holy basil (*Ocimum tenuiflorum* L.) from India. *Genetic Resources and Crop Evolution* 62(8): 1245–1256.
- Mannan, M. A., Nasiruddin, M. S. H., Nipa, N. N., Khatun, A., Amin, M. R., Sarkar, M. K. and Kudrat Z. M. 2019. Macro and micro nutrients in holy basil (Tulsi): a possible supplement for natural medicine. *International Journal of Chemistry Studies* 3(4): 43–47.
- Marcus, J. B. 2013. “Culinary Nutrition: the Science and Practice of Healthy Cooking”. Elsevier, Waltham, MA.

- Mardjuki, K.I. 2017. *Study of Antioxidant Characteristics of African Bitter Leaf (Vernonia amygdalina Del.) Extract Added to Stirred Yoghurt*. Thesis. Universita Pelita Harapan, Tangerang.
- Masthalina, H. 2015. Pola konsumsi (faktor inhibitor dan enhancer Fe) terhadap status anemia remaja putri. *Jurnal Kesehatan Masyarakat* 11(1): 80–86.
- Masih, D., Singh, N., and Singh. A. 2019. Red beetroot: a source of natural colourant and antioxidants: a review. *Journal of Pharmacognosy and Phytochemistry* 8(4): 162-166.
- Maula, R., and Syamsuddin, Y. 2020. Production Anti Diabetes Flour from Tanjung Fruit (*Mimusops elengi* L). *IOP Conference Series: Materials Science and Engineering*, 845
- Meilgaard, M. C., Civille, G. V. and Carr. B. T. 2016. “Sensory Evaluation Techniques”. CRC Press, Taylor & Francis Group, Boca Raton.
- Mendil, D., Uluözlü, Ö. D., Tüzen, M., and Soylak, M. 2009. Investigation of the levels of some element in edible oil samples produced in Turkey by atomic absorption spectrometry. *Journal of Hazardous Materials*, 165(1-3):724–728.
- Mirmiran, P., Houshialsadat, Z., Gaeini, Z., Bahadoran, Z., and Azizi, F. 2020. Functional properties of beetroot (*Beta vulgaris*) in management of cardio-metabolic diseases. *Nutrition & Metabolism* 17(3): 1-15.
- Mudgil, D., Barak, S. and Khatkar, B. S. 2017. Cookie texture, spread ratio and sensory acceptability of cookies as a function of soluble dietary fiber, baking time and different water levels. *LWT-Food Science and Technology* 80: 537–42.
- Nielsen, S. S. 2017. *Food Analysis Laboratory Manual*. Springer, Cham, Switzerland.
- Nielsen, S. Suzanne. 2017. *Food Analysis*. Springer, Cham, Switzerland.
- Njike, V. Y., Smith, T. M. Shuval, O., Shuval, K., Edshteyn, I., Kalantari, V., and Yaroch, A. L. 2016. Snack food, satiety, and weight. *Advances in Nutrition* 7(5): 866–78.
- Ningsih, Y. W., Devi, M., and Kiranawati, T. M. 2020. The Effect of Basil Leaves (*Ocimum Basilicum*) Addition to Contents of  $\beta$ -Carotene, Calcium Levels, and Hedonic Test of Basil Leaves Biscuits. *Proceedings of the 2nd International Conference on Social, Applied Science, and Technology in Home Economics (ICONHOMECES 2019)*.

- OM, A., Kiin-Kabari, D. B., and M., I. E. 2020. Anti-nutrients, bioaccessibility and mineral balance of cookies produced from processed sesame seed flour blends. *International Journal of Food Science and Nutrition Engineering*, 10(1):1–111.
- Ömür-Özbek, P., Little, J. C., and Dietrich, A. M. 2007. Ability of humans to smell geosmin, 2-MIB and nonadienal in indoor air when using contaminated drinking water. *Water Science and Technology*, 55(5):249–256.
- Orikasa, T., Ono, N., Watanabe, T., Ando, Y., Shiina, T., and Koide, S. 2018. Impact of blanching pretreatment on the drying rate and energy consumption during far-infrared drying of Paprika (*Capsicum annum* L.). *Food Quality and Safety*, 2(2):97–103.
- Parmar, M.R., Bhalodiya, V. B., and Kapdi, S. S. 2018. Temperature effect on drying and phytochemicals of basil leaves. *International Journal of Engineering Science Invention* 7(1): 34-44
- Pattanayak, P., Behera, P., Das, D., and Panda, S. 2010. *Ocimum sanctum* Linn. a reservoir plant for therapeutic applications: an overview. *Pharmacognosy Reviews* 4(7): 95-105.
- Prasetyo, T. J., Hardinsyah H., Baliwati, Y. F., and Sukandar, D. 2018. The application of probability method to estimate micronutrient deficiencies prevalence of Indonesian adults.” *Jurnal Gizi dan Pangan* 13(1): 17–26.
- Petek, M., Toth, N., Pecina, M., Karažija, T., Lazarević, B., Palčić, I., Veres, S., & Ćustić, M. H. 2019. Beetroot mineral composition affected by mineral and organic fertilization. *PLOS ONE*, 14(9).
- Pathare, P. B., Opara, U. L., and Al-Said, F. A. J. 2013. Colour measurement and analysis in fresh and processed foods: a review. *Food and Bioprocess Technology* 6(1): 36–60.
- Raina, A. P., Kumar, A., and Dutta, M. 2013. Chemical characterization of aroma compounds in essential oil isolated from “Holy Basil” (*Ocimum tenuiflorum* L.) grown in India. *Genetic Resources and Crop Evolution*, 60(5), 1727–1735.
- Raja, R. R. 2012. Medicinally Potential Plants of Labiatae (Lamiaceae) Family: An Overview. *Research Journal of Medicinal Plant*, 6(3), 203–213.
- Raksakantong, P., Siriamornpun, S., Ratsewo, J., and Meeso, N. 2011. Optimized Drying of Kaprow Leaves for Industrial Production of Holy Basil Spice Powder. *Drying Technology*, 29(8), 974–983.
- Rosenthal, A. 2010. Texture profile analysis - how important are the parameters? *Journal of Texture Studies*, 41(5), 672–684.

- Ross, C., Taylor, C. L., Yaktine, A. L., and Del Valle, H. 2011. Dietary Reference Intakes for Calcium and Vitamin D. *National Academic Press*.
- Sahni, P. and Shere, D. M. 2016. Physico-chemical and sensory characteristics of beet root pomace powder incorporated fibre rich cookies. *International Journal of Food and Fermentation Technology* 6(2): 309–15.
- SIG (Saraswanti Indo Genetech).2013. *Flowchart Dietary Fiber with Enzymatic Gravimetric method*. Bogor: Saraswanti Indo Genetech.
- SIG (Saraswanti Indo Genetech).2013. *Flowchart Metal and Mineral Analysis with ICP OES method*. Bogor: Saraswanti Indo Genetech.
- Schwalfenberg, G. K., and Genuis, S. J. 2017. The Importance of Magnesium in Clinical Healthcare. *Scientifica*, 2017, 1–14.
- Shende, K. 2020. Effect of tulsi (*Ocimum sanctum*) leaf and ginger (*Zingiber officinale*) powder as feed additives on haemato-biochemical parameters of broiler chicks. *Journal of Animal Research*, 10(6):1129-1134
- Shokry, A. M. 2018. Effect of different drying methods on red beet (*Beta vulgaris*) quality. *Nutrition and Food Toxicology*, 2(5):451–458.
- Singh, D., and Chaudhuri, P. K. 2018. A review on phytochemical and pharmacological properties of holy basil (*Ocimum sanctum L.*). *Industrial Crops and Products* 118: 367–82.
- Sonkamble, M., and Pandhure, N. 2017. Effect of drying methods on ash contents and moisture content of leafy vegetables. *International Journal of Science and Research*, 6(8):936–938.
- Srivastava, S., and Singh, K. 2016. Physical, Sensory And Nutritional Evaluation Of Biscuits Prepared By Using Beetroot (*Beta Vulgaris*) Powder. *International Journal of Innovative Research and Advanced Studies*, 3(7), 281–283.
- Sumnu, S. G. 2008. “Food Engineering Aspects of Baking Sweet Goods”. CRC Press Taylor & Francis Group, NY.
- Suryani, G., Marjan, A. Q., and Fatmawati, I. 2019. Formulation of beetroot cookies with addition of iron (Fe) as alternative food prevention of anemia. *Nutri-Sains: Jurnal Gizi, Pangan dan Aplikasinya* 3(1): 9–17.
- Upadhyay, S., Khan, S. A., Tiwari, R. Kumar, S., Kohli, D., Rautela, I., Muktawat, P., and Badola, R. 2017. Nutritional and sensory evaluation of herbal cookies. *International Journal of Food Science and Nutrition* 2(6): 156–60.

- United States Department of Agriculture (USDA). 2003. “Butter,salted”. Food Data Central.<https://fdc.nal.usda.gov/fdc-app.html#/food-details/173410/nutrients>
- United States Department of Agriculture (USDA). 2006. “Margarine-like, margarine butter-blend, soybean oil and butter”. Food Data Central. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/172339/nutrients>
- Vidhani, S.I., Vyas, V. G., Parmar, H. J., Bhalani, V. M., Hassan, M. M., Gaber, A., and Golakiya, B. A. 2016. Evaluation of some chemical composition, minerals fatty acid profiles, antioxidant and antimicrobial activities of tulsi (*Ocimum Sanctum*) from india. *American Journal of Food Science and Technology* 4(2): 52–57.
- Wangcharoen, W., and Morasuk, W. 2007. Antioxidant capacity and phenolic content of holy basil. *Songklanakarin J. Sci. Technol.* 29(5): 1407–15.
- Xiao, H.W., Pan, Z., Deng, L.Z., El-Mashad, H. M., Yang, X. H., Mujumdar, A. S., Gao, Z. J., and Zhang, Q. 2017. Recent developments and trends in thermal blanching – A comprehensive review. *Information Processing in Agriculture*, 4(2):101–127.
- Zhou, W., and Hui, Y. H. 2014. “Bakery Products Science and Technology”. Wiley-Blackwell, Oxford.
- Zielinska, M., and Markowski, M. 2012. Color characteristics of carrots: effect of drying and rehydration. *International Journal of Food Properties*, 15(2): 450–466.
- Zohng, H. 2013. Effect of Lipid Source on the Physical and Sensory Quality of Baked Products. *All Graduate Theses and Dissertations*. 1504.