

BAB VII

DAFTAR PUSTAKA

- [1] Physical activity [Internet]. World Health Organization. World Health Organization; [cited 2020Aug20]. Available from: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
- [2] Abadi Babil D, Dolatian M, Mahmoodi Z, Akbarzadeh Baghban A. A comparison of physical activity and nutrition in young women with and without primary dysmenorrhea [Internet]. F1000Research. F1000 Research Limited; 2018 [cited 2020Aug20]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6117855/>
- [3] Latthe PM, Champaneria R, Khan KS. Dysmenorrhoea [Internet]. BMJ clinical evidence. BMJ Publishing Group; 2011 [cited 2020Aug20]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3275141/>
- [4] Dysmenorrhea: Painful Periods [Internet]. ACOG. [cited 2020Aug21]. Available from: <https://www.acog.org/patient-resources/faqs/gynecologic-problems/dysmenorrhea-painful-periods>
- [5] Armour M;Parry K;Manohar N;Holmes K;Ferfolja T;Curry C;MacMillan F;Smith CA; The Prevalence and Academic Impact of Dysmenorrhea in 21,573 Young Women: A Systematic Review and Meta-Analysis [Internet].

Journal of women's health (2002). U.S. National Library of Medicine; [cited 2020Aug23]. Available from: <https://pubmed.ncbi.nlm.nih.gov/31170024/>

[6] Munawar M, Nurjannah N, Nurviana F. The Effect of Aerobics on Reducing the Pain of Dysmenorrhea [Internet]. Neliti. Syiah Kuala University; 2013 [cited 2020Aug24]. Available from: <https://www.neliti.com/publications/174329/the-effect-of-aerobics-on-reducing-the-pain-of-dysmenorrhea>

[7] Kusumaningrum T, Nastiti AA, Dewi LC, Lutfiani A. The Correlation between Physical Activity and Primary Dysmenorrhea in Female Adolescents. Indian Journal of Public Health Research & Development. 2019;10(8):2559.

[8] Safarzadeh A, Zare S, Yousefabadi SR, Ghoreishinia G. The relationship between Exercise and premenstrual syndrome [Internet]. International Journal of Medical Research & Health Sciences. International Journal of Medical Research & Health Sciences; 2019 [cited 2020Nov22]. Available from: <https://www.ijmrhs.com/abstract/the-relationship-between-exercise-and-premenstrual-syndrome-1068.html>

[9] IJPR.2020.102 [Internet]. International Journal of Physiotherapy and Research. [cited 2020Nov21]. Available from: <https://www.ijmhr.org/IntJPhysiotherRes/IJPR.2020.102>

- [10] Simarjeet K, Poonam S, Jyoti S. Assessment and comparison of premenstrual symptoms among unmarried and married women. *Int J Health Sci Res.* 2015; 5(6):384-389.
- [11] Classification of Physical Activity and Level of Intensity [Internet]. Change4Health. [cited 2020Aug27]. Available from: https://www.change4health.gov.hk/en/physical_activity/facts/classification/index.html
- [12] 4 Categories of Exercise. [cited 2020Aug30]. Available from: <https://www.medicalwesthospital.org/lets-get-moving.php>
- [13] Bernardi M, Lazzeri L, Perelli F, Reis FM, Petraglia F. Dysmenorrhea and related disorders [Internet]. F1000Research. F1000Research; 2017 [cited 2020Sep1]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5585876/>
- [14] Nagy H. Dysmenorrhea [Internet]. 2021 [cited 2021Apr8]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560834/>
- [15] Proctor M, Farquhar C. Diagnosis and management of dysmenorrhoea [Internet]. *BMJ (Clinical research ed.)*. BMJ Group; 2006 [cited 2020Sep1]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1459624/>
- [16] Sharghi M, Mansurkhani SM, Larky DA, Kooti W, Niksefat M, Firoozbakht M, et al. An update and systematic review on the treatment of primary

- dysmenorrhea [Internet]. 2019 [cited 2020Sep8]. Available from:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6364281/>
- [17] Barcikowska Z, Rajkowska-Labon E, Grzybowska ME, Hansdorfer-Korzon R, Zorena K. Inflammatory markers in dysmenorrhea and therapeutic options [Internet]. 2020 [cited 2020Sep8]. Available from:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7068519/>
- [18] Iacovides S, Avidon I, Baker FC. What we know about primary dysmenorrhea today: a critical review [Internet]. OUP Academic. Oxford University Press; 2015 [cited 2021Apr10]. Available from:
<https://academic.oup.com/humupd/article/21/6/762/628858>
- [19] Harel Z. Dysmenorrhea in adolescents and young adults: etiology and management. *J Pediatr Adolesc Gynecol.* 2006 Dec;19(6):363-71. doi: 10.1016/j.jpag.2006.09.001. PMID: 17174824.
- [20] Amireault, S., & Godin, G. (2015). The Godin-Shephard leisure-time physical activity questionnaire: validity evidence supporting its use for classifying healthy adults into active and insufficiently active categories. *Perceptual and motor skills*, 120(2), 604–622. <https://doi.org/10.2466/03.27.PMS.120v19x7>
- [21] Godin G, Shephard RJ. A simple method to assess exercise behavior in the community. *Can J Appl Sport Sci.* 1985 Sep;10(3):141-6. PMID: 4053261.

- [22] Godin G. The Godin-Shephard Leisure-Time Physical Activity Questionnaire. *Health Fit J Can* [Internet]. 2011Jan.30 [cited 2020Sep.15];4(1):18-22. Available from: <https://hfjc.library.ubc.ca/index.php/HFJC/article/view/82>
- [23] Prinsip Olahraga BBTT [Internet]. Direktorat P2PTM. [cited 2021Apr14]. Available from: <http://www.p2ptm.kemkes.go.id/infographicp2ptm/obesitas/prinsip-olahraga-bbtt>
- [24] Durasi & Frekuensi Latihan Fisik [Internet]. Direktorat P2PTM. [cited 2021Apr14]. Available from: <http://p2ptm.kemkes.go.id/infographicp2ptm/hipertensi-penyakit-jantung-dan-pembuluh-darah/durasi-frekuensi-latihan-fisik>
- [25] Ameade EPK, Mohammed BS (2016) Menstrual Pain Assessment: Comparing Verbal Rating Scale (VRS) with Numerical Rating Scales (NRS) as Pain Measurement Tools. *Int J Womens Health Wellness* 2:017
- [26] MP; F-VMAP-RJLJ. Validity of four pain intensity rating scales [Internet]. Pain. U.S. National Library of Medicine; [cited 2020Sep19]. Available from: <https://pubmed.ncbi.nlm.nih.gov/21856077/>
- [27] Boonstra AM, Stewart RE, Köke AJA, Oosterwijk RFA, Swaan JL, Schreurs KMG, et al. Cut-Off points for mild, moderate, and severe pain on the NUMERIC rating scale for pain in patients with Chronic Musculoskeletal

- PAIN: Variability and influence of sex and Catastrophizing [Internet]. 2016 [cited 2020Sep28]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5043012/>
- [28] Klasifikasi Obesitas setelah pengukuran IMT [Internet]. Direktorat P2PTM. [cited 2021Apr10]. Available from: <http://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/klasifikasi-obesitas-setelah-pengukuran-imt>
- [29] Nuttall FQ. Body Mass Index: Obesity, BMI, and Health: A Critical Review [Internet]. Nutrition today. Lippincott Williams & Wilkins; 2015 [cited 2021Apr16]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4890841/>
- [30] Healthy diet [Internet]. World Health Organization. World Health Organization; [cited 2021Apr19]. Available from: <https://www.who.int/initiatives/behealthy/healthy-diet>
- [31] Journal of Reproductive Biomedicine Open Access [Internet]. Gynecological Disorders | List of High Impact Articles | PPTs | Journals | Videos. [cited 2021Apr16]. Available from: <https://www.omicsonline.org/scholarly/gynecological-disorders-journals-articles-ppts-list.php>
- [32] Roth T. Insomnia: definition, prevalence, etiology, and consequences [Internet]. Journal of clinical sleep medicine : JCSM : official publication of the American Academy of Sleep Medicine. American Academy of Sleep

- Medicine; 2007 [cited 2021Apr15]. Available from:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1978319/>
- [33] Depression [Internet]. World Health Organization. World Health Organization; [cited 2021Apr15]. Available from:
https://www.who.int/health-topics/depression#tab=tab_1
- [34] Anxiety [Internet]. American Psychological Association. American Psychological Association; [cited 2021Apr14]. Available from:
<https://www.apa.org/topics/anxiety>
- [35] Tsigos C. Stress: Endocrine Physiology and Pathophysiology [Internet]. Endotext [Internet]. U.S. National Library of Medicine; 2020 [cited 2021Apr14]. Available from:
<https://www.ncbi.nlm.nih.gov/books/NBK278995/>
- [36] Cohen, S., Kamarck, T., & Mermelstein, R. (1983). A Global Measure of Perceived Stress. *Journal of Health and Social Behavior*, 24(4), 385-396. doi:10.2307/2136404
- [37] Perceived Stress Scale. [cited 2021Apr21]. Available from:
<https://das.nh.gov/wellness/docs/percieved%20stress%20scale.pdf>
- [38] Kaur S, Sheoran P, Sarin J. Assessment and comparison of dysmenorrhea in terms of severity of pain and utilization of non steroid anti-inflammatory drugs among unmarried and married women. *International Journal of caring sciences*. 2015 Sep 1;8(3):737.

- [39] SR; WAMHAJHMDJ. The natural history of primary dysmenorrhoea: a longitudinal study [Internet]. BJOG : an international journal of obstetrics and gynaecology. U.S. National Library of Medicine; [cited 2021Apr11]. Available from: <https://pubmed.ncbi.nlm.nih.gov/15008771/>
- [40] Ju H, Jones M, Mishra G. Prevalence and Risk Factors of Dysmenorrhea [Internet]. OUP Academic. Oxford University Press; 2013 [cited 2021Apr10]. Available from: <https://academic.oup.com/epirev/article/36/1/104/566554>
- [41] Dysmenorrhea [Internet]. Dysmenorrhea - an overview | ScienceDirect Topics. [cited 2021Apr10]. Available from: <https://www.sciencedirect.com/topics/pharmacology-toxicology-and-pharmaceutical-science/dysmenorrhea>
- [42] Szumilas M. Explaining odds ratios [Internet]. Journal of the Canadian Academy of Child and Adolescent Psychiatry = Journal de l'Academie canadienne de psychiatrie de l'enfant et de l'adolescent. Canadian Academy of Child and Adolescent Psychiatry; 2010 [cited 2021Apr9]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2938757/>
- [43] Singh, Amita & Kiran, Dukhu & Singh, Harminder & Nel, Bithika & Singh, Prabhakar & Tiwari, Pavan. (2007). Revalence and severity of dysmenorrhea: A problem related to menstruation, among first and second year female medical students. Indian journal of physiology and pharmacology. 52. 389-97.

- [44] Armour M, Ee CC, Naidoo D, Ayati Z, Chalmers KJ, Steel KA, et al. Exercise for dysmenorrhoea [Internet]. The Cochrane database of systematic reviews. John Wiley & Sons, Ltd; 2019 [cited 2021Apr11]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6753056/>
- [45] Prazeres Lívio Matheus Aragão dos, Brito Renan Guedes de, Ramos Erika Silva. Regular physical exercise, sedentarism and characteristics of dismenorrhea and premenstrual syndrome. *Fisioter. mov.* [Internet]. 2018 [cited 2021 Apr 10] ; 31: e003118. Available from: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0103-51502018000100214&lng=en. Epub June 07, 2018. <https://doi.org/10.1590/1980-5918.031.ao18>.
- [46] Margareth. A. *Relationship between life qualities of adolescents and dysmenorrhoea*. 2016.
- [47] Maryam, & Ritonga, Mulyanusa & Istriati,. (2016). Relationship between Menstrual Profile and Psychological Stress with Dysmenorrhea. *Althea Medical Journal*. 3. 382-387. 10.15850/amj.v3n3.884.
- [48] Wang L, Wang X, Wang W, Chen C, Ronnennberg AG, Guang W, et al. Stress and dysmenorrhoea: a population based prospective study [Internet]. *Occupational and environmental medicine*. BMJ Group; 2004 [cited 2021Apr22]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1740691/>