

DAFTAR PUSTAKA

1. Huang C, Wang Y, Li X, Ren L, Zhao J, Zang Li, Fan G, etc. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet*. 24 jan 2020.
2. WHO. Novel Coronavirus (2019-nCoV) Situation Report-1. Januari 21, 2020.
3. Media K. Jadi Pandemi Global, Ini Daftar 121 Negara dan Wilayah yang Konfirmasi Kasus Virus Corona Halaman all - Kompas.com [Internet]. KOMPAS.com. 2020 [cited 30 June 2020]. Available from: <https://www.kompas.com/tren/read/2020/03/12/074100165/jadi-pandemi-global-ini-daftar-121-negara-dan-wilayah-yang-konfirmasi-kasus?page=all>
4. John Hopkins University. Wuhan Coronavirus (2019-nCoV) Global Cases(by John Hopkins CSSE). [Homepage on The Internet]. Cited Jan 28th 2020. Available on: <https://gisanddata.maps.arcgis.com/apps/opsdashboard/index.html#/bda7594740fd40299423467b48e9ecf6>. (Jan 2020)
5. COVID-19 situation update worldwide, as of 8 May 2020 [Internet]. European Centre for Disease Prevention and Control. 2020 [cited 9 May 2020]. Dapat diakses dari: <https://www.ecdc.europa.eu/en/geographical-distribution-2019-ncov-cases>
6. COVID-19 G. Beranda | Gugus Tugas Percepatan Penanganan COVID-19 [Internet]. covid19.go.id. 2020 [cited 30 June 2020]. Available from: <https://covid19.go.id/>
7. Statistik Perkembangan COVID-19 Indonesia [Internet]. Bnppbinacovid19.hub.arcgis.com. 2020 [cited 9 May 2020]. Dapat diakses dari: <https://bnppbinacovid19.hub.arcgis.com/datasets/statistik-perkembangan-covid19-indonesia>
8. Wang Z, Qiang W, Ke H. A Handbook of 2019-nCoV Pneumonia Control and Prevention. Hubei Science and Technologi Press. China; 2020.
9. Fehr AR, Perlman S. Coronavirus: An Overview of Their Replication and Pathogenesis. *Methods Mol Biol*. 2015 ; 1282: 1– 23.
10. Korsman SNJ, van Zyl GU, Nutt L, Andersson MI, Presier W. Virology. Chins: Churchill Livingston Elsevier; 2012
11. Shereen M, Khan S, Kazmi A, Bashir N, Siddique R. COVID-19 infection: Origin, transmission, and characteristics of human coronaviruses. *Journal of Advanced Research*. 2020;24:91-98.
12. Burhan E, Isbaniah F, Susanto A, Aditama T, Soedarsono S, Sartono T et al. Pneumonia COVID-19. 1st ed. Jakarta: Perhimpunan Dokter Paru Indonesia; 2020.
13. Mason R. Pathogenesis of COVID-19 from a cell biology perspective. *European Respiratory Journal*. 2020;55(4):2000607.
14. Burhan E, Isbaniah F, Susanto A, Aditama T, Soedarsono S, Sartono T et al. Pneumonia COVID-19. 1st ed. Jakarta: Perhimpunan Dokter Paru Indonesia; 2020. p
15. Sp.P d, Wahyuni,Sp.P d, Widysanto,Sp.P,TTS,FAPSR D, Siahaan Sp.P d, Simanjuntak, Sp.P d, Sutanto, SpP (K),FISR d. COVID-19. 1st ed. Tangerang: Departemen Pulmonologi dan Kedokteran Respirasi Fakultas Kedokteran Universitas Pelita Harapan Rumah Sakit Siloam; 2020.
16. Burhan E, Isbaniah F, Susanto A, Aditama T, Soedarsono S, Sartono T et al. Pneumonia COVID-19. 1st ed. Jakarta: Perhimpunan Dokter Paru Indonesia; 2020.
17. EMCrit A, Farkas J. PulmCrit: Neutrophil-Lymphocyte Ratio (NLR): Free upgrade to your WBC [Internet]. EMCrit Project. 2020 [cited 30 June 2020]. Available from: <https://emcrit.org/pulmcrit/nlr/>

18. Yang A, Liu J, Tao W, Li H. The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. *International Immunopharmacology*. 2020;84:106504.
19. Liu Y, Du X, Chen J, Jin Y, Peng L, Wang H et al. Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. *Journal of Infection*. 2020;81(1):e6-e12.
20. Liu Y, Du X, Chen J, Jin Y, Peng L, Wang H et al. Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. *Journal of Infection*. 2020;81(1):e6-e12.
21. Lagunas-Rangel F. Neutrophil-to-lymphocyte ratio and lymphocyte-to-C-reactive protein ratio in patients with severe coronavirus disease 2019 (COVID-19): A meta-analysis. *Journal of Medical Virology*. 2020;
22. Rosales C. Neutrophil: A Cell with Many Roles in Inflammation or Several Cell Types?. *Frontiers in Physiology*. 2018;9.
23. Lymphocytopenia - Blood Disorders - MSD Manual Consumer Version [Internet]. MSD Manual Consumer Version. 2020 [cited 30 June 2020]. Available from: <https://www.msmanuals.com/home/blood-disorders/white-blood-cell-disorders/lymphocytopenia>
24. Clerc, Isabelle. (2020). Re: Why in Covid-19 infection The lymphocyte decrease in contrast with other viral infection?. Retrieved from: https://www.researchgate.net/post/Why_in_Covid-19_infection_The_lymphocyte_decrease_in_contrast_with_other_viral_infection/5eb07f73b4c8af08f4700031/citation/download.
25. Galani I, Andreakos E. Neutrophils in viral infections: Current concepts and caveats. *Journal of Leukocyte Biology*. 2015;98(4):557-564.
26. Drescher B, Bai F. Neutrophil in viral infections, friend or foe?. *Virus Research*. 2013;171(1):1-7.
27. Sattar N, McInnes I, McMurray J. Obesity a Risk Factor for Severe COVID-19 Infection: Multiple Potential Mechanisms. *Circulation*. 2020;.
28. Green WD, Beck MA. Obesity Impairs the Adaptive Immune Response to Influenza Virus. *Ann Am Thorac Soc*. 2017;14:S406-S409.
29. BUKU PDPI PNEUMONIA COVID-19 Halaman 26-35
30. Long B, Brady W, Koifman A, Gottlieb M. Cardiovascular complications in COVID-19. *The American Journal of Emergency Medicine*. 2020;38(7):1504-1507.
31. Bridwell R, Long B, Gottlieb M. Neurologic complications of COVID-19. *The American Journal of Emergency Medicine*. 2020;38(7):1549.e3-1549.e7.
32. Direktorat Jenderal Pencegahan dan Pengendalian Penyakit. Pedoman kesiapsiagaan menghadapi infeksi Novel Coronavirus (2019-nCoV). Kemenkes RI; Jakarta: 2020.
33. WHO. Global Surveillance for human infection with novel coronavirus (2019-nCoV). [Serial on The Internet]. Cited Feb 3rd 2020. Available on:([https://www.who.int/publicationsdetail/globalsurveillance-for-human-infection-withnovelcoronavirus-\(2019-ncov](https://www.who.int/publicationsdetail/globalsurveillance-for-human-infection-withnovelcoronavirus-(2019-ncov)) (Jan 31th 2020)
34. Verity R, Okell L, Dorigatti I, Winskill P, Whittaker C, Imai N et al. Estimates of the severity of coronavirus disease 2019: a model-based analysis. *The Lancet Infectious Diseases*. 2020;20(6):669-677.

35. Noncommunicable diseases: Risk factors [Internet]. Who.int. 2020 [cited 7 November 2020]. Available from: <https://www.who.int/data/gho/data/themes/topics/topic-details/GHO/ncd-risk-factors>
36. Qingxian C., Fengjuan C., Fang L. Obesity and COVID-19 severity in a designated hospital in Shenzhen, China. Lancet. 2020 doi: 10.2139/ssrn.3556658. Advance Access published on April 1, 2020. [[CrossRef](#)] [[Google Scholar](#)]
37. Radwan K. SARS-CoV-2 (COVID-19) coronavirus infection and the gastrointestinal tract. Medycyna Faktów. 2020;13(1):36-42.
38. Obesity [Internet]. Who.int. 2020 [cited 7 November 2020]. Available from: [https://www.who.int/westernpacific/health-topics/obesity#:~:text=Body%20mass%20index%20\(BMI\)%20is,equal%20to%2025%20is%20overweight](https://www.who.int/westernpacific/health-topics/obesity#:~:text=Body%20mass%20index%20(BMI)%20is,equal%20to%2025%20is%20overweight)
39. Tamara A, Tahapary D. Obesity as a predictor for a poor prognosis of COVID-19: A systematic review. Diabetes & Metabolic Syndrome: Clinical Research & Reviews. 2020;14(4):655-659.
40. Burhan E, Isbaniah F, Susanto A, Aditama T, Soedarsono S, Sartono T et al. Pneumonia COVID-19. 1st ed. Jakarta: Perhimpunan Dokter Paru Indonesia; 2020.
41. Dahlan M. Metode MSD. 1st ed. Jakarta: Sopividinstore.com; 2020.
42. Sanchis-Gomar F, Lavie C, Mehra M, Henry B, Lippi G. Obesity and Outcomes in COVID-19: When an Epidemic and Pandemic Collide. Mayo Clinic Proceedings. 2020;95(7):1445-1453.
43. Dorland. Dorland's Illustrated Medical Dictionary, 32e. Elsevier. 2011.
44. Agusti A, Chelli B, Chen R, Griner G, Frith P, Halpin D et al. Global Initiative for Chronic Obstructive Lung Disease. 2019;4-21.
45. Amalakuan B, Maselli DJ, Martinez-Garcia MA. Update in bronchiectasis 2014. Am J Respir Crit Care Med. 2015; 1155-61.
46. Liu Y, Dai M, Bi Y, Xu M, Xu Y, Li M et al. Active Smoking, Passive Smoking, and Risk of Nonalcoholic Fatty Liver Disease (NAFLD): A Population-Based Study in China. Journal of Epidemiology. 2013;23(2):115-121.
47. Lilly LS. Pathophysiology of heart disease: A collaborative project of medical students and faculty: Fifth edition. Pathophysiology of Heart Disease: A Collaborative Project of Medical Students and Faculty: Fifth Edition. 2013.
48. About Stroke [Internet]. www.stroke.org. 2020 [cited 7 November 2020]. Available from: <https://www.stroke.org/en/about-stroke>
49. Apa itu Penyakit Jantung Koroner ? - Direktorat P2PTM [Internet]. Direktorat P2PTM. 2020 [cited 7 November 2020]. Available from: <http://p2ptm.kemkes.go.id/infographic-p2ptm/hipertensi-penyakit-jantung-dan-pembuluh-darah/apa-itu-penyakit-jantung-koroner>
50. Definition of age | Dictionary.com [Internet]. www.dictionary.com. 2020 [cited 7 November 2020]. Available from: <https://www.dictionary.com/browse/age>
51. Liu et al, 2020. Neutrophil-to-Lymphocyte Ratio Predicts Severe Illness Patients with 2019 Novel Coronavirus in the Early Stage. DOI: 10.1101/2020.02.10.20021584
52. Kruglikov IL, Schere PE. The role of adipocytes and adipocytelike cells in the severity of COVID-19 infections [published online ahead of print April 27, 2020]. Obesity (Silver Spring), <https://doi.org/10.1002/oby.22856>.

53. Zhao D, Yao F, Wang L, Zheng L, Gao Y, Ye J, Guo F, Zhao H, Gao R (2020) A comparative study on the clinical features of COVID-19 pneumonia to other pneumonias. *Clin Infect Dis. Preprints.* doi: 10.1093/cid/ciaa247.
54. Guan W, Ni Z, Hu Y, Liang W, Ou C, He J et al. Clinical Characteristics of Coronavirus Disease 2019 in China. *New England Journal of Medicine.* 2020;382(18):1708-1720.
55. Onder G, Rezza G, Brusaferro S. Case-Fatality Rate and Characteristics of Patients Dying in Relation to COVID-19 in Italy. *JAMA.* 2020;.
56. Jayanama K, Srichatrapimuk S, Thammavaranucupt K, Kirdlarp S, Suppadungsuk S, Wongsin T et al. The association between body mass index and severity of Coronavirus Disease 2019 (COVID-19): A cohort study. *PLOS ONE.* 2021;16(2):e0247023.
57. Schneider A, Kirsten H, Lordick F, Lordick F, Lübbert C, von Braun A. Covid-19 in outpatients—Is fever a useful indicator for SARS-CoV-2 infection?. *PLOS ONE.* 2021;16(2):e0246312.
58. HOSAMIRUDSARI H, ALIMOHAMADI Y, SEPANDI M, TAGHDIR M. Determine the most common clinical symptoms in COVID-19 patients: a systematic review and meta-analysis [Internet]. PubMed Central (PMC). 2021 [cited 7 May 2021]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7595075/>
59. Kim J, Crimmins E. How does age affect personal and social reactions to COVID-19: Results from the national Understanding America Study. *PLOS ONE.* 2020;15(11):e0241950.
60. Ahmadi N, Dawood S, Nasab M, Mardani R, Azadani H, Zali F et al. Neutrophil to lymphocyte ratio and C-reactive protein level as prognostic markers in mild versus severe COVID-19 patients [Internet]. PubMed Central (PMC). 2020 [cited 7 May 2021]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7682970/>
61. Catanzaro M, Fagiani F, Racchi M, Corsini E, Govoni S, Lanni C. Immune response in COVID-19: addressing a pharmacological challenge by targeting pathways triggered by SARS-CoV-2. *Signal Transduction and Targeted Therapy.* 2020;5(1).
62. Aydin M. Neutrophil lymphocyte ratio in obese adolescents. *Northern Clinics of Istanbul.* 2015;.
63. Overview of Aging - Older People's Health Issues - MSD Manual Consumer Version [Internet]. MSD Manual Consumer Version. 2019 [cited 7 May 2021]. Available from: <https://www.msdmanuals.com/home/older-people%20%99s-health-issues/the-aging-body/overview-of-aging>
64. Wang J, Zhou X, Liu Y, Li Z, Li X. Prognostic significance of neutrophil-to-lymphocyte ratio in diffuse large B-cell lymphoma: A meta-analysis. *PLOS ONE.* 2017;12(4):e0176008.
65. Li J, Chen Q, Luo X, Hong J, Pan K, Lin X et al. Neutrophil-to-Lymphocyte Ratio Positively Correlates to Age in Healthy Population. *Journal of Clinical Laboratory Analysis.* 2014;29(6):437-443.
66. Tahir Belice A. Role of neutrophil-lymphocyte-ratio in the mortality of males diagnosed with COVID-19 [Internet]. PubMed Central (PMC). 2021 [cited 7 May 2021]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7340610/>
67. Yufei Y, Mingli L, Xuejiao L, Xuemei D, Yiming J, Qin Q et al. Utility of the neutrophil-to-lymphocyte ratio and C-reactive protein level for coronavirus disease 2019 (COVID-19). *Scandinavian Journal of Clinical and Laboratory Investigation.* 2020;80(7):536-540.

68. Potempa L, Rajab I, Hart P, Bordon J, Fernandez-Botran R. Insights into the Use of C-Reactive Protein as a Diagnostic Index of Disease Severity in COVID-19 Infections. The American Journal of Tropical Medicine and Hygiene. 2020;103(2):561-563.

