### **ACKNOWLEDGEMENTS**

All praise and glory to Lord Jesus Christ for His guidance, blessings, strength. and wisdom given to the author throughout the preparation, research, and completion of this thesis report entitled "EFFECT OF CASSAVA FLOUR TO RICE FLOUR RATIO AND CARBOXYMETHYL CELLULOSE (CMC) CONCENTRATION ON CASSAVA-RICE NOODLE CHARACTERISTICS".

This thesis was written based on the research conducted from March 2021 to June 2021. This report was done to fulfil the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan, Tangerang.

The author realizes that this thesis would not be successfully completed by the author without the help, support, encouragement, and prayers from many parties. Therefore, the author would like to acknowledge the deepest gratitude towards the parties, including:

- 1. Yuniwaty Halim, M.Sc., as Thesis Supervisor and as the Head of Quality Control Laboratory who has provided her time, guidance, advice, support, and effort throughout the research program and completion of the report, and for the allowing the author to conduct the thesis research in the laboratory.
- 2. Eric Jobiliong, Ph.D., as the Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
- 3. Dr. Nuri Arum Anugrahati, S.Si., MP., as the Vice Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
- 4. Laurence, S.T., M.T., as the Director of Faculty Administration and Student Affairs, Universitas Pelita Harapan.
- 5. Ir. Wilbur Donald Raymond Pokatong, Ph.D., as the Head of Food Technology Department, Faculty of Science and Technology, Universitas Pelita Harapan.
- 6. Ratna Handayani, MP., as the Deputy Head of Food Technology Department, Faculty of Science and Technology, Universitas Pelita Harapan.
- 7. Natania, M.Eng., as the Head of Food Processing Technology Laboratory for allowing the author to conduct the thesis research in the laboratory.

- 8. Mr. Regy Tahapary, Mr. Ahmad Fauzi Ridwan, Mr. Adhi, and Mr. Darius Wulakada as the laboratory officers for the help, guidance and information given to the author throughout the thesis research.
- 9. All lecturers and staffs of Food Technology Department who have helped and given many knowledges and support to the author throughout the study and thesis research.
- 10. The author's parents, Mulyadi Prijoena and Lie Giok Ing, as well as siblings, Yosephin Prijoena and Christian Kurniawan for all love, prayers, and support given to the author throughout the thesis completion.
- 11. Alvin Bagus, Calmness Felia Halim, Diandra Tirta Kusuma, Delvin Kho, Febiana Christy, Ida Ayu Komang Chandra Devi, Irene Natasha, Joanne Tirto, Michael Djurijanto, Saverius Chandra, Shania Edeline, Steven Ibrahim, Wilfrina Gracia, and Yesyurin Kirana as author's classmates for the endless help, supports and memories throughout the study in Food Technology.
- 12. Frandy Gunawan and Melvin Wayne as author's friends who had done the research together and grow together for the help and support throughout the research and thesis completion.
- 13. Brigitta Angelina as the author's thesis partner for the help, support, and encouragement throughout the research and thesis completion.
- 14. Michelle Yasuwito, Melvina Setiawan, Kevin Alfarel, Fellia Evelyn, Grace Novianti, Alfo Jordan, Shearen Alvira, Cherie Hou, Shania Oktavia, Natalia Surya, Brian Adriel, Celline Alverina, Jeremy Wijaya, Nathanael Setiady, and Alfrida Ansi for the support and prayer for the writer throughout the thesis period.
- 15. All friends at the even term batch of final project for the help, advice, and support throughout the research period.
- 16. All other friends and relatives who had not been mentioned but also took part in supporting the author throughout the thesis period.

The author is aware that there might be flaws this report. Therefore, the author apologizes for any faults during the research and the completion of this report. The author would really appreciate any criticisms and suggestions given to

this report. Finally, the author hopes that this report would be useful for the readers. Thank you.

Tangerang, August 2021



# TABLE OF CONTENTS

	pag	e
COVER		
	NMENT STATEMENT AND UPLOAD AGREEMENT	
	BY THESIS SUPERVISOR	
	BY THESIS EXAMINATION COMMITTEE	
	DGEMENTS v	
	ONTENTSi	
LIST OF TAB	LESxi	i
LIST OF FIGU	JRESxii	i
	ENDICESxi	
LIST OF AFFI	ENDICESXI	V
TERST	INTRODUCTION  1.1 Background  1.2 Research Problem  1.3 Objectives  1.3.1 General Objectives  1.3.2 Specific objectives  LITERATURE REVIEW  2.1 Cassava	13444 55567790
CHAPTER III	RESEARCH METHODOLOGY 14 3.1 Materials and Equipment 14 3.2 Research Method 15 3.2.1 Research Stage I 16 3.2.2 Research Stage II 16 3.3 Experimental Design 17 3.3.1 Research Stage I 17 3.3.2 Research Stage I 17 3.3.3 Research Stage I 17	4 5 6 7

3.4 Analytical Procedures	21
3.4.1 Moisture Content (AOAC, 2005)	
3.4.2 Ash Content (AOAC, 2005)	
3.4.3 Fat Content (AOAC, 2005)	
3.4.4 Protein Content (AOAC, 2005)	
3.4.5 Total Carbohydrate Content (AOAC, 2005)	23
3.4.6 Cooking Loss (Anggraeni and Saputra, 2018 with	
modification)	
3.4.7 Water Absorption (Anggraeni and Saputra, 2018 wit	
modification)	
3.4.8 Texture Profile Analysis (Putra, 2008)	
3.4.9 Tensile Strength and Elongation (Nouri <i>et al.</i> , 2015)	
3.4.10 Hedonic Test (Lawless and Heymann, 2010)	
3.4.11 Multiple Comparison Test (Heymann and Susar	
2016)	
2010)	23
CHAPTER IV RESULTS AND DISCUSSIONS	
4.1 Characteristics of Cassava-Rice Noodle with Variation of	
Cassava Flour and Rice Flour Ratio and CM	
Concentration	
4.1.1 Cooking Loss	26
4.1.2 Water Absorption	
4.1.3 Hardness	
4.1.4 Adhesiveness	
4.1.5 Springiness	33
4.1.6 Cohesiveness	
4.1.7 Tensile strength	
4.1.8 Elongation	37
4.1.9 Hedonic Test	
4.1.9.1 Taste	
4.1.9.2 Aroma	
4.1.9.3 Chewiness	41
4.1.9.4 Hardness	
4.1.9.5 Adhesiveness	
4.1.9.6 Overall	
4.1.10 Determination of the Selected Formulation	
4.2 Comparison of Selected Formulation of Cassava-Ric	
Noodle and Commercial Wheat-based noodle	
4.2.1 Proximate Analysis	
4.2.2 Cooking Loss and Water Absorption	
4.2.3 Textural Properties	
4.2.4 Multiple Comparison Test	
4.2.5 Dietary Fiber and Starch Content	55
4.3 Comparison of Best Cassava-Rice Noodle and Noodl	e
Analogue from Previous Research	56

CONCLUSIONS AND SUGGESTIONS	58
5.1 Conclusions	58
HY	60
	67
•	



# LIST OF TABLES

	page
Table 2.1	Chemical composition of cassava flour 6
Table 2.2	Quality Standard of cassava flour based on SNI No. 01-2997-
	19966
Table 2.3	Chemical composition of rice flour
Table 2.4	Quality Standard of rice flour according to SNI no. 3549:2009 8
Table 3.1	Formulation of dry noodle in research stage I
Table 3.2	Experimental design of research stage I
Table 3.3	Experimental design of research stage II
Table 3.4	Settings of texture Analyzer for tensile strength and elongation
	analysis
Table 4.1	Effect of ratio of cassava flour and rice flour and concentration
	of CMC on aroma of cassava-rice noodle
Table 4.2	Effect of ratio of cassava flour and rice flour and concentration
	of CMC on hardness of cassava-rice noodle
Table 4.3	Proximate content of selected formulations of cassava-rice
	noodle and commercial noodle
Table 4.4	Cooking loss and water absorption of selected formulations of
	cassava-rice noodle and commercial noodle
Table 4.5	Textural properties of selected formulations of cassava-rice
	noodle and commercial noodle
Table 4.6	Multiple comparison test results of selected formulations of
T 11 47	cassava-rice noodle and commercial noodle
Table 4.7	Dietary fiber and starch content of selected formulations of
	cassava-rice noodle and commercial noodle

## LIST OF FIGURES

	page
Figure 2.1	Chemical structure of amylose (left) and amylopectin (right) 8
Figure 2.2	Chemical structure of CMC
Figure 3.1	Flowchart of noodle analogue making
Figure 4.1	Effect of ratio of cassava flour and rice flour and concentration of CMC on coking loss of noodle analogue
Figure 4.2	Effect of ratio of cassava flour and rice flour and concentration of CMC on water absorption of noodle analogue
Figure 4.3	Effect of ratio of cassava flour and rice flour and concentration of CMC on hardness of noodle analogue31
Figure 4.4	Effect of ratio of cassava flour and rice flour and concentration of CMC on adhesiveness of noodle analogue
Figure 4.5	Effect of ratio of cassava flour and rice flour and concentration of CMC on springiness of noodle analogue
Figure 4.6	Effect of ratio of cassava flour and rice flour and concentration of CMC on cohesiveness of noodle analogue
Figure 4.7	Effect of ratio of cassava flour and rice flour and concentration of CMC on tensile strength of noodle analogue
Figure 4.8	Effect of ratio of cassava flour and rice flour and concentration of CMC on elongation of noodle analogue
Figure 4.9	Effect of ratio of cassava flour and rice flour and concentration of CMC on taste of noodle analogue
Figure 4.10	Effect of ratio of cassava flour and rice flour and concentration of CMC on chewiness of noodle analogue
Figure 4.11	Effect of ratio of cassava flour and rice flour and concentration of CMC on adhesiveness of noodle analogue
Figure 4.12	Effect of ratio of cassava flour and rice flour and concentration of CMC on overall of noodle analogue

## LIST OF APPENDICES

Appendix A.
Moisture Content Result of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Appendix B.
Cooking loss results of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Analysis Statistics Results of Cooking Loss of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Post Hoc Duncan Statistics Results of Cooking Loss of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Appendix C.
Water Absorption result of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Analysis Statistics Results of Water Absorption of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Post Hoc Duncan Statistics Results of Water Absorption of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Appendix D.
Hardness results of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Analysis Statistics Results of Hardness of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Post Hoc Duncan Statistics Results of Hardness of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Appendix E.
Adhesiveness results of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration
Analysis Statistics Results of Noodle Analogue with Variation of
Cassava Flour and Rice Flour Ratio and CMC ConcentrationE-

Appendix J.
Analysis Statistic Results of Hedonic Test of Taste of Noodle Analogue
with Variation of Cassava Flour and Rice Flour Ratio and CMC
Concentration
Post Hoc Duncan Statistic Results of Hedonic Test of Taste of Noodle
Analogue with Variation of Cassava Flour and Rice Flour Ratio and
CMC Concentration
Appendix K.
Analysis Statistic Results of Hedonic Test of Aroma of Noodle
Analogue with Variation of Cassava Flour and Rice Flour Ratio and
CMC Concentration
CIVIC Concentration
Appendix L.
Analysis Statistic Results of Hedonic Test of Chewiness of Noodle
Analogue with Variation of Cassava Flour and Rice Flour Ratio and
CMC ConcentrationL-
Post Hoc Duncan Statistic Results of Hedonic Test of Chewiness of
Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio
and CMC ConcentrationL-1
Appendix M.
Analysis Statistic Results of Hedonic Test of Hardness of Noodle
Analogue with Variation of Cassava Flour and Rice Flour Ratio and
CMC Concentration
Appendix N.
Analysis Statistic Results of Hedonic Test of Adhesiveness of Noodle
Analogue with Variation of Cassava Flour and Rice Flour Ratio and
CMC Concentration
Post Hoc Duncan Statistic Results of Hedonic Test of Adhesiveness of
Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio
and CMC Concentration N-
Appendix O.
Analysis Statistic Results of Hedonic Test of Overall Acceptance of
Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio
and CMC Concentration
Post Hoc Duncan Statistic Results of Hedonic Test of Overall
Acceptance of Noodle Analogue with Variation of Cassava Flour and
Rice Flour RatioO-1
Appendix P.
Moisture content result of selected noodle analogues and commercial
noodleP-1

Appendix Q.	
Ash content of selected noodle analogues and commercial noodleQ-	-1
Fat content of selected noodle analogues and commercial noodleQ-	.1
Protein content of selected noodle analogues and commercial noodle Q-	-2
Carbohydrate content on selected noodle analogues and commercial	
noodleQ-	.3
Appendix R.	
Cooking Loss Result of Selected Noodle Analogues and Commercial	
NoodleR-	-1
Water Absorption of Selected Noodle Analogues and Commercial	
NoodleR-	-2
PELLIA	
Appendix S.	
Hardness Results of Selected Noodle Analogue and Commercial Noodle	
S-	-1
Adhesiveness Results of Selected Noodle Analogue and Commercial	
NoodleS-	-1
Springiness Results of Selected Noodle Analogue and Commercial	
NoodleS-	-2
Cohesiveness Results of Selected Noodle Analogue and Commercial	
NoodleS-	-2
Tensile Strength Results of Selected Noodle Analogue and Commercial	
NoodleS-	-3
Elongation Results of Selected Noodle Analogue and Commercial	
NoodleS-	-3
Appendix T.	
Post Hoc Duncan Statistics Results of Moisture Content of Noodle	
Analogue with Variation of Cassava Flour and Rice Flour Ratio and	
CMC Concentration and Commercial NoodleT-	-1
Post Hoc Duncan Statistics Results of Ash Content of Noodle Analogue	
with Variation of Cassava Flour and Rice Flour Ratio and CMC	
Concentration and Commercial NoodleT-	-1
Post Hoc Duncan Statistics Results of Fat Content of Noodle Analogue	
with Variation of Cassava Flour and Rice Flour Ratio and CMC	
Concentration and Commercial NoodleT-	-1
Post Hoc Duncan Statistics Results of Protein Content of Noodle	
Analogue with Variation of Cassava Flour and Rice Flour Ratio and	_
CMC Concentration and Commercial Noodle	-2
Post Hoc Duncan Statistics Results of Carbohydrate Content of Noodle	
Analogue with Variation of Cassava Flour and Rice Flour Ratio and	_
CMC Concentration and Commercial NoodleT-	-2

Post Hoc Duncan Statistics Results of Cooking Loss of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and	
CMC Concentration and Commercial Noodle	T-2
Post Hoc Duncan Statistics Results of Water Absorption of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	Т-3
Post Hoc Duncan Statistics Results of Hardness of Noodle Analogue	3
with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	T-3
Post Hoc Duncan Statistics Results of Adhesiveness of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	T-3
Post Hoc Duncan Statistics Results of Springiness of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	т 1
Post Hoc Duncan Statistics Results of Cohesiveness of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and	1 <del>- 4</del>
CMC Concentration and Commercial Noodle  Post Hoc Duncan Statistics Results of Tensile Strength of Noodle	T-4
Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	T-4
Post Hoc Duncan Statistics Results of Elongation of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	T-5
Appendix U.	
Post Hoc Dunnett Statistics Results of Multiple Comparison of Noodle Analogue with Variation of Cassava Flour and Rice Flour Ratio and CMC Concentration and Commercial Noodle	. U-1
Appendix V.	
Dietary Fiber and Starch Content Results of Noodle Analogue Made with 100:0 cassava flour and rice flour ratio and 3% CMC	. <b>V</b> -1
Dietary Fiber and Starch Content Results of Noodle Analogue Made with 75:25 cassava flour and rice flour ratio and 2.5% CMC	. V-2
Dietary Fiber and Starch Content Results of Noodle Analogue Made with 75:25 cassava flour and rice flour ratio and 3% CMC	W 2
Dietary Fiber and Starch Content Results of Commercial Noodle	
Annandiy W	
Appendix W.  Hedonic Test Questionnaire	W-1
Appendix X.	
Multiple Paired Comparison Test Questionnaire	X-1

Appe	ndix Y.	
	Certificate of Analysis of Noodle Analogue' Emulsifier	Y-1
Apper	ndix Z.	
	Mixture of 75:25 Cassava Flour and Rice Flour ratio and CMC 2.5% and pregelatinized cassava flour and rice flour	Z-1
	Steaming Process of Noodle Analogue Made with 75:25 Cassava Flour and Rice Flour ratio and CMC 2.5%	Z-1
	Extrusion of Noodle Analogue Made with 75:25 Cassava Flour and Rice Flour ratio and CMC 2.5%	Z-1
	Cooked Noodle Analogue Made with 75:25 Cassava Flour and Rice Flour ratio and CMC 2.5%	Z-1
	PELITA	