

BAB VII

REFERENSI

1. HIV/AIDS [Internet]. World Health Organization. World Health Organization; [cited 19 September 2020]. Available from: <https://www.who.int/news-room/fact-sheets/detail/hiv-aids>
2. Kementerian Kesehatan Republik Indonesia. Riset Kesehatan Dasar 2018. Kemenkes RI. 2018.
3. German Advisory Committee Blood (Arbeitskreis Blut), Subgroup 'Assessment of Pathogens Transmissible by Blood'. Human Immunodeficiency Virus (HIV). *Transfus Med Hemother*. 2016;43(3):203-222.
4. Waymack JR. Acquired Immune Deficiency Syndrome [Internet]. StatPearls [Internet]. U.S. National Library of Medicine; 2020 [cited 19 September 2020]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK537293/>
5. Marcus M, Yasamy MT, van Ommeren M, Chisholm D, Saxena S. Depression: A Global Public Health Concern: WHO Department of Mental Health and Substance Abuse; 2012.
6. Chand SP. Depression [Internet]. StatPearls [Internet]. U.S. National Library of Medicine; 2020 [cited 19 September 2020]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430847/>

7. World Health Organization. Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017.
8. Brandt R. The mental health of people living with HIV/AIDS in Africa: a systematic review. *Afr J AIDS Res.* 2009;8(2):123-33.
9. Jimmy B, Jose J. Patient medication adherence: measures in daily practice. *Oman Med J.* 2011;26(3):155-159.
10. Thompson MA, Aberg JA, Hoy JF, Telenti A, Benson C, Cahn P, Eron JJ, Günthard HF, Hammer SM, Reiss P, Richman DD, Rizzardini G, Thomas DL, Jacobsen DM, Volberding PA. Antiretroviral treatment of adult HIV infection: 2012 recommendations of the International Antiviral Society-USA panel. *JAMA.* 2012;308(4):387-402.
11. Nakimuli-Mpungu E, Bass JK, Alexandre P, Mills EJ, Musisi S, Ram M, Katabira E, Nachega JB. Depression, alcohol use and adherence to antiretroviral therapy in sub-Saharan Africa: a systematic review. *AIDS Behav.* 2012;16(8):2101-18.
12. Sin NL, Dimatteo MR. Depression Treatment Enhances Adherence to Antiretroviral Therapy: a Meta-Analysis. *Annals of Behavioral Medicine.* 2013;47(3):259–69.
13. Andini S, Yona S, Waluyo A. Self-efficacy, depression, and adherence to antiretroviral therapy (ART) among Indonesian women with HIV. *Enfermería Clínica.* 2019;29:687–90.
14. Brigitta B. Pathophysiology of depression and mechanisms of treatment. *Dialogues Clin Neurosci.* 2002;4(1):7-20.

15. Hasler G. Pathophysiology of depression: do we have any solid evidence of interest to clinicians?. *World Psychiatry*. 2010;9(3):155-161.
16. Jenkins TA, Nguyen JC, Polglaze KE, Bertrand PP. Influence of Tryptophan and Serotonin on Mood and Cognition with a Possible Role of the Gut-Brain Axis. *Nutrients*. 2016;8(1):56.
17. American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders 5th Edition*. Arlington: American Psychiatric Association; 2013.
18. Facts about HIV Stigma [Internet]. Centers for Disease Control and Prevention. Centers for Disease Control and Prevention; 2019 [cited 30 October 2020]. Available from: <https://www.cdc.gov/hiv/basics/hiv-stigma/index.html>
19. Tran BX, Phan HT, Latkin CA, et al. Understanding Global HIV Stigma and Discrimination: Are Contextual Factors Sufficiently Studied? (GAPRESEARCH). *Int J Environ Res Public Health*. 2019;16(11):1899.
20. Galvan FH, Davis EM, Banks D, Bing EG. HIV stigma and social support among African Americans. *AIDS Patient Care STDS*. 2008;22(5):423-436.
21. Amiya RM, Poudel KC, Poudel-Tandukar K, Pandey BD, Jimba M. Perceived family support, depression, and suicidal ideation among people living with HIV/AIDS: a cross-sectional study in the Kathmandu Valley, Nepal. *PLoS One*. 2014;9(3):e90959.
22. Li L, Lee SJ, Thammawijaya P, Jiraphongsa C, Rotheram-Borus MJ. Stigma, social support, and depression among people living with HIV in Thailand. *AIDS Care*. 2009;21(8):1007-1013.

23. Bhatia MS, Munjal S. Prevalence of Depression in People Living with HIV/AIDS Undergoing ART and Factors Associated with it. *J Clin Diagn Res.* 2014;8(10):WC01-WC4.
24. Shrestha S, Poudel KC, Poudel-Tandukar K, et al. Perceived Family Support and Depression among People Living with HIV/AIDS in the Kathmandu Valley, Nepal. *Journal of the International Association of Providers of AIDS Care (JIAPAC).* 2014:214-222.
25. Vyavaharkar M, Moneyham L, Corwin S, Saunders R, Annang L, Tavakoli A. Relationships between stigma, social support, and depression in HIV-infected African American women living in the rural Southeastern United States. *J Assoc Nurses AIDS Care.* 2010;21(2):144-152.
26. Abebe H, Shumet S, Nassir Z, Agidew M, Abebaw D. Prevalence of Depressive Symptoms and Associated Factors among HIV-Positive Youth Attending ART Follow-Up in Addis Ababa, Ethiopia. *AIDS Research and Treatment.* 2019;2019:1–7.
27. Yeneabat T, Bedaso A, Amare T. Factors associated with depressive symptoms in people living with HIV attending antiretroviral clinic at Fitcha Zonal Hospital, Central Ethiopia: cross-sectional study conducted in 2012. *Neuropsychiatric Disease and Treatment.* 2017;13:2125–31.
28. Bhatia M. Prevalence of Depression in People Living with HIV/AIDS Undergoing ART and Factors Associated with it. *Journal Of Clinical And Diagnostic Research.* 2014;8(10):WC01–WC04.
29. Unnikrishnan B, Jagannath V, Ramapuram JT, Hegde S. Study of Depression and Its Associated Factors among Women Living with HIV/AIDS in Coastal South India. *Retrovirology.* 2012;9(1):137.

30. Joglekar N, Paranjape R, Jain R, et al. Barriers to ART adherence & follow ups among patients attending ART centres in Maharashtra, India. *Indian J Med Res.* 2011;134(6):954-959.
31. Adeniyi OV, Ajayi AI, Goon DT, Owolabi EO, Eboh A, Lambert J. Factors affecting adherence to antiretroviral therapy among pregnant women in the Eastern Cape, South Africa. *BMC Infectious Diseases.* 2018;18(1).
32. Omonaiye O, Kusljic S, Nicholson P, Manias E. Medication adherence in pregnant women with human immunodeficiency virus receiving antiretroviral therapy in sub-Saharan Africa: a systematic review. *BMC Public Health.* 2018;18(1):805.
33. Suryana K, Suharsono H, Antara IGPI. Factors Associated With Adherence To Anti-Retroviral Therapy Among People Living With HIV/AIDS At Wangaya Hospital In Denpasar, Bali, Indonesia: A Cross-Sectional Study. *HIV AIDS (Auckl).* 2019;11:307-312.
34. Koole O, Denison JA, Menten J, et al. Reasons for Missing Antiretroviral Therapy: Results from a Multi-Country Study in Tanzania, Uganda, and Zambia. *PLoS One.* 2016;11(1):e0147309.
35. Azia IN, Mukumbang FC, van Wyk B. Barriers to adherence to antiretroviral treatment in a regional hospital in Vredenburg, Western Cape, South Africa. *South Afr J HIV Med.* 2016;17(1):476.
36. Chirambo, L., Valeta, M., Banda Kamanga, T.M. et al. Factors influencing adherence to antiretroviral treatment among adults accessing care from private health facilities in Malawi. *BMC Public Health.* 2019;19:1382.
37. Kamaingi SK, Meng'anyi LW. Factors Associated with Non-Adherence to Antiretroviral Therapy among Adult Clients in a Comprehensive Care

Center at a Health Center; Kiambu County, Kenya. *Public Health Research*. 2019;9(4):65-76.

38. Cohen CJ, Meyers JL, Davis KL. Association between daily antiretroviral pill burden and treatment adherence, hospitalisation risk, and other healthcare utilisation and costs in a US medicaid population with HIV. *BMJ Open*. 2013;3:e003028.
39. Langebeek N, Sprenger H, Gisolf E, Reiss P, Sprangers M, Legrand J, et al. A simplified combination antiretroviral therapy regimen enhances adherence, treatment satisfaction and quality of life: results of a randomized clinical trial. *HIV Medicine*. 2013;15(5):286–90.
40. Bangsberg DR, Ragland K, Monk A, Deeks SG. A single tablet regimen is associated with higher adherence and viral suppression than multiple tablet regimens in HIV+ homeless and marginally housed people. *AIDS*. 2010;24(18):2835-2840.
41. Yathiraj AB, Unnikrishnan B, Ramapuram JT, Kumar N, Mithra P, Kulkarni V, et al. Factors Influencing Adherence to Antiretroviral Therapy among People Living with HIV in Coastal South India. *Journal of the International Association of Providers of AIDS Care (JIAPAC)*. 2016;15(6):529–33.
42. Koyra HC. Adherence to Antiretroviral Therapy among Adult Persons Living with HIV/AIDS in Southern Ethiopia. *Int J Virol AIDS*. 2018;5:038.
43. Ngum PA, Fon PN, Ngu RC, et al. Depression Among HIV/AIDS Patients on Highly Active Antiretroviral Therapy in the Southwest Regional Hospitals of Cameroon: A Cross-Sectional Study. *Neurol Ther*. 2017;6: 103–114.

44. Kong MC, Nahata MC, Lacombe VA, Seiber EE, Balkrishnan R. Association between race, depression, and antiretroviral therapy adherence in a low-income population with HIV infection. *J Gen Intern Med.* 2012;27(9):1159-1164.
45. Kroenke K, Spitzer RL, Williams JB. The PHQ-9: validity of a brief depression severity measure. *J Gen Intern Med.* 2001;16(9):606-613.
46. Cholera R, Gaynes BN, Pence BW, et al. Validity of the Patient Health Questionnaire-9 to screen for depression in a high-HIV burden primary healthcare clinic in Johannesburg, South Africa. *J Affect Disord.* 2014;167:160-166.
47. Morisky DE, Ang A, Krousel-Wood M, Ward HJ. Predictive validity of a medication adherence measure in an outpatient setting. *J Clin Hypertens (Greenwich).* 2008;10(5):348-354.
48. Reny A, Wahyono D, Rahmawati F, Gunawan C. PENGARUH EDUKASI OLEH APOTEKER TERHADAP KEPATUHAN OBAT ANTIRETROVIRAL (ARV) PADA PASIEN HIV/AIDS. Fakultas Farmasi UGM. 2017
49. APA Dictionary of Psychology [Internet]. Social Support. American Psychological Association; [cited 5 December 2020]. Available from: <https://dictionary.apa.org/social-support>
50. Fatimah N, Ekayanti F, Erfira. Perbedaan obesitas dan non obesitas terhadap kejadian depresi pada ibu rumah tangga. *JMI*, 2014;11(1).