

BAB VII

DAFTAR PUSTAKA

1. WHO. Global Burden Of Disease Study 2017. Inst Heal Metrics Eval. 2017;
2. Powers WJ, Rabinstein AA, Ackerson T, Adeoye OM, Bambakidis NC, Becker K, et al. Guidelines for the early management of patients with acute ischemic stroke: 2019 update to the 2018 guidelines for the early management of acute ischemic stroke a guideline for healthcare professionals from the American Heart Association/American Stroke A. Vol. 50, Stroke. Lippincott Williams and Wilkins; 2019. p. E344–418.
3. WHO. Monitoring Health For The SDGs. Switzerland World Heal Stat. 2019;
4. Anindhita, T. Wiratman W. Buku Ajar Neurologi. Jakarta: Departemen Neurologi FKUI; 452–475 p.
5. Kesehatan BPJS (BPJS). Laporan Pengelolaan Program Tahun 2019 & Laporan Keuangan Tahun 2019. 2019;
6. Virani SS, Alonso A, Benjamin EJ, Bittencourt MS, Callaway CW, Carson AP, et al. Heart disease and stroke statistics—2020 update: A report from the American Heart Association. Vol. 141, Circulation. Lippincott Williams and Wilkins; 2020. p. E139–596.
7. Silverman, I.E, Rymer M. An Atlas of Investigation and Treatment Hemorrhagic Stroke. 1ST, editor. Oxford: Atlas Medical Publishing; 2010.
8. Adam R.D., Victor M. RA. Principles of Neurology. 10th ed. New York: McGraw Hill; 2015. 778–836 p.
9. Adams HP, Davis PH, Leira EC, Chang KC, Bendixen BH, Clarke WR, et al. Baseline NIH Stroke Scale score strongly predicts outcome after stroke: A report of the Trial of Org 10172 in Acute Stroke Treatment (TOAST). Neurology. 1999 Jul 13;53(1):126–31.
10. Lyden P. Using the National Institutes of Health Stroke Scale. Vol. 48, Stroke. Lippincott Williams and Wilkins; 2017. p. 513–9.
11. Bhalla A, Sankaralingam S, Dundas R, Swaminathan R, Wolfe CDA, Rudd AG. Influence of Raised Plasma Osmolality on Clinical Outcome After Acute Stroke. Stroke. 2000 Sep;31(9):2043–8.
12. Hooper L, Abdelhamid A, Ali A, Bunn DK, Jennings A, John WG, et al. Diagnostic accuracy of calculated serum osmolality to predict dehydration in older people: Adding value to pathology laboratory reports. BMJ Open. 2015;5(10).
13. Rodriguez GJ, Cordina SM, Vazquez G, Suri MFK, Kirmani JF, Ezzeddine MA, et al. The hydration influence on the risk of stroke (THIRST) study. Neurocrit Care. 2009 Apr;10(2):187–94.
14. Riana. Hubungan Kadar Serum Albumin dan Osmolaritas Plasma dengan Outcome Klinis pada Pasien Stroke Akut. Universitas Sumatera Utara; 2017.
15. Nag C, Das K, Ghosh M, Khandakar MR. Plasma osmolality in acute spontaneous intracerebral hemorrhage: Does it influence hematoma volume and clinical outcome? J Res Med Sci. 2012 Jun;17(6):548–51.
16. Akut Brahmana H, Rudianta A. Hubungan Antara Osmolalitas Plasma dan Volume Hematom Terhadap Outcome Klinis pada Pasien Stroke. Universitas Sumatera Utara; 2019.
17. Li SS, Yin MM, Zhou ZH, Chen HS. Dehydration is a strong predictor of long-term prognosis of thrombolysed patients with acute ischemic stroke. Brain Behav. 2017 Nov 1;7(11):849.
18. Nicholson T, Bennett K, Silke B. Serum osmolality as an outcome predictor in hospital emergency medical admissions. Eur J Intern Med. 2012 Mar;23(2).

19. Seo WS, Oh HS. Acute Physiologic Predictors of Mortality and Functional and Cognitive Recovery in Hemorrhagic Stroke: 1-, 3-, and 6-month Assessments. *J Stroke Cerebrovasc Dis.* 2007 Mar;16(2):57–63.
20. Seo W, Oh H. Comparisons of acute physiological parameters influencing outcome in patients with traumatic brain injury and hemorrhagic stroke. *Worldviews Evidence-Based Nurs.* 2009 Mar;6(1):36–43.
21. Venketasubramanian N, Yoon BW, Pandian J, Navarro JC. Stroke epidemiology in south, east, and south-east asia: A review. Vol. 19, *Journal of Stroke.* Korean Stroke Society; 2017. p. 286–94.
22. RI KK. Laporan Nasional Riskesdas 2018. 2018;
23. Greenberg DA, Aminoff MJ SR. *Clinical Neurology.* New York: McGraw Hill Lange; 2012. 366–395 p.
24. J. Goldszmidt, Adrian, R. Caplan L. *Stroke Essential.* In: 5th ed. Cambridge: Cambridge University Press; 2015. p. 11–25.
25. Lee S-H. Identification of Stroke Mechanism: Stroke Classification. In: *Stroke Revisited: Diagnosis and Treatment of Ischemic Stroke.* Springer Singapore; 2017. p. 121–34.
26. Bornfeldt KE, Tabas I. Insulin resistance, hyperglycemia, and atherosclerosis. Vol. 14, *Cell Metabolism.* NIH Public Access; 2011. p. 575–85.
27. Shah RS, Cole JW. Smoking and stroke: The more you smoke the more you stroke. Vol. 8, *Expert Review of Cardiovascular Therapy.* Expert Reviews Ltd.; 2010. p. 917–32.
28. Pan B, Jin X, Jun L, Qiu S, Zheng Q, Pan M. The relationship between smoking and stroke. *Medicine (Baltimore).* 2019 Mar 1;98(12):e14872.
29. Seo YK, Guevara JP, Kyoung MK, Hyon KC, Heitjan DF, Albert DA. Hyperuricemia and risk of stroke: A systematic review and meta-analysis. Vol. 61, *Arthritis Care and Research.* Arthritis Rheum; 2009. p. 885–92.
30. Reeves MJ, Bushnell CD, Howard G, Gargano JW, Duncan PW, Lynch G, et al. Sex differences in stroke: epidemiology, clinical presentation, medical care, and outcomes. Vol. 7, *The Lancet Neurology.* Lancet Neurol; 2008. p. 915–26.
31. Yousef Aldayel A, Mousa Alharbi M, Mustafa Shadid A, Carlos Zevallos J. The association between race/ethnicity and the prevalence of stroke among United States adults in 2015: a secondary analysis study using Behavioural Risk Factor Surveillance System (BRFSS). *Electron Physician.* 2017 Dec 25;9(12):5871–6.
32. Maddali A, Razack F, Cattamanchi S, Ramakrishnan T. Validation of the cincinnati prehospital stroke scale. *J Emerg Trauma Shock.* 2018;11(2):111.
33. Smith, W.S., Johnston, S.C., Hemphill J. *Harrison's Principles of Internal Medicine.* 19th ed. New York: The McGraw-Hill Companies.; 2015.
34. Hacke W, Kaste M, Bluhmki E, Brozman M, Dávalos A, Guidetti D, et al. Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke. *N Engl J Med.* 2008 Sep 25;359(13):1317–29.
35. Torres-Aguila NP, Carrera C, Muiño E, Cullell N, Cárcel-Márquez J, Gallego-Fabrega C, et al. Clinical Variables and Genetic Risk Factors Associated with the Acute Outcome of Ischemic Stroke: A Systematic Review. *J Stroke.* 2019;21(3):276–89.
36. Guyton, A.C., Hall JE. *Textbook of Medical Physiology.* 13th ed. Pennsylvania: Elsevier; 2016. 371–381 p.
37. Sherwood L. *Human Physiology From Cells to System.* In: 9th ed. Boston: Cengage Learning; 2016. p. 535–61.
38. Shah MM, Mandiga P. *Physiology, Plasma Osmolality and Oncotic Pressure.* StatPearls. StatPearls Publishing; 2020.
39. Salonen JT, Nyssönen K, Korpela H, Tuomilehto J, Seppänen R, Salonen R. High stored iron levels are associated with excess risk of myocardial infarction in eastern

- finnish men. *Circulation*. 1992;86(3):803–11.
40. Yang R, Wang A, Ma L, Su Z, Chen S, Wang Y, et al. Hematocrit and the incidence of stroke: A prospective, population-based cohort study. *Ther Clin Risk Manag*. 2018;14:2081–8.
 41. Kerr DM, Fulton RL, Lees KR. Seven-day NIHSS is a sensitive outcome measure for exploratory clinical trials in acute stroke: Evidence from the virtual international stroke trials archive. *Stroke*. 2012 May;43(5):1401–3.
 42. Purssell RA, Pudek M, Brubacher J, Abu-Laban RB. Derivation and validation of a formula to calculate the contribution of ethanol to the osmolal gap. *Ann Emerg Med*. 2001 Dec 1;38(6):653–9.
 43. Moda Arsana Rulli Rosandi Asman Manaf AAG Budhiarta Hikmat Permana P, Sucipta Dharma Lindarto Soebagijo Adi Bowo Pramono Dante Saksono Harbuwono Alwi Shahab Sugiarto Jazil Karimi Luthfan Budi Purnomo Agus Yuwono Tony Suhartono KW. *Panduan Pengelolaan Dislipidemia di Indonesia-2015* Penulis Penerbit PB. PERKENI.
 44. Megawati S, Rahmawati R, Fhatonah N, Farmasi ST, Tangerang M. Evaluasi Penggunaan Obat Antiplatelet Pada Pasien Stroke Iskemik Di Instalasi Rawat Inap Rumah Sakit Umum Kabupaten Tangerang Tahun 2019. *J Farmagazine*. 2021 Feb 27;8(1):39–45.
 45. Kabi G, Tumewah R, Kembuan. Gambaran Faktor Risiko Pada Penderita Stroke Iskemik Yang Dirawat Inap Neurologi RSUP PROF. DR. R. D. Kandou Manado Periode Juli 2012 - Juni 2013. *e-CliniC*. 2015 Jan 23;3(1).
 46. Samai AA, Martin-Schild S. Sex differences in predictors of ischemic stroke: Current perspectives. *Vasc Health Risk Manag*. 2015 Jul 27;11:427–36.
 47. Gibson CL. Cerebral ischemic stroke: Is gender important? Vol. 33, *Journal of Cerebral Blood Flow and Metabolism*. SAGE Publications; 2013. p. 1355–61.
 48. Yousufuddin M, Young N. Aging and ischemic stroke. Vol. 11, *Aging*. Impact Journals LLC; 2019. p. 2542–4.
 49. Mozaffarian D, Benjamin EJ, Go AS, Arnett DK, Blaha MJ, Cushman M, et al. Heart disease and stroke statistics-2015 update: A report from the American Heart Association. *Circulation*. 2015 Jan 27;131(4):e29–39.
 50. Ueshima H, Sekikawa A, Miura K, Turin TC, Takashima N, Kita Y, et al. Cardiovascular disease and risk factors in Asia: A selected review. *Circulation*. 2008 Dec 23;118(25):2702–9.
 51. O'Donnell MJ, Denis X, Liu L, Zhang H, Chin SL, Rao-Melacini P, et al. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): A case-control study. *Lancet*. 2010;376(9735):112–23.
 52. Putri NN, Islam MS, Subadi I. Comparison of Acute Ischemic Stroke Functional Outcome in Smokers and Nonsmokers Measured by Canadian Neurological Scale (CNS) and NIHSS. *MNJ (Malang Neurol Journal)*. 2018 Jul 1;4(2):65–71.
 53. Tuttolomondo A, Pinto A, Salemi G, Di Raimondo D, Di Sciacca R, Fernandez P, et al. Diabetic and non-diabetic subjects with ischemic stroke: Differences, subtype distribution and outcome. *Nutr Metab Cardiovasc Dis*. 2008 Feb;18(2):152–7.
 54. Jørgensen HS, Nakayama H, Raaschou HO, Olsen TS. Stroke in patients with diabetes the copenhagen stroke study. *Stroke*. 1994;25(10):1977–84.
 55. Beckman JA, Creager MA, Libby P. Diabetes and atherosclerosis epidemiology, pathophysiology, and management. Vol. 287, *Journal of the American Medical Association*. American Medical Association; 2002. p. 2570–81.
 56. Tziomalos K. Type 2 diabetes is associated with a worse functional outcome of ischemic stroke. *World J Diabetes*. 2014;5(6):939.
 57. Semplicini A, Maresca A, Boscolo G, Sartori M, Rocchi R, Giantin V, et al.

- Hypertension in acute ischemic stroke: A Compensatory Mechanism or an Additional Damaging Factor? Arch Intern Med. 2003 Jan 27;163(2):211–6.
58. Appelros P, Nydevik I, Seiger Å, Terént A. Predictors of severe stroke: Influence of preexisting dementia and cardiac disorders. Stroke. 2002 Oct 1;33(10):2357–62.

