

DAFTAR PUSTAKA

- Anil C S, Kashinath M A (2013). Production, Characterization and optimization of potent protease (Serratiopeptidase) from *Serratia-marcescens* E15. *International Research Journal of Pharmaceutical and Applied Science*, 3(4): 95–98
- Araghi, A., Hashemi, S., Sepahi, A. A., Faramarzi, M. A., & Amin, M. (2019). Purification and study of anti-cancer effects of *Serratia marcescens* serralyisin. *Iranian journal of microbiology*, 11(4), 320–327.
- Averett, L. E., Schoenfisch, M. H., Akhremitchev, B. B., & Gorkun, O. V. (2009). Kinetics of the multistep rupture of fibrin 'A-a' polymerization interactions measured using atomic force microscopy. *Biophysical journal*, 97(10), 2820–2828. <https://doi.org/10.1016/j.bpj.2009.08.042>
- Baumann, U. (2006). Serralyisin and Related Enzymes. in N.D, Rawlings & S, Guy (Ed). *Handbook of Proteolytic Enzyme*(1nd ed., pp 864-867). Waltham, USA: Elsevier Ltd
- Berg JM, Tymoczko JL, Stryer L. (2002). *Biochemistry* (5th ed). New York: W H Freeman. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK22584/>
- Bhagat S, Agarwal M, Roy V. (2013). Serratiopeptidase: a systematic review of the existing evidence. *International Journal of Surgery*, 11(3): 209–217
- Bhargavi P.L & Prakasham, R.S. (2013). A fibrinolytic, alkaline and thermostable metalloprotease from the newly isolated *Serratia* sp RSPB11. *International Journal of Biological Macromolecules*, 66: 479-486.
- BioExcel CoE. (2016, October 13), BioExcel Webinar Series #7: PRODIGY, a web server to predict binding affinities in protein protein c [Video]. YouTube. <https://www.youtube.com/watch?v=xYIFARWGd88>
- Coleman, R. G., & Sharp, K. A. (2010). Protein pockets: inventory, shape, and comparison. *Journal of chemical information and modeling*, 50(4), 589–603. <https://doi.org/10.1021/ci900397t>
- Cologne, Germany: Institute for Quality and Efficiency in Health Care (IQWiG); 2006-. What are blood clots and what causes them? 2013 Nov 5 [Updated 2016 Dec 27]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK279383/>
- Critical Assessment of Predicted Interactions. (2017, May 14). *CAPRI and Its Role*. Retrieved from <https://www.capri-docking.org/about/#capri-and-its->

role

- de Vries, S. J., Melquiond, A. S., Kastritis, P. L., Karaca, E., Bordogna, A., van Dijk, M., Rodrigues, J. P., & Bonvin, A. M. (2010). Strengths and weaknesses of data-driven docking in critical assessment of prediction of interactions. *Proteins*, 78(15), 3242–3249. <https://doi.org/10.1002/prot.22814>
- de Vries, S. J., & Bonvin, A. M. (2011). CPORT: a consensus interface predictor and its performance in prediction-driven docking with HADDOCK. *PloS one*, 6(3), e17695. <https://doi.org/10.1371/journal.pone.0017695>
- Doshi, P., Bhargava, P., Singh, V., Pathak, C., Joshi, C., Joshi, M. (2020). Escherichia coli strain engineering for enhanced production of serratiopeptidase for therapeutic applications. *International Journal of Biological Macromolecules*, 160, pp. 1050-1060
- Eble J. A. (2018). Titration ELISA as a Method to Determine the Dissociation Constant of Receptor Ligand Interaction. *Journal of visualized experiments : JoVE*, (132), 57334. <https://doi.org/10.3791/57334>
- Ethiraj, S., Gopinath, S. (2017). Production, purification, characterization, immobilization, and application of Serrapeptase: a review. *Frontiers in Biology*, 12(5), 333–348. doi:10.1007/s11515-017-1461-3
- Glantz-Gashai, Y., Meirson, T., & Samson, A. O. (2016). Normal Modes Expose Active Sites in Enzymes. *PLOS Computational Biology*, 12(12), e1005293. doi:10.1371/journal.pcbi.1005293
- Guyton, A. (1974). *Function of the Human Body*. WB Saunders, 4:8384
- Hebda, J. (2011, September 9). *Protein Binding: Ligands, Affinity, and Specificity*. Retrieved from: <https://www.amherst.edu/system/files/media/1353/protein%252520interactions%252520F11.pdf>
- Hudson, N. E., Ding, F., Bucay, I., O'Brien, E. T., 3rd, Gorkun, O. V., Superfine, R., Lord, S. T., Dokholyan, N. V., & Falvo, M. R. (2013). Submillisecond elastic recoil reveals molecular origins of fibrin fiber mechanics. *Biophysical journal*, 104(12), 2671–2680. <https://doi.org/10.1016/j.bpj.2013.04.052>
- Jadhav, S. B., Shah, N., Rathi, A., Rathi, V., & Rathi, A. (2020). Serratiopeptidase: Insights into the therapeutic applications. *Biotechnology Reports*, 28, e00544. doi:10.1016/j.btre.2020.e00544
- Johnson, W., Onuma, O., Owolabi, M., Sachdev, S. (2016). Stroke: a global response is needed. *Bulletin of the World Health Organization*, 94(9), 633-708. doi: <http://dx.doi.org/10.2471/BLT.16.181636>

- Kastritis, P. L., Moal, I. H., Hwang, H., Weng, Z., Bates, P. A., Bonvin, A. M., & Janin, J. (2011). A structure-based benchmark for protein-protein binding affinity. *Protein science : a publication of the Protein Society*, 20(3), 482–491. <https://doi.org/10.1002/pro.580>
- Kufareva, I., & Abagyan, R. (2012). Methods of protein structure comparison. *Methods in molecular biology (Clifton, N.J.)*, 857, 231–257. https://doi.org/10.1007/978-1-61779-588-6_10
- Kurkcuoglu Z., Koukos P.I., Citro N., Trellet M.E., Rodrigues J.P.G.L.M., Moreira I.S., Roel-Touris J., Melquiond A.S.J., Geng C., Schaarschmidt J., Xue L.C., Vangone A. and Bonvin A.M.J.J. (2018). Performance of HADDOCK and a simple contact-based protein-ligand binding affinity predictor in the D3R Grand Challenge 2. *Journal of Computer-Aided Molecular Design*, 32, 175-185. Retrieved from <https://www.bonvinlab.org/publications/>.
- Lee, S. (2016, June 26). *Structural and Biophysical methods for biological macromolecules in solution*. Retrieved from <https://www.embl-hamburg.de/biosaxs/courses/embo2016skku/>
- Lesk, V. I., & Sternberg, M. J. (2008). 3D-Garden: a system for modelling protein-protein complexes based on conformational refinement of ensembles generated with the marching cubes algorithm. *Bioinformatics (Oxford, England)*, 24(9), 1137–1144. <https://doi.org/10.1093/bioinformatics/btn093>
- Lim, B. B., Lee, E. H., Sotomayor, M., & Schulten, K. (2008). Molecular basis of fibrin clot elasticity. *Structure (London, England : 1993)*, 16(3), 449–459. <https://doi.org/10.1016/j.str.2007.12.019>
- Litvinov, R. I., & Weisel, J. W. (2017). Fibrin mechanical properties and their structural origins. *Matrix biology : journal of the International Society for Matrix Biology*, 60-61, 110–123. <https://doi.org/10.1016/j.matbio.2016.08.003>
- Maillet N. (2019). Rapid Peptides Generator: fast and efficient *in silico* protein digestion. *NAR genomics and bioinformatics*, 2(1), 1qz004. <https://doi.org/10.1093/nargab/lqz004>
- Park, H., & Ming, L.-J. (2002). Mechanistic studies of the astacin-like Serratia metalloendopeptidase serralyisin: highly active (>2000%) Co(II) and Cu(II) derivatives for further corroboration of a “metallotriad” mechanism. *JBIC Journal of Biological Inorganic Chemistry*, 7(6), 600–610. doi:10.1007/s00775-002-0338-2
- Peterson, L. X., Roy, A., Christoffer, C., Terashi, G., & Kihara, D. (2017). Modeling disordered protein interactions from biophysical principles. *PLoS computational biology*, 13(4), e1005485. <https://doi.org/10.1371/journal.pcbi.1005485>

- Pierce, B. G., Hourai, Y., & Weng, Z. (2011). Accelerating protein docking in ZDOCK using an advanced 3D convolution library. *PloS one*, 6(9), e24657. <https://doi.org/10.1371/journal.pone.0024657>
- Ramírez, D., & Caballero, J. (2018). Is It Reliable to Take the Molecular Docking Top Scoring Position as the Best Solution without Considering Available Structural Data? *Molecules*, 23(5), 1038. doi:10.3390/molecules23051038
- Robert S R (2009). The ‘Miracle’ Enzyme is Serrapeptase, the 2nd Gift from Silkworms Giving the answer to Pain, Inflammation and Clear Arteries. *Naturally Healthy Publications*, 3(4): 12–19
- Roche, D. B., Brackenridge, D. A., McGuffin, L.J. (2015). Proteins and Their Interacting Partners: An Introduction to Protein–Ligand Binding Site Prediction Methods. *International Journal of Molecular Sciences*, 16, 29829–2984. doi: doi:10.3390/ijms16122620
- Segura, J., Marín-López, M. A., Jones, P. F., Oliva, B., & Fernandez-Fuentes, N. (2015). VORFFIP-driven dock: V-D2OCK, a fast and accurate protein docking strategy. *PloS one*, 10(3), e0118107. <https://doi.org/10.1371/journal.pone.0118107>
- Syahbanu, F., Giriwono, P. E., Tjandrawinata, R. R., & Suhartono, M. T. (2020). Molecular analysis of a fibrin-degrading enzyme from *Bacillus subtilis* K2 isolated from the Indonesian soybean-based fermented food moromi. *Molecular biology reports*, 47(11), 8553–8563. <https://doi.org/10.1007/s11033-020-05898-2>
- Srivastava, V., Mishra, S., Chaudhuri, T.K. (2019). Enhanced production of recombinant serratiopeptidase in *Escherichia coli* and its characterization as a potential biosimilar to native biotherapeutic counterpart. *Microbial Cell Factories*, 18, 215-230
- Takemura, K., & Kitao, A. (2019). *More efficient screening of protein-protein complex model structures for reducing the number of candidates*. *Biophysics and Physicobiology*, 16(0), 295–303. doi:10.2142/biophysico.16.0_29
- Tovchigrechko, A., & Vakser, I. A. (2006). GRAMM-X public web server for protein-protein docking. *Nucleic acids research*, 34(Web Server issue), W310–W314. <https://doi.org/10.1093/nar/gkl206>
- Tsurupa, G., Pechik, I., Litvinov, R. I., Hantgan, R. R., Tjandra, N., Weisel, J. W., & Medved, L. (2012). On the mechanism of α C polymer formation in fibrin. *Biochemistry*, 51(12), 2526–2538. <https://doi.org/10.1021/bi2017848>
- Vangone, A & Bonvin, AMJJ (2017). PRODIGY: a contact-based predictor of binding affinity in protein-protein complexes. *Bio-protocol* 7(3): e2124. <http://dx.doi.org/10.21769/BioProtoc.2124>

Vangone, A., Schaarschmidt, J., Koukos, P., Geng, C., Citro, N., Trellet, M. E., Xue, L. C., & Bonvin, A. (2019). Large-scale prediction of binding affinity in protein-small ligand complexes: the PRODIGY-LIG web server. *Bioinformatics (Oxford, England)*, 35(9), 1585–1587. <https://doi.org/10.1093/bioinformatics/bty816>

Virag, L., Wilson, J. S., Humphrey, J. D., & Karšaj, I. (2015). A Computational Model of Biochemomechanical Effects of Intraluminal Thrombus on the Enlargement of Abdominal Aortic Aneurysms. *Annals of biomedical engineering*, 43(12), 2852–2867. <https://doi.org/10.1007/s10439-015-1354-z>

Weber State University. (2007, September 4). Mechanisms of Blood Coagulation. Diambil dari: http://departments.weber.edu/chpweb/hemophilia/mechanisms_of_blood_coagulation.htm.

World Health Organization. (2021, Februari 2). *Cardiovascular Disease*. Diambil dari https://www.who.int/health-topics/cardiovascular-diseases#tab=tab_1

Zhmurov, A., Brown, A. E., Litvinov, R. I., Dima, R. I., Weisel, J. W., & Barsegov, V. (2011). Mechanism of fibrin(ogen) forced unfolding. *Structure (London, England : 1993)*, 19(11), 1615–1624. <https://doi.org/10.1016/j.str.2011.08.013>

