

## DAFTAR PUSTAKA

1. Yang Q, Tong X, Schieb L, Vaughan A, Gillespie C, Wiltz JL, et al. Vital Signs: Recent Trends in Stroke Death Rates — United States, 2000–2015. *MMWR Morb Mortal Wkly Rep.* 2017. Vol 66(35). 933-939.
2. Hartono E, Puspitasari M, Adam O. Gambaran Tekanan Darah Pada Pasien Stroke Hemoragik dengan Diabetes Melitus dan Non Diabetes Melitus di Bagian Saraf Rumkital DR. Ramelan Surabaya. *Jurnal Sinaps.* 2019. Vol 2(1): 1-8
3. Drave A, Kyelem JM, Ouedraogo S, Napon C, Kabore J. Frequency and Mortality Risk Factors of Acute Ischemic Stroke in Emergency Department in Burkina Faso. *Stroke Research and Treatment.* 2020: 1-7
4. B. Deresse and D. Shaweno. Epidemiology and in-hospital out-come of stroke in South Ethiopia,” *Journal of the Neurological Sciences.* 2015. vol. 355, no. 1-2: 138–142.
5. J. Montaner, A. Bustamante, and S. 2016. Garcia-Matas, “Combination of thrombolysis and statins in acute stroke is safe: result of the STARS randomized trials (stroke treatment with acute reperfusion and simvastatin),” *Stroke*, vol. 47, no. 11: 2870–2873.
6. American Heart Association. 2020 Heart Disease & Stroke Statistical Update Fact Sheet Global Burden of Disease. 2020. 1-3.
7. World Health Organization, WHO Statistical Profile, World Health Organization, Indonesia, 2015: 1-2
8. N. Venketasubramanian, B. W. Yoon, J. Pandian, and J. C. Navarro. Stroke epidemiology in south, east, and south-east asia: A review. *Journal of Stroke.* 2017. Vol 19(3): 286–294.
9. Setyopranoto I, Bayuangga HF, Panggabean AS. Prevalence of Stroke and Associated Risk Factors in Sleman District of Yogyakarta Special Region, Indonesia. *Stroke Research and Treatment.* 1-8.
10. Pertamina SB, Munawaroh S, Rosmala N. Pengaruh Elevasi Kepala 30 Derajat Terhadap Saturasi Oksigen dan Kualitas Tidur Pasien Stroke. *Health Information Journal Penelitian.* 2019. Vol 11 (2). 134-135
11. Ekachayaningtyas M, Setyarini D, Agustin WR, Rizqlea N. Posisi Head Up 30° Sebagai Upaya Untuk Meningkatkan Saturasi Oksigen Pada Pasien Stroke Hemoragik dan Non Hemoragik. *Adi Husada Nursing Journal.* 2017. Vol 3(2). 55-59.
12. Amalia AP, Gofir A, Rusdi I. Correlation Between Oxygen Saturation and Functional Outcome of Stroke Patient in RSUP Dr. Sardjito, Yogyakarta. *Fakultas Kedokteran. Universitas Gajah Mada.*
13. World Health Organization. Sixty-fifth world health assembly. 2012. [Online]: 1-3.

14. Bartoli, F., Lillia, N., Lax, A., Crocamo, C., Mantero, V., Carrà, G., Agostoni, E., Clerici, M. Depression after Stroke and Risk of Mortality : A Systematic Review and Meta Analysis. 2013: 2-8
15. Writing Group Members. Mozaffarian D, Benjamin EJ, Go AS, Arnett DK, Blaha MJ, Cushman M, et al. American Heart Association Statistics Committee. Stroke Statistics Subcommittee. Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. *Circulation*. 2016 Jan 26;133(4):e38-360
16. James PA, Oparil S, Carter BL, Cushman WC, Dennison-Himmelfarb C, Handler J, et al. 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA*. 2014 Feb 05;311(5):507-20.
17. Shi Y, Wardlaw JM. Update on cerebral small vessel disease: a dynamic whole-brain disease. *Stroke Vasc Neurol*. 2016 Sep;1(3):83-92. [PMC free article] [PubMed]
18. Estruch R, Ros E, Martínez-González MA. Mediterranean diet for primary prevention of cardiovascular disease. *N Engl J Med*. 2013 Aug 15;369(7):676-7.
19. Khaku A, Tadi P. Cerebrovascular Disease. NCBI. Pubmed. 2020
20. Krishnamurthi RV, Moran AE, Feigin VL, Barker-Collo S. Stroke Prevalence, Mortality and Disability-Adjusted Life Years in Adults Aged 20-64 Years in 1990-2013: Data from the Global Burden of Disease 2013 Study. *Neuroepidemiology*. 2015;45(3):190-202
21. Riset Kesehatan Dasar (Riskesdas). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. 166-168.
22. Xing C, Arai K, Lo EH, Hommel M. Pathophysiologic cascades in ischemic stroke. *Int J Stroke*. 2012 Jul;7(5):378-85.
23. Smith WS, English JD, Johnston SC. Cerebrovascular diseases in harrison's neurology in clinical medicine. 3rd edition. New York: Mcgraw Hill; 2013: 261.
24. M Das J, Naqvi IA. StatPearls. StatPearls Publishing; Treasure Island (FL): Jun 2, 2020. Anton Syndrome: 1-4.
25. Goyal M, Menon BK, van Zwam WH, Dippel DW. Endovascular thrombectomy after large-vessel ischaemic stroke: a meta-analysis of individual patient data from five randomised trials. *Lancet*. 2016 Apr 23;387(10029):1723-31
26. Nogueira RG, Jadhav AP, Haussen DC, Bonafe A. Thrombectomy 6 to 24 Hours after Stroke with a Mismatch between Deficit and Infarct. *N Engl J Med*. 2018 Jan 04;378(1):11-21.
27. Powers WJ, Rabinstein AA, Ackerson T, Adeoye OM. American Heart Association Stroke Council. 2018 Guidelines for the Early Management of

- Patients With Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*. 2018 Mar;49(3):e46-e110
28. Tadi P, Lui F. StatPearls. StatPearls Publishing; Treasure Island (FL): Aug 10, 2020. *Acute Stroke (Cerebrovascular Accident)*: 1-10.
  29. Paciaroni M, Agnelli G, Falocci N, Tsivgoulis G. Early Recurrence and Major Bleeding in Patients With Acute Ischemic Stroke and Atrial Fibrillation Treated With Non-Vitamin-K Oral Anticoagulants (RAF-NOACs) Study. *Am Heart Assoc*. 2017 Nov 29;6(12)
  30. Paciaroni M, Bandini F, Agnelli G, Tsivgoulis G. Hemorrhagic Transformation in Patients With Acute Ischemic Stroke and Atrial Fibrillation: Time to Initiation of Oral Anticoagulant Therapy and Outcomes. *Am Heart Assoc*. 2018 Nov 20;7(22):e010133
  31. Kwah LK, Diong J. *J Physiother*. National Institutes of Health Stroke Scale. 2014 Mar;60(1):61.
  32. DeGraba TJ. Progression in acute stroke value of the initial NIH Stroke Scale Score on patient stratification in future trials. 199, 30 (6). 1208-12.
  33. Xia S, Utriainen D, Tang J. Decreased oxygen saturation in asymmetrically prominent cortical veins in patients with cerebral ischemic stroke. *Faculty of Medicine nanjing china*. 2014;32(10):1272-1276.
  34. DeGregorio-Rocasolano N, MartiSistac O, Ponce J. Iron-loaded transferrin (Tf) is detrimental whereas iron-free Tf confers protection against brain ischemia by modifying blood Tf saturation and subsequent neuronal damage. *America Health Association*. 2018;15:143-158.
  35. Ali K, Cheek E, Sills S, Crome P. Morning– night Differences Oxygen Saturation in Patients With Stroke Ischemic. *Stroke Cerebrovascular Disease*. 2015;16(6):243-248
  36. R. L. Jusuf Misbach, Penyunt. *Pokdi Stroke*. Guideline Stroke 2011. Jakarta: Perhimpunan Dokter Spesialis Saraf (Perdossi). 1-10.
  37. Rut Pamela Sudianto. Hubungan Kadar Hemoglobin dengan Prognosis pada Pasien Stroke Iskemik di RSUD Dr. Moewardi. UNS-F. Kedokteran Jur. Kedokteran-G0011187-2015.
  38. ATP III Guidelines At-A-Glance. Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. 2019: 3-4.
  39. Perkeni. Konsensus pengelolaan dan pencegahan DM tipe 2 di Indonesia. Jakarta. Perkumpulan Endokrinologi Indonesia. 2015: 14.
  40. Islam, Q., 2015. JNC 8: Evidence-Based Guideline for the Management of High Blood Pressure in Adults in 2014. *Bangladesh Journal of Medicine*, 25(1): 1-2.
  41. Shah R, Cole JW. Smoking and stroke: the more you smoke the more you stroke. *Expert Rev Cardiovasc Ther*; 2010; 8(7): 917–932.

42. Astuti N. Hubungan Faktor Usia, Jenis Kelamin, Pekerjaan dengan Jenis Stroke. *Jurnal Keperawatan Flora*. 2017. 10(2). 29-42
43. Riyadina, W. dan Rahajeng, E. (2013). Determinan Penyakit Stroke. *Journal FKM UI*
44. Ghani, L., Mihardja, L. K., dan Delima (2016). Faktor Risiko Dominan Stroke di Indonesia. *Buletin Penelitian Kesehatan*. Vol 44 No. 1, Maret 2016: 49-58.
45. Burhanuddin, M., Wahiduddin, dan Jumriani. (2013). Faktor Risiko Kejadian Stroke pada Dewasa Awal (18-40 Tahun) di Kota Makasar Tahun 2010-2012
46. Bill, O., Zufferey, P., Faouz, M., dan Michel, P. (2012). Severe stroke: Patient Profile and Predictors of Favorable Outcome. *Journal of Thrombosis and Haemostasis*. Vol 11: 92-99
47. Boone, M., et., al. (2012). NIHSS and acute complications after anterior and posterior circulation strokes. *Therapeutics and Clinical Risk Management*, 8:87-93
48. Sutanto PH (2016). Analisis Data Pada Bidang Kesehatan. Ed. 1, Cet 4. 129-141
49. Jaganath. A study of age as a risk factor in ischemic stroke of elderly. Reddy HP et al. *Int J Res Med Sci*. 2019 May;7(5):1553-1557
50. Deng YX, Wang YL, Gao BQ, Wang CX, Zhao XQ, Liu LP, et al. Age differences in clinical characteristics, health care, and outcomes after ischemic stroke in China. *CNS Neurosci Therapeutics*. 2012;18(10):819-26.
51. Gur AY, Tanne D, Bornstein NM, Milo R, Auriel E, Shopin L, et al. Stroke in the very elderly: characteristics and outcome in patients aged  $\geq$  85 years with a first-ever ischemic stroke. *Neuroepidemiol*. 2012;39(1):57-62
52. Rianawati SB, Aurora H. Hubungan antara Tekanan Darah pada saat Masuk Stroke Unit dengan Hasil Keluaran Klinis Penderita Stroke Trombosis Akut. *MNJ*. 2015;1(2):68- 71
53. Manabe Y, Kono S, Tanaka T, Narai H, Omori N. High Blood Pressure in Acute Ischemic Stroke and Clinical Outcome. *Neurology International*. 2009;1(1):1-3
54. Castillo J, Leira R, Garcia MM, Serena J, Blanco M, Davalos A. Blood Pressure Decrease During the Acute Phase of Ischemic Stroke is Associated with Brain Injury and Poor Stroke Outcome. *J Am Heart Assoc*. 2014;35(5):520-6
55. Kartikasari W, Retnaningsih, Husni A. Hubungan Kadar S100B Serum Terhadap Luaran Klinis Neurologis Pasien Stroke Iskemik Akut. *Neurona*. 2018. Vol 36(1):64-72

56. Nacu A, Thomassen L, Fromm A, Bjerkreim A, Andreassen U, Naess H. Impact of diabetes mellitus on 1867 acute ischemic stroke patients. A Bergen NORSTROKE study. *J Res Diabetes*. 2015;2015(1):1–11.
57. Deng Q, Wang H, Sun C, Xing F, Zhang H, Zuo L, dkk. Triglyceride to high-density lipoprotein cholesterol ratio predicts worse outcomes after acute ischaemic stroke. *Eur J Neurol*. 2017;24(2):283–91.
58. Kristanti EA. Hubungan Kadar Glukosa Darah Mulai diRawat dengan Defisit Neurologis Pasien Stroke Iskemik. Universitas Muhammadiyah Surakarta. 2017.
59. Iqbal M, Frida M, Yaswir R. Perbedaan Rerata Kadar Gula Darah pada Luaran Stroke Iskemik Berdasarkan Indeks Barthel. *Jurnal Kesehatan Andalas*. 2014. 3(3). 435-439
60. Darmawan, A., Tugasworo, D. & Dalem P, T.G., 2011. Hiperglikemia dan aterosklerosis arteri karotis interna pada penderita pasca stroke iskemik. *Media Medika Inndonesia*, 45:2.
61. Napitupulu, E.Y., 2011. pengaruh kadar glukosa darah terhadap keluaran neurologi (outcome) pada penderita stroke iskemik fase akut non diabetik. Universitas Diponegoro. Sp.S. Thesis.
62. Karunawan NH, Pinzon RT, Saputro S. Pengaruh Kondisi Hiperglikemia Saat Masuk RS terhadap Luaran Fungsional Pasien Stroke Iskemik di RS Bethesda. *Cermin Dunia Kedokteran*. 2016. 43(2).
63. Stead, LG; RM, Gillmore; Bellolio, MF; Mishra, S; Bhagra, A; Vaidyanathan, L, 2009. Hyperglycemia as an independent predictor of worse outcome in non-diabetic patients presenting with acute ischemic stroke. *Neurocrit care*, 10(2):181-6.
64. Ivan I, Wreksoatmodjo BR, Darmawan O. Hubungan Antara Riwayat Penyakit Jantung dengan Tingkat Keparahan Stroke Iskemik Akut Pertama Kali. *Nurona*. 37(1). 48-53
65. Thompson AE. JAMA patient page. Atrial fibrillation. *JAMA*. 2015;313(10):1070
66. Henninger N, Goddeau RP, Karmarkar A, Helenius J, McManus DD. Atrial fibrillation is associated with a worse 90-day outcome than other cardioembolic stroke subtypes. *Stroke*. 2016;47(6):1486–92.
67. Byun JI, Jung KH, Kim YD, Kim JM, Roh JK. Cardiac function and outcome in patients with cardioembolic stroke. *PLoS ONE*. 2014;9(4):e9;5277
68. Kim W, Kim EJ. Heart failure as a risk factor for stroke. *J Stroke*. 2018;20(1):33–45
69. Yanti YG. Hubungan Perilaku Merokok dengan Nilai NIHSS Pada pasien Stroke Iskemik di Ruang Rawat Inap RSUD Panembahan Senopati Bantul Yogyakarta. Program Studi Ilmu Keperawatan. Sekolah Tinggi Ilmu Kesehatan. Jenderal Achmad Yani Yogyakarta. 2016

70. Zuhid MN. Hubungan Kebiasaan Merokok dengan Angka Kejadian Stroke Hemoragik dan Non-Hemoragik di Rumah Sakit Wahidin Sudirohusodo Makassar. Fakultas Kedokteran Universitas Hasanuddin Makassar. 2015. Skripsi. Zuhid
71. Suanprasert N, Tantirithisak T. Impact of risk factor for recurrent ischemic stroke in prasat neurological institute. J Med Assoc Thai. 2011. 1035-43
72. Bhat, V.M., Cole, J.W., Sorkin, J.D. -Response Relationship Between Cigarette Smoking and Risk of Ischemic Stroke in Young Women. 2008. Stroke ; 39:2439-2443.

