

## DAFTAR PUSTAKA

- Anderson, A. K. (2016). Thermal and Chemical Treatment of Red Kidney Bean (*Phaseolus vulgaris* L.) Starch : Effects on  $\alpha$ -amylase digestion and Resistant Starch Formation. *Research Journal of Pharmaceutical , Biological and Chemical Sciences*, 7(5), 1772-1781.
- Anni, F. (2008). *Patiseri*. Jakarta: Direktorat Pembinaan Sekolah Menengah Kejuruan.
- Anugrahati, N. A., Pranoto, Y., Marsono Y., & Marseno , D. W. (2017). Physicochemical propertiesl of rice (*Oryza sativa* L.) flour and starch of two indonesian rice varieties differing in amylose content. *International Food Research*, 108-113.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y., & Marseno, D. (2015). In vitro digestibility of Indonesian cooked rice treated with cooling-reheating process and coconut milk addition. *International Research Journal of Biological Sciences* 4 (12), 34-39.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y., & Marseno, D. W. (2015). In Vitro Digestibility of Indonesian Cooked Rice Treated with Cooling-Reheating Process and Coconut Milk Addition. *International Research Journal of Biological Sciences*, 34-39.
- AOAC. (1970). *Methods of Analysis*. Washington: Association of Official Agriculturan Chemists.
- AOAC. (1995). *Official Method of Analysis*. Washington: Association of Official Analytical Chemist.
- AOAC. (2005). *Official Methods of analysis*. Washington: Association of Official Analytical Chemist.
- Aparicio-Saguilan, A., Flores-Huicochea, E., Tovar, J., Garcia-Suarez, F., Guitierrez-Meraz, F., & Bello-Perez, L. (2005). Resistant starch rich-powders prepared by autoclaving of native and lintnerized banana starch : partial charactization. *Starch/Starke*, 405-412.
- Ardhiyanti, S. D., Kusbiantoro, B., Ahza, A. B., & Faridah, D. N. (2017). Peluang Peningkatan Pati Resisten Tipe III pada Bahan Pangan dengan Metode Hidrotermal. *Iptek Tanaman Pangan Vol. 12 No. 1*, 45-56.
- As'ad, M. (2015). *Evaluasi Nilai Biologis Beras (Oryza sativa L.) Coklat Ciherang dan Cianjur* . Bogor : Institut Pertanian Bogor.
- Astawan, I. M. (2002). *Membuat Mi dan Bihun*. Jakarta: Penebar Swadaya.
- Badan Standarisasi Nasional. (1992). *Mi Kering SNI 01-2774-1992*. Jakarta: Badan Standarisasi Nasional.

- Bakke, A., & Z, V. (2007). Consumer Liking of Refined and Whole Wheat Breads. *J Food Sci*, 72, 473-480.
- Birt, D. F., Boylston, T., Hendrich, S., Lane, J., Hollis, J., Li, L., et al. (2013). Resistant Starch : Promise for Improving Human Health. *Advances in Nutrition*, 587-601.
- Budiyati, C. S., & Kumoro, A. C. (2012). *Teknologi Pembuatan dan Karakterisasi Mie Kaya Protein dari Tepung Gadung*. Semarang: UNDIP.
- Carrera, E. C., Cruz, A. C., Guerrero, L. C., & Ancona, D. B. (2007). Effect of pyrodextrinization on available starch content of Lima bean (*Phaseolus lunatus*) and Cowpea (*Vigna unguiculata*) starches. *Food Hydrocolloids*, 472-479.
- Cham, S., & Suwannaporn, P. (2010). Effect of hydrothermal treatment of rice flour on various rice noodles quality. *Journal of Cereal Science*, 284-291.
- Chinachoti, B. P., Zoumas, B. L., Armstrong, J. R., Backstrand, W. L., Chenoweth, P., Klein, H. W., et al. (2002). *High energy Nutrient-dense Emergency Relief Product*. Washington: National Academy Press.
- Chung, H. J., Lim, H. S., Lim, S. T., & D. (2006). Effect of partial gelatinization and retro gradation on the enzymatic digestion of waxy rice starch. *Journal of Cereal Science*, 353-359.
- Falade, K. O., & Christopher, A. S. (2015). Physical, functional, pasting, and thermal properties of flour and starches of six Nigerian rice cultivars. *Food Hydrocolloids*, 44, 478-490.
- Faridah, D. N. (2008). *Penuntun Praktikum Analisis Pangan*. Bogor: Institut Pertanian Bogor .
- Faridah, D. N., Rahayu, W. P., & Apriyadi, M. S. (2013). Modifikasi Pati Garut (*Maranthaceae*) dengan Perlakuan Hidrolisis Asam dan Siklus Pemanasan-Pendinginan untuk Menghasilkan Pati Resisten Tipe 3 . *Jurnal Teknologi Industri Pertanian Vol. 23 No.1*, 61-69.
- Guraya, H. S., James, C., & Champagne, E. T. (2001). Effect of Cooling, and Freezing on the Digestibility of Debranched Rice Starch and Physical Properties of the Resulting Material. *USDAARS Southern Regional Research Center*, 53, 64-73.
- Hariyadi. (2006). *Teknologi Pengolahan Beras*. Yogyakarta: Penerbit UGM Press.
- Hasnelly, & Sumartini. (2011). Kajian Sifat Fisiko Kimia Formulasi Tepung Komposit Produk Organik. *Seminar Nasional PATPI*.
- Herawati, H. (2010). Potensi pengembangan produk pati tahan cerna sebagai pangan fungsional. *Jurnal Litbang Pertanian* 30(1), 31-39.
- Hovhannisyian, G., Aroutiounian, R., & Gleib, M. (2009). Butyrate reduces the frequency of micronuclei in human colon carcinoma cells in vitro. *Toxicology in Vitro*, 1028-1033.

- IRRI. (1971). *Rice Production Manual*. Philippines: International Rice Research Institute.
- Kartikasari, E. (2006). *Pembuatan Mie Basah*. Jakarta: Universitas Indonesia Press.
- Khotimah, K. (2016). Skrining Fitokimia dan Identifikasi Metabolit Sekunder Senyawa Karpain pada Ekstrak Metanol Daun carica pubescens Lenne & K.Koch Dengan LC/MS (Liquid Chromatograph-tandem Mass Spectrometry). *Skripsi*.
- Laga, A. (2006). *Pengembangan pati termodifikasi dari substrat tapioka dengan optimalisasi pemotongan rantai cabang menggunakan enzim pullulanase*. Yogyakarta: Prosiding Seminar Nasional PATPI.
- Lehmann, U., Jacobasch, G., Schmidl, D., & Gibson, G. R. (2002). Characterization of resistant starch type III from banana (*Musa acuminata*). *Journal of Agricultural and Food Chemistry*, 5236-5240.
- Lesmes, U., Beards, E. J., Gibson, G. R., Tuohy, K. M., & Shimoni, E. (2009). Resistant Starch Type III Polymorphs on Human Colon Microbiota and Short Chain Fatty Acids in Human Gut Models. *Journal of Agricultural and Food Chemistry*, 112-120.
- Lockyer, S., & Nugent, A. P. (2017). *Health effects of resistant starch*. London: British Nutrition Foundation.
- Moulay, S. (2013). Moleculer iodine/polymer complexes. *Journal of Polymer Engineering*, 33(5).
- Mulyadi, A., Wijana, S., Dewi, I. A., & Putri, W. (2014). Karakteristik organoleptik produk mi kering ubi jalar kuning (*Ipomoea batatas*) dengan penambahan telur dan CMC. *Jurnal Teknologi Pertanian*, 25-36.
- Mutungi, C., Rost, F., Onyago, C., Jaros, D., & Rohm, H. (2009). Crystallinity, thermal and morphological characteristics of resistant starch tupe III Produced by hydrothermal treatment of debranched cassava starch. *Starch/Starke*, 634-645.
- Nielsen, S. S. (2017). *"Food Analysis" 5th ed.* Cham: Springer International Publishing.
- Niken, A., & Adepristian, D. (2013). Isolasi Amilosa dan Amilopektin dari Pati Kentang. *Jurnal Teknologi Kimia dan Industri Vol. 2 No. 3*, 57-62.
- Nurhayati, Betty, S. L., Widowati, & Kusumaningrum. (2014). Komposisi Kimia dan Kristalinitas Tepung Pisang Termodifikasi Secara Fermentasi Spontan dan Siklus Pemanasan Bertekanan Pendinginan. *Jurnal AGRITECH*, 34, 134-136.
- Okoniewska, M., & Witwer, R. S. (2007). Natural resistant starch : an overview of health properties a useful replacement for flour, resistant starch may also boost insulin sensitivity and satiety. *Nutritional Outlook*.

- Ozturk, S., Koksel, H., & Perry, K. N. (2011). Production of resistant starch from acid-modified amylopectin starches with enhanced functional properties. *Journal of Food Engineering*, 156-164.
- Paramita, A. H. (2015). Pengaruh Penambahan Tepung Bengkuang dan Lama Pengukusan terhadap Karakteristik Fisik, Kimia, dan Organoleptik Flake Talas. *Jurnal Pangan dan Agroindustri*, 1071-1082.
- Park, E. Y., Baik, B. K., Lim, S. T., & D. (2009). Influences of temperature-cycled storage on retrogradation and in vitro digestibility of waxy maize starch. *Journal of Cereal Science*, 43-48.
- Perez, E., Schultz, F. F., & Dan, D. E. (2007). Characterization in some Properties of Starches Isolated from *Xanthosoma sagittifolium* (Tannia) and *Colocasia esculenta* L. (Taro). *Journal of Carbohydrate Polymer*, 139-145.
- Prabowo, B. (2010). *Kajian Sifat Fisikokimia Tepung Millet Kuning dan Tepung Millet Merah*. Surakarta: Universitas Sebelas Maret.
- Quach, M. L., Melton, L. D., Harris, P. J., Burdon, J. N., & Smith, B. G. (2000). Cell Wall Compositions of Raw and Cooked Corms of Taro (*Colocasia esculenta*). *J Sci Food Agri*, 3, 311-318.
- Rauf, R., Sarbini, D., & Rahmatika, N. A. (2015). *Penentuan Jumlah Air yang Berbeda Terhadap Sifat Viskoelastisitas Adonan yang Terbuat dari Campuran Tepung Terigu dan Tepung Singkong*. Surakarta: LPPM UMS.
- Rohaya, M., Masket, M., Ma, A., & Aruf. (2013). Rheological properties of different degree of pegelatinized rice flour batter. *Sains Malaysiana*, 1707-1714.
- Rufaizah, U. (2010). *Pemanfaatan Tepung Sorgum (Sorghum Bicolor L. Moench) pada pembuatan snack bar tinggi serat pangan dan sumber zat besi untuk remaja putri*. Bogor: Institut Pertanian Bogor.
- Rustandi, D. (2011). *Produksi Mie*. Solo: Serangkai Pustaka Mandiri.
- Safriani, N., Moulana, R., & Ferizal. (2013). Pemanfaatan Pasta Sukun (*Artocarpus altilis*) pada pembuatan Mi Kering. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 5(2), 17-24.
- Sajilata, M. G., Singhal, R. S., & Kulkarni, P. R. (2006). Resistant starch a review. *Comprehensive Reviews in Food Science and Food Safety*. 5(1), 1-17.
- Setiarto, R. H., Jenie, B. S., Faridah, D. N., & Saskiawan, I. (2015). Kajian Peningkatan Pati Resisten yang Terkandung dalam Bahan Pangan Sebagai Sumber Prebiotik. *Jurnal Ilmu Pertanian Indonesia (JIPI) Vol. 20 No. 3*, 191-200.
- Singh, V., Okadome, H., Toyoshima, H., Isobe, S., & Ohtsubo, K. (2000). Thermal and physicochemical properties of rice grain, flour and starch. *Agricultural and Food Chemistry*, 2639-2647.

- Sugiyono, Pratiwi, R., & Faridah, D. N. (2009). Modifikasi Pati Garut (*Maranatha arundinacea*) dengan Perlakuan Siklus Pemanasan Suhu Tinggi-Pendinginan (Autoclaving-Cooling Cycling) untuk Menghasilkan Pati Resisten Tipe III. *Jurnal Teknologi dan Industri Pangan Vol. XX No. 1*, 17-24.
- Suliartini, N., R. G., Sadimantara, T. W., & Muhidin. (2011). Pengujian Kadar Antosianin Padi Gogo Beras Merah Hasil Koleksi Plasma Nutfah Sulawesi Tenggara. *Crop Agro 4*, 43-48.
- Tam, L. M., Corke, H. W., Li, J., & Collado, L. S. (2004). Production of Bihon-type Noodle from Mize Starch Differing in Amylose Content. *J Cereal Chem, 81(4)*, 475-480.
- Tan, S. Y. (2003). *Resistant Rice Starch Development*. Louisiana State: Departement of Food Science.
- Vatanasuchart , N., Niyomwit, B., & Wongkrajang, K. (2012). Resistant Starch Content , in vitro starch digestibility and physico-chemical properties of flour and starch from thai bananas . *Maejo International Journal Science Technology, 6(2)*, 259-271.
- Wahyudi. (2003). *Kimia Organik II*. Malang: UM Press.
- Wang, S., Li, C., Copeland , L., Niu, Q., & Wang, S. (2015). Starch Retrogradation : Acomprehensive Review. *Comprehensive Reviews in Food Science and Food Safety , 14*, 568-585.
- Widjanarko, Simon , B., Sutrisno, A., & Faridah, A. (2011). Efek hidrogen Peroksida terhadap Sifat Fisiko-Kimia Tepung Porang (*Amorphophallus oncophyllus*) dengan Metode Maserasi dan Ultrasonik. *Jurnal Teknologi Pertanian*, 143-152.
- Widyaningtyas , & Wahono , H. S. (2015). Pengaruh Jenis dan Konsentrasi Hidrokoloid (Carboxymethyl Cellulose, Xantan Gum, dan Karagenan) Terhadap Karakteristik Mi Kering Berbasis Pasta Ubi Jalar. *Jurnal Pangan dan Agroindustri*, 417-423.
- Winangun. (2007). *Pengaruh Telur pada Pembuatan Mie*. Jakarta: PT Gramedia Pustaka Utama.
- Yanuarti, A. R., & Afsari, M. D. (2016). *Profil Komoditas Barang Kebutuhan Pokok dan Barang Penting Komoditas Cabai*. Jakarta (ID): Kementrian Perdagangan.
- Yu, S., Ma, Y., & Sun, D. W. (2009). Physicochemical Properties of Starch and Flour from Different Rice Cultivars. *Food Bioprocess Technology, 5(2)*, 5626-637.
- Yuliwardi, F., Syamsir, E., Hariyadi, P., & Widowati, S. (2014). *Effects of Two-Cycle Autoclaving-Cooling on Resistant Starch Content of Rice Flour and the Resulted Rice Noodle* . Bogor: Institut Pertanian Bogor.

Zabar, S., Shimoni, E., Peled, H. B., & Shamai. (2008). Development of nanostructure in resistant starch type III during thermal treatments and cycling. *Journal of Macromolecule Bioscience*, 163-170.

Zaragoza, E. F., Riquelme, N. M., Sanchez-Zapata, E., & Perez, A. J. (2010). Resistant starch as functional ingredient : A review. *Food Research International*, 931-942.

