

## DAFTAR PUSTAKA

1. Wiknjosastro H. Ilmu Kebidanan. Edisi ke-4 Cetakan ke-2. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo, 2009; 523 - 529.
2. Novia, I., & Puspitasari, N. (2008). Faktor Risiko yang Mempengaruhi Kejadian Dismenore Primer. *Indonesian Journal of Public Health*, 4
3. Boonstra A. M., Schiphorst Preuper H. R., Balk G. A., Stewart R. E. (2014). Cut-off points for mild, moderate, and severe pain on the visual analogue scale for pain in patients with chronic musculoskeletal pain. *Pain* 155, 2545–2550. 10.1016/j.pain.2014.09.014
4. Breivik E. K., Björnsson G. A., Skovlund E. (2000). A comparison of pain rating scales by sampling from clinical trial data. *Clin. J. Pain* 16, 22–28. 10.1097/00002508-200003000-00005
5. Thong I, Jensen M, Miró J, Tan G. The validity of pain intensity measures: what do the NRS, VAS, VRS, and FPS-R measure?. *Scandinavian Journal of Pain*. 2018;18(1):99-107.
6. Robinson-Papp J, George MC, Dorfman D, Simpson DM. Barriers to chronic pain measurement: a qualitative study of patient perspectives. *Pain Med* 2015;16:1256–64.
7. Ferreira-Valente MA, Pais-Ribeiro JL, Jensen MP. Validity of four pain intensity rating scales. *Pain* 2011;152:2399–404.
8. Li L, Liu X, Herr K. Postoperative pain intensity assessment: a comparison of four scales in Chinese adults. *Pain Med* 2007;8:223–34.
9. Pathak A, Sharma S, Jensen M. The utility and validity of pain intensity rating scales for use in developing countries. *PAIN Reports*. 2018;3(5):e672. 1. Pathak A, Sharma S, Jensen M. The utility and validity of pain intensity rating scales for use in developing countries. *PAIN Reports*. 2018;3(5):e672.

10. Larroy, Cristina (2002). *Comparing Visual-Analog and Numeric Scales for Assessing Menstrual Pain. Behavioral Medicine, 27(4), 179–181.* doi:10.1080/08964280209596043
11. Alfonsin M, Chapon R, de Souza C, Genro V, Mattia M, Cunha-Filho J. Correlations among algometry, the visual analogue scale, and the numeric rating scale to assess chronic pelvic pain in women. *European Journal of Obstetrics & Gynecology and Reproductive Biology: X.* 2019;3:100037.
12. Ameade E. Menstrual Pain Assessment: Comparing Verbal Rating Scale (VRS) with Numerical Rating Scales (NRS) as Pain Measurement Tools. *International Journal of Women's Health and Wellness.* 2016;2(1).
13. Vlachou E, Owens DA, Lavdaniti M, Kalemikerakis J, Evagelou E, Margari N, Fasoï G, Evangelidou E, Govina O, Tsartsalis AN. Prevalence, Wellbeing, and Symptoms of Dysmenorrhea among University Nursing Students in Greece. *Diseases.* 2019 Jan 08;7(1)
14. Burnett M, Lemyre M. No. 345-Primary Dysmenorrhea Consensus Guideline. *J Obstet Gynaecol Can.* 2017 Jul;39(7):585-595.
15. French L. Dysmenorrhea. *Am Fam Physician.* 2005 Jan 15;71(2):285-91.
16. Proctor M, Farquhar C. Diagnosis and management of dysmenorrhoea. *BMJ.* 2006 May 13. 332(7550):1134-8.
17. Bernardi M, Lazzeri L, Perelli F, Reis FM, Petraglia F, Dysmenorrhea and related disorders. *F1000Research.* 2017.
18. Simpson JL, Elias S, Malinak LR, Buttram VC Jr. Heritable aspects of endometriosis. I. Genetic studies. *Am J Obstet Gynecol.* 1980 Jun 1. 137(3):327-31.
19. Agarwal SK, Chapron C, Giudice LC, Laufer MR, Leyland N, Missmer SA, Singh SS, Taylor HS, Clinical diagnosis of endometriosis: a call to action. *American journal of obstetrics and gynecology.* 2019 Apr.

20. Proctor ML, Roberts H, Farquhar CM. Combined oral contraceptive pill (OCP) as treatment for primary dysmenorrhoea. *Cochrane Database Syst Rev* 2001;(2):CD002120.
21. Marjoribanks J, Proctor ML, Farquhar C. Nonsteroidal anti-inflammatory drugs for primary dysmenorrhoea. *Cochrane Database Syst Rev* 2003;(4):CD001751.
22. Marjoribanks J, Proctor ML, Farquhar C. Nonsteroidal anti-inflammatory drugs for primary dysmenorrhoea. *Cochrane Database Syst Rev* 2003;(4):CD001751.
23. Proctor ML, Roberts H, Farquhar CM. Combined oral contraceptive pill (OCP) as treatment for primary dysmenorrhoea. *Cochrane Database Syst Rev* 2001;(2):CD002120.
24. Wewers ME, Lowe NK. A critical review of visual analogue scales in the measurement of clinical phenomena. *Res Nurs Health*. 1990;13:227–36.
25. Burket LW, Greenberg MS, Glick M. *Burkett's Textbook* 10th ed. Philadelphia, PA: Lippincott
26. Basbaum AI, Bautista DM, Scherrer G, Julius D. Cellular and molecular mechanisms of pain. *Cell*. 2009 Oct 16;139(2):267-84.
27. Raffaelli W, Arnaudo E. Pain as a disease: an overview. *J Pain Res*. 2017;10:2003-2008.
28. Murphy DF, McDonald A, Power C, Unwin A, MacSullivan R. Measurement of pain: a comparison of the visual analogue with a nonvisual analogue scale. *Clin J Pain*. 1987;3:197–199. doi: 10.1097/00002508-198712000-00003.
29. Von Baeyer CL. Numerical rating scale for self-report of pain intensity in children and adolescents: Recent progress and further questions. *Eur J Pain* 2009;13:1005-7
30. Aicher, B., Peil, H., Peil, B., & Diener, H. (2011). Pain measurement: Visual Analogue Scale (VAS) and Verbal Rating Scale (VRS) in clinical trials with OTC analgesics in headache. *Cephalalgia*, 32 (3), p. 185–197.

31. Magrinelli F, Zanette G, Tamburin S. Neuropathic pain: diagnosis and treatment. *Practical Neurology*. 2013;13(5):292-307.
32. Lee Y, Kim G, Bae I, Park H, Wang S, Kwon S. The cut-off analysis using visual analogue scale and cepstral assessments on severity of voice disorder. *Logopedics Phoniatrics Vocology*. 2018;43(4):175-180.
33. Hjerstad M, Fayers P, Haugen D, Caraceni A, Hanks G, Loge J et al. Studies Comparing Numerical Rating Scales, Verbal Rating Scales, and Visual Analogue Scales for Assessment of Pain Intensity in Adults: A Systematic Literature Review. *Journal of Pain and Symptom Management*. 2011;41(6):1073-1093.
34. Al-Matouq S, Al-Mutairi H, Al-Mutairi O, Abdulaziz F, Al-Basri D, Al-Enzi M et al. Dysmenorrhea among high-school students and its associated factors in Kuwait. *BMC Pediatrics*. 2019;19(1).
35. Ju H, Jones M, Mishra G. The Prevalence and Risk Factors of Dysmenorrhea. *Epidemiologic Reviews*. 2013;36(1):104-113.
36. 7. Qin L, Hu Z, Kaminga A, Luo B, Xu H, Feng X et al. Association between cigarette smoking and the risk of dysmenorrhea: A meta-analysis of observational studies. *PLOS ONE*. 2020;15(4):e0231201.
37. Rafique N, Al-Sheikh M. Prevalence of menstrual problems and their association with psychological stress in young female students studying health sciences. *Saudi Medical Journal*. 2018;39(1):67-73.