

DAFTAR PUSTAKA

- Agustin, D. dan Ismiyati. 2015. Pengaruh konsentrasi pelarut pada proses ekstraksi dari bunga kembang sepatu. Konversi 4(2): 9-16.
- Akdeniz, B., Sumnu, G., dan Sahin, S. 2018. Microencapsulation of phenolic compounds extracted from onion (*Allium cepa*) skin. J Food Process Preserv:1-8.
- Akomolafe, S. F. dan Ajayi, O. B. 2015. A comparative study on antioxidant properties, proximate and mineral compositions of the peel and pulp of ripe *Annona muricata* (L.) fruit. International Food Research Journal 22(6): 2381-2388.
- Al-Snafi, A. E. 2016. Pharmacological importance of *Clitoria ternatea* – A review. IOSR Journal of Pharmacy 6(3): 68-83.
- Ali, A., Chong, C. H., Mah, S. H., Abdullah, L. C., Choong, T. S. Y., dan Chua, B. L. 2018. Impact of Storage Conditions on the Stability of Predominant Phenolic Constituents and Antioxidant Activity of Dried Piper betle Extracts. Molecules 23(84): 1-15.
- Ali, D. Y., Darmadji, P., dan Yudi, P. 2014. Optimasi nanoenkapsulasi asap cair tempurung kelapa dengan *response surface methodology* dan karakterisasi nanokapsul. J. Teknol. dan Industri Pangan 25(1): 23-30.
- Amchova, P., Kotolova, H., dan Kucerova, J. R. 2015. Health safety issues of synthetic food colorants. Regulatory Toxicology and Pharmacology 1-9.
- Anthika, B., Samuel, P., Kusumocahyo, dan Sutanto, H. 2015. Ultrasonic approach in *Clitoria ternatea* (Butterfly Pea) extraction in water and extract sterilization by ultrafiltration for eye drop active ingredient. Procedia Chemistry 16: 237-244.
- AOAC. 2005. “Official Method of Analysis.” 18th Edition, Association of Officiating Analytical Chemists, Washington.
- Avaltroni, F., Bouquerand, P.E., Normand, V., 2004. Maltodextrin molecular weight distribution influence on the glass transition temperature and viscosity in aqueous solutions. Carbohydrate Polymers 58 (3), 323–324.
- Azwanida, N. N. 2015. A review on the extraction methods use in medicinal plants, principle, strength and limitation. Med Aromat Plants 4(3): 1-6.
- Baranauskiene, R., Venskutonis, P. R., Dewettinck, K., dan Verhe, R. 2006 Properties of oregano (*Origanum vulgare* L.), citronella (*Cymbopogon nardus* G.) and marjoram (*Majorana hortensis* L.) flavors encapsulated into milk protein-based matrices. Food Research International 39: 413-425.

- Begum, Y. A. dan Deka, S. C. 2017. Stability of spray-dried microencapsulated anthocyanins extracted from culinary banana bract. International Journal of Food Properties 20(12): 3135-3148.
- Bilello, S. 2016. "21st Century Homestead: Nitrogen-Fixing Crops." Lulu, USA.
- Budianta, T. D. W., Harijono., dan Murtini. 2000. Penambahan kuning telur dan maltodekstrin terhadap kemampuan pelarutan kembali dan sifat organoleptik santan bubuk kelapa (*Cocos nucifera L.*). Jurnal Teknologi Pangan dan Gizi 1(2): 60-71.
- Busic, A., Ana, B-C., Wang, Y., Aleksandra, V., Karlovic, S., Spoljaric, I., Mrsic, G., Versec, P., Jasmina, V., Drazenka, K. 2016. Application of Whey Protein Isolates and zein for the formulation of alginate-based delivery systems encapsulating *Ganoderma lucidum* polyphenols. Croat. J. Food Sci. Technol 8(2): 99-106.
- Bylaite, E. dan Venskutonis, P. R. 2001. Properties of caraway (*Carum carvi L.*) essential oil encapsulated into milk protein-based matrices. Eur Food Res Technol 212: 661-670.
- Cadenas, E. dan Packer, L. 2005. "Handbook of Antioxidants Second Edition Revised and Expanded." Marcel Dekker, Inc, New York.
- Cai, Y. Z. dan Corke, H. 2000. Production and properties of spray-dried *Amaranthus* betacyanin pigments. Journal of Food Science 65(6): 1248-1252.
- Cano-Chauca, M., Stringheta, P. C., Ramos, A. M., dan Cal-Vidal, J. 2005. Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. Innovate Food Science and Emerging Technologies 6: 420-428.
- Castel, V., Andrich, O., Netto, F. M., Santiago, L. G., dan Carrara, C. R. 2014. Total phenolic content and antioxidant activity of different streams resulting from pilot-plant processes to obtain *Amaranthus mantegazzianus* protein concentrates. Journal of Food Engineering 122: 62-67.
- Chayaratanasin, P., Barbieri, M. A., Suanpairintr, N., dan Adisakwattana, S. 2015. Inhibitory effect of *Clitoria ternatea* flower petal extract on fructose-induced protein glycation and oxidation-dependent damages to albumin in vitro. BMC Complementary and Alternative Medicine 15(27): 1-9.
- Choiriyah, N. A. 2017. Ekstraksi senyawa antosianin pada fenolik rosella ungu dengan variasi pelarut. Darussalam Nutrition Journal 1(1): 16-21.
- Chong, S. Y. dan Wong, C. W. 2017. Effect of spray dryer inlet temperature and maltodextrin concentration on colour profile and total phenolic content of Sapodilla (*Manilkara zapota*) powder. International Food Research Journal 24(6): 2543-2548.
- Desai, K. G. H dan Park, H. J. 2005. Recent developments in microencapsulation of food ingredients. Drying Technology 23: 1361-1394.

- Devi, P. S., Saravanakumar, M., dan Mohandas, S. 2012. The effects of temperature and pH on stability of anthocyanins from red sorghum (*Sorghum bicolor*) bran. African Journal of Food Science 6(24): 567-573.
- Djaafar, T. F., Umar, S., dan Anggara, A. 2017. Pengaruh penambahan maltodekstrin dan suhu inlet *spray dryer* terhadap karakteristik fisiko-kimia bubuk sari kerandang (*Canavalia virosa*). Agritech 37(3): 332-342.
- Ersus, S. dan Yurdagel, U. 2007. Microencapsulation of anthocyanin pigments of black carrot (*Daucus carota L.*) by spray dryer. Journal of Food Engineering 80: 805-812.
- Fang, Z. dan Bhandari, B. 2012. Comparing the efficiency of protein and maltodextrin on spray drying of bayberry juice. Food Research International 48: 478-483.
- Favarro-Trindade, Silvia, C., Cristina, S., dan Rocha, P. G A. 2008. Review: Microencapsulation of food ingredients. Braz. J. Food Technol. 11(2): 103-112.
- Feisner, E. A. dan Reed, R. 2014. "Color Studies" Third Edition. Fairchild Books, New York.
- Flores, F. P., Singh, R. K., Kong, F. 2014. Physical and storage properties of spray-dried blueberry pomace extract with Whey Protein Isolate as wall material. Journal of Food Engineering 137: 1-6.
- Frascareli, E. C., Silvia, V. M., Tonon, R. V., dan Hubinger, M. D. 2011. Physicochemical properties of coffee oil microcapsules produced by spray drying. Agrobio Envases.
- Fredes, C., Becerra, C., Parada, J., dan Robert, P. 2018. the microencapsulation of maqui (*Aristotelia chilensis* (Mol.) Stuntz) juice by spray-drying and freeze-drying produces powders with similar anthocyanin stability and bioaccessibility. Molecules 23(1227): 1-15.
- Garcia-Estevez, I., Alcalde-Eon, C., Puente, V., dan Escribano-Bailon, M. 2017. Enological tannin effect on red wine color and pigment composition and relevance of the yeast fermentation products. Molecules 22(12): 2046.
- Garti, N. dan McClements, D. J. 2012. "Encapsulation Technologies and Delivery Systems for Food Ingredients and Nutraceuticals." Woodhead Publishing Limited, Cambridge.
- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., dan Saurel, R. 2007. Applications of spray drying in microencapsulation of food ingredients: An overview. Food Research International 40(9): 1107-1121
- Gong, Z., Zhang, M., Mujumbar, A.S., dan Sun, J. 2007. Spray drying and agglomeration of instant bayberry powder. Drying Technology 26: 116-121.

- Goula, A. M. dan Adamopoulos, K. G. 2008. Effect of maltodextrin addition during spray drying of tomato pulp in dehumidified air: I. Drying kinetics and product recovery. *Drying Technology* 26: 714-725.
- Hambali, M., Mayasari, F., dan Noermansyah, F. 2014. Ekstraksi antosianin dari ubi jalar dengan variasi konsentrasi solven, dan lama waktu ekstraksi. *Teknik Kimia* 20(2): 25-35.
- Hamzah, Y., Jumat, N. A., dan Sembok, W. Z. W. 2013. Effect of drying on the storage stability of encapsulated anthocyanins powder extract from butterfly pea flower (*Clitoria ternatea*). *13th ASEAN Food Conference* 1-10.
- Hardjanti, Sri. 2008. Potensi daun katuk sebagai sumber zat pewarna alami dan stabilitasnya selama pengeringan bubuk dengan menggunakan binder maltodekstrin. *Jurnal Penelitian Saintek* 13(1): 1-18
- Hardoko, Tanudjaja, Y., Mastuti, T. S., dan Halim, Y. 2018. Utilization of soursop leaves as antihyperuricemic in functional beverage herbal green tea. *International Food Research Journal* 25(1): 321-328.
- Haryani, Y., Muthmainah, S., dan Sikumbang, S. 2013. Parameter non spesifik dan aktivitas antibakteri ekstrak metanol dari umbi tanaman Dahlia (*Dahlia variabilis*). *Jurnal Penelitian Farmasi Indonesia* 1(2): 43-46.
- Hernandez, B., Saenz, C., Alberdi, C., dan Dineiro, J. M. 2016. CIELAB color coordinates versus relative proportions of myoglobin redox forms in the description of fresh meat appearance. *J Food Sci Technol.* 53(12): 4159-4167.
- Ho, L. P., Anh, H. P., dan Vat, V. M. L. 2015. Effects of core/wall ratio and inlet temperature on the retention of antioxidant compounds during the spray drying of sim (*Rhodomyrtus tomentosa*) juice. *Journal of Food Processing and Preservation*:1-8.
- Integrated Taxonomic Information System. *ITIS Standard Report Page: Clitoria ternatea* L.
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26543#null (diakses 19 Juli 2018).
- Jafari, S. M., Assadpoor, E., He, Y., dan Bhandari, B. 2008. Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology* Journal 26(7).
- Jie, L., Xiao-ding, L., Yun, Z., Zheng-dong, Z., Zhi-ya, Q., Meng, L., Shao-hua, Z., Shuo, L., Meng, W., dan Lu, Q. 2013. Identification and thermal stability of purple-fleshed sweet potato anthocyanins in aqueous solutions with various pH values and fruit juices. *Food Chemistry* 136: 1429-1434.
- Jimenez, M., Garcia, H., dan Beristain, C. 2004. Spray-drying microencapsulation and oxidative stability of conjugated linoleic acid. *European Food Research and Technology* 219: 588-592.

- Jobbehdar, S. B. 2013. Optimization of spray-drying process conditions for the production of maximally viable microencapsulated *L. acidophilus* NCIMB 701748. *Drying Technology* 31: 1274-1283.
- Kanha, N. dan Laokuldilok, T. 2014. Effects of spray-drying temperatures on powder properties and antioxidant activities of encapsulated anthocyanins from black glutinous rice bran. *CMNUJ NS Special Issue on Food and Applied Bioscience* 13(1): 411-423.
- Kanpairo, K., Usawakesmanee, W., Sirivongpaisal, P., dan Siripongvutikorn, S. 2012. The compositions and properties of spray dried tuna avor powder produced from tuna precooking juice. *International Food Research Journal* 19(3): 893-899.
- Kha, T. C., Nguyen, M. H., dan Roach, P. D. 2012. Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *Journal of Food Engineering* 98: 385-392.
- Klaypradit, W dan Huang, Y.W. 2008. Fish oil encapsulation with chitosan using ultrasonic atomizer. *Food Science and Technology* 41(6): 1133-1139.
- Krasaekoopt,W. B., Bhandari, H. dan Deeth, H. 2003. Evaluation of encapsulation techniques of probiotics for yoghurt. *Int. Dairy J.* 13: 3-13
- Kumar, S. dan Pandey, A. K. 2013. Chemistry and biological activities of flavonoids: An overview. *The ScientificWorld Journal*: 1-16.
- Kunapornsujarit, D., dan P. Intipunya. 2013. Effect of spray drying temperature on quality of longan beverage powder. *Food and Applied Bioscience Journal* 1(2): 81-89.
- Kungsuwan, K., Singh, K., Phetkao, S., dan Utama-ang, N. 2014. Effects of pH and anthocyanin concentration on color antioxidant activity of *Clitoria ternatea* extract. *Food and Applied Bioscience Journal* 2(1): 31-46.
- Kusrini, E., Tristantini, D., dan Izza, N. 2017. Uji aktivitas ekstrak bunga telang (*Clitoria ternatea L.*) sebagai agen anti-katarak. *Jurnal Jamu Indonesia* 2(1): 30-36.
- Leon-Martinez, F. M., Mendez-Lagunas, L. L., dan Rodriguez-Ramirez, J. 2010. Spray drying of nopal mucilage (*Opuntia ficus-indica*): Effects on powder properties and characterization. *Carbohydr. Polym.* 81(4): 864-870.
- Li, Y., Lim, L. T., Kakuda, Y. 2009. Electrospun zein fibers as carriers to stabilize (-)-epigallocatechin gallate. *J. Food Sci.* 74(3): 233-240.
- Lim, Y. Y., Lim, T. T., dan Tee, J. J. 2007. Antioxidant properties of several tropical fruits. A Comparative Study. *Food Chemistry* 103: 1003-1008.
- Limsittichaikoon, S., Saodaeng, K., Priprem, A., dan Damrongrungruang, T. 2015. Anthocyanin complex: Characterization and cytotoxicity studies.

International Journal of Biological, Food, Veterinary and Agricultural Engineering 9(2): 98-104.

- Lukitasari, D. M, Indrawati, R., Chandra, R. D, Heriyanto, dan Limantara, L. 2017. Mikroenkapsulasi pigmen dari kubis merah: Studi intensitas warna dan aktivitas antioksidan. J. Teknol. Dan Industri Pangan 28(1): 1-9.
- Mahdavi, S. A, Jafari, S. M., Ghorbani, M., dan Assadpoor, E. 2014. Spray-drying microencapsulation of anthocyanins by natural biopolymers: A review. Drying Technology: An International Journal 32(5): 509-518.
- Mahmad, N., Taha, R. M., Othman, R., Elias, H., dan Zaleh, A. 2016. Encapsulated embryogenic callus of *Clitoria ternatea* L. for regeneration and conservation. International Journal of Environmental Science and Development 7(5): 363-367.
- Maisuthisakul, P., Pongsawatmanit, R. and Gordon, M.H. 2007. Characterization of the phytochemicals and antioxidant properties of extracts from Teaw (*Cratoxylum formosum* Dyer). Food Chemistry 100: 1620–1629.
- Miksusanti, Elfita, dan Hotdelina, S. 2012. Aktivitas antioksidan dan sifat kestabilan warna campuran ekstrak etil asetat kulit buah manggis (*Garcinia mangostana* L.) dan Kayu Secang (*Caesalpinia sappan* L.). Jurnal Penelitian Sains 15(2): 60-69.
- Mishra, P., Mishra, S., dan Mahanta, C. L. 2014. Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. Food and Bioproducts Processing 92: 252-258.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl for estimating antioxidant activity. SJST 26: 211-219.
- Moreno, T., de Paz, E., Navarro, I., Rodriguez-Rojo, S., Matias, A., Duarte, C., Sanz-Buenhombre, M., dan Cocero, M. J. 2016. Spray Drying Formulation of Polyphenols-Rich Grape Marc Extract: Evaluation of Operating Conditions and Different Natural Carriers. Food Bioprocess Technol: 1-13.
- Morris, J. B. C. 2009. Characterization of butterfly pea (*Clitoria ternatea* L.) accessions for morphology, phenology, and potential nutraceutical, pharmaceutical trait utilization. Genet Resour Crop Avol 56:421-427.
- Nazzaro, F., Orlando, P., Fratianni, F., dan Coppola, R. 2012. Microencapsulation in food science and biotechnology. Current Opinion in Biotechnology 23(2): 182-186.
- Neda, G.D., Rabeta, M. S., dan Ong, M. T. 2013. Chemical composition and anti-proliferative properties of flowers of *Clitoria ternatea*. International Food Research Journal 20 (3): 1229-1234.
- Nollet, L. M. L. dan Toldra, Fidel. 2010. “Handbook of Seafood and Seafood Product Analysis”. Taylor and Francis Group, LLC, Boca Raton.

- Partanen, R., Raula, J., Seppanen, R., Buchert, J., Kauppinen, E., dan Forssell, P. 2008. Effect of relative humidity on oxidation of flaxseed oil in spray dried whey protein emulsions. *Journal of Agriculture and Food Chemistry* 56(14): 5717-5722.
- Pereira, D.M., Valentao, P., Pereira, J. A., dan Andrade, P. B. 2009. Phenolics: From chemistry to biology. *Molecules* 14: 2202-2211.
- Perez-Alonso, C., Fabela-Moron, M.F., Guadarrama-Lezama, Y., Barrera-Pichardo, J.F., Alamilla-Beltran, L., Rodriguez-Huezo, M.E., 2009. Interrelationship between the structural features and rehydration properties of spray dried manzano chilli sauce microcapsules. *Revista Mexicana de Ingenieria Quimica* 8 (2), 187–196.
- Prota. *Clitoria ternatea L. Plant Resources of The World.* <https://www.prota4u.org/database/protav8.asp?g=psk&p=Clitoria+ternatea+L> (diakses 14 Juli 2018).
- Purnomo, W., Khasanah, L. U., dan Anandito, R. B. K. 2014. Pengaruh ratio kombinasi maltodekstrin, karagenan dan whey terhadap karakteristik mikroenkapsulan pewarna alami daun jati (*Tectona grandis* L. f.). *Jurnal Aplikasi Teknologi Pangan* 3(3): 121-129.
- Puspitasari, M. L., Wulansari, T. V., Widyaningsih, T. D., Maligan, J. M., Nugrahini, N. I. P. 2016. Aktivitas antioksidan suplemen herbal daun sirsak (*Annona muricata* L.) dan kulit manggis (*Garcinia mangostana* L.”). *Jurnal Pangan dan Agroindustri* 4(1): 283-290.
- Quek, S.Y., Chok, N.K., dan Swedlund, P. 2007. The physicochemical properties of spray- dried watermelon powder. *Chemical Engineering and Processing* 46(5): 386– 392.
- Rabeta M. S. dan An Nabil, Z. 2013. Total phenolic compounds and scavenging activity in *Clitoria ternatea* and *Vitex negundo* linn. *International Food Research Journal* 20(1): 495-500.
- Reblova, Z. 2012. Effect of temperature on antioxidant activity of phenolics acid. *Czech J. Food Sci.* 30(2): 171-177.
- Reyes, L. F. dan Zevallos, L. C. 2007. Degradation kinetics and colour of anthocyanins in aqueous extract of purple and red flesh potatoes (*Solanum tuberosum* L). *Food Chem* 100: 885-894.
- Righetto, A.M. dan Netto, F.M. 2005. Effect of encapsulating materials on water sorption, glass transition and stability of juice from Immature acerola. *International Journal of Food Properties* 8: 337–346.
- Robert, P., Gorena, T., Romero, N., Sepulveda, E., Chavez, J., dan Saenz, C. 2010. Encapsulation of polyphenols and anthocyanins from pomegranate (*Punica granatum*) by spray drying. *International Journal of Food Science and Technology* 45: 1386-1394.

- Robert, P., Torres, V., Garcia, P., Vergara, C., dan Saenz, C. 2015. The encapsulation of purple cactus pear (*Opuntia ficus-indica*) pulp by using polysaccharide-proteins as encapsulating agents. Food Science and Technology 60: 1039-1045.
- Rufino, M. S. M., Alves, R. E., Brito, E. S., Perez-Jimenez, J., Saura-Calixto, F., dan Mancini-Filho, J. 2010. Bioactive compounds and antioxidant capacities of 18 non-traditional tropical fruits from Brazil. Food Chem. 121(4): 996-1002.
- Saati, E. A. 2002. Potensi bunga pacar air (*Impatiens balsamina* linn.) sebagai pewarna alami pada produk minuman. Majalah Tropika 10 (2).
- Samber, L. N., Semangun, H., dan Prasetyo, B. 2013. Karakteristik antosianin sebagai pewarna alami. Seminar Nasional X Pendidikan Biologi FKIP UNS: 1-4.
- Saponjac, V. T., Cetkovic, G., Canadanovic-Brunet, J., Pajin, B., Djilas, S., Petrovic, J., Loncarevic, I., Statjic, S., dan Vulic, J. 2016. Sour cherry pomace extract encapsulated in whey and soy proteins: Incorporation in cookies. Food Chemistry 207: 27-33.
- Saptarini, N. M., Suryasaputram, D., dan Nurmalia, H. 2015. Application of butterfly pea (*Clitoria ternatea* Linn) extract as an indicator of acid-base titration. Journal of Chemical and Pharmaceutical Research 7(2): 275-280.
- Setiawan, M. 2015. Effects of different carrier agents and core to coating ratio towards the encapsulation of soursop leaves (*Annona muricata* Linn.) tea extract. Skripsi, Universitas Pelita Harapan, Tangerang.
- Sharifi, A., Niakousari, M., Maskooki, A., dan Mortazavi, S.A. 2015. Effect of spray drying conditions on the physicochemical properties of barberry (*Berberis vulgaris*) extract powder. International Food Research Journal 22(6): 2364-2370.
- Shevell, S. K. 2003. "The Science of Colour" 2nd ed. Elsevier Inc., Itali.
- Shi, H. L., Noguchim, N., dan Niki, E. 2001. "Introducing Narural Antioxidants." Woodhead Publishing Ltd, Britania Raya.
- Shi, Q., Zhongxiang, F., dan Bhesh, B. 2013. Effect of addition of Whey Protein Isolate on spray-drying behavior of honey with maltodextrin as a carrier material. Drying Technology 31(13-14): 1681-1692.
- Shwetha dan Preetha, R. 2017. Comparison of Freeze Drying and Spray Drying for the Production of Anthocyanin Encapsulated Powder from Jamun (*Syzygium cumini*). Asian Journal of Chemistry 29(6): 1-3.
- Silitonga, P. dan Sitoris, B. 2014. Enkapsulasi pigmen antosianin dari kulit terong ungu. JKK 3(1): 44-49.

- Sousa, A.S.D., Borges, S.V., Magalhaes, N.F., Ricardo, H.V., dan Azevedo, A.D., 2008. Spray- dried tomato powder: reconstitution properties and colour. Brazilian Archives of Biology and Technology 51(4): 807–817.
- Suzery, M., Lestari, S., dan Cahyono, B. 2010. Penentuan total antosianin dari kelopak bunga rosela (*Hibiscus sabdariffa L.*) dengan metode maserasi dan sokhletasi. Jurnal Sains dan Matematika (JSM) 18(1): 1-6.
- Suzihaque, M. U. H., Syafiza, A. H., dan Ummy, K. I. 2015. Effect of inlet temperature on pineapple powder and banana milk powder. Social and Behavioral Sciences 195:2829-2838.
- Syahirah, L., Lutfi, M. U., Atika, M.Y., Hafiz, A. M., R., Zulhelmi, M. O. A., Adzhan, M. A. O., dan Khor, P.Y. 2018. A comparative analysis of *clitoria ternatea* linn. (butterfly pea) flower extract as natural liquid ph indicator and natural ph paper. Dhaka Univ. J. Pharm. Sci. 17(1): 97-103.
- Tonon, R. V., Brabet, C., dan Hubinger, M. D. 2008. Influence of process conditions on the physicochemical properties of açai (*Euterpe oleraceae Mart.*) powder produced by spray drying. Journal of Food Engineering 88(3): 411-418.
- Tonon, R. V., Samuel, S. F., dan Miriam, D. H. 2011. Spray drying of açai (*Euterpe oleraceae mart.*) juice: effect of inlet air temperature and type of carrier agent. Journal of Food Processing and Preservation 35: 691-700.
- Utama, D. A., Hendradi, E., Hariyadi, D. M. 2013. Pengaruh kecepatan pengadukan terhadap karakteristik fisik mikrosfer ovalbumin-alginat dengan metode aerosolisasi. PharmaScientia 2(2): 1-8.
- Vankar, P. S. dan Srivastava, J. 2010. Evaluation of anthocyanin content in red and blue flowers. International Journal of Food Engineering 6(4): 1-11.
- Vermerris, W. dan Nicholson, R. 2008. "Phenolic Compound Biochemistry." Springer Science+Business Media B. V., USA.
- Walstra, P., Wouters, J. T. M., Geurts, T. J. 2006. "Dairy Science and Technology". CRC Press, Boca Raton.
- Wilowska, A., Ambroziak, W., Czyzowska, A., dan Adamiec, J. 2016. Effect of microencapsulation by spray-drying and freeze-drying technique on the antioxidant properties of blueberry (*Vaccinium myrtillus*) juice polyphenolic compounds. Pol. J. Food Nutr. Sci. 66(1): 11-16.
- Wulansari, A., Prasetyo, D. B., Lejaringtyas, M., Hidayat, A., dan Anggraini, S. 2012. Aplikasi dan analisis kelayakan pewarna bubuk merah alami berantioksidan dari ekstrak biji buah pinang *Aareca catechu*) sebagai bahan pengganti pewarna sintetik pada produk pangan. Jurnal Industria 1(1): 1-9.
- Xu, B., dan Chang, S. K. 2008. Effect of soaking, boiling, and steaming on total phenolic contentand antioxidant activities of cool season food legumes. Food Chemistry 110(1): 1–13.

Yao, H., Jiang, Y. M., dan Shi, J. 2004. Flavonoids in food and their health benefits. Plant Foods for Human Nutrition 59(3): 113-122.

Zahra, N., Nisa, A., Kalim, I., Fatima, S., Khan, H., Akhlaq, F., Butt, I. F., dan Hina, S. 2016. Identification of synthetic food dyes in various candies. Pak J. Biochem. Mol. Biol. 49(1): 9-17.

