ACKNOWLEDGEMENTS

Praise the Lord Jesus Christ for His blessing and grace that author is able to complete this thesis research. This thesis with title "APPLICATION OF DRAGON FRUIT (*Hylocereus polyrhizus*) PECTIN AND CASSAVA STARCH IN EDIBLE COATING FORMULATION TO EXTEND STORAGE TIME OF FRESH-CUT APPLES (*Malus sylvestris*)" is written to fulfill the academic requirement of Food Technology Study Program of Universitas Pelita Harapan to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan, Tangerang.

The author realizes that the completion of this thesis could not have been possible without the guidance, assistance and support from other people. Therefore, the author would like to express a sincere and deepest gratitude to those who have helped and supported the author throughout this thesis, including:

- 1. Ms. Yuniwaty Halim, M.Sc., as the Head of Quality Control and Research Laboratories, thesis examiner and as the thesis supervisor for the help, advices, time and guidance before, during and after the thesis research until the completion of the thesis report.
- 2. Mr. Eric Jobiliong, Ph.D., as the Dean of Faculty of Science and Technology.
- 3. Ms. Dela Rosa, M.M., M.Sc., Apt., as the Vice Dean of Faculty of Science and Technology.
- 4. Mr. Laurence, S.T., M.T., as the Director of Administration and Student Affair of Faculty of Science and Technology.
- 5. Mr. Ir. W. Donald R. Pokatong, M. Sc., Ph. D., as the Head of Food Technology Study Program and thesis examiner who has helped and support the author during the revision and completion of this thesis.
- 6. Ms. Ratna Handayani, MP, as the Deputy Head of Food Technology Study Program, who has supported the author throughout this thesis project.
- 7. Ms. Nathania, M.Eng., Mr. Dr. Ir. Adolf J. N. Parhusip, M. Si., and Mr. Dr. Tagor M. Siregar, as Heads of Food Processing and thesis examiner,

- Microbiology and Chemistry Laboratories, respectively for the help and support given to the author.
- 8. Mr. Yosafat Rudju, Mr. Darius, Mr. Adi and Mr. Aji, as the laboratory staff of Universitas Pelita Harapan, who have helped and assist the author during the thesis research.
- All other lecturers, lecturers' assistant and staffs in Food Technology Study Program for the help, guidance, and support given to the author during this research.
- 10. Beloved family, including father (Chrisdianto Rahardjo), mother (Inne Effendi, brother (Steven Octavian), sister (Jessica Angelina) and other family member (Gabriella Tiara Natasha, Susan Wibawati and Anis Djojotirto), for the help, support, and endless love for the author.
- 11. Carinna Ruth and Livia Katherina as author's thesis partners for their neverending guidance, assistance, help, support, patience and love during this thesis research.
- 12. Joanina, Gracia Angelina, Tiffany Nathalie, Jennifer Alvionita and Celine Tanuwijaya as the author best friends for their patience, love, support, help and advice throughout the author study in Universitas Pelita Harapan.
- 13. Fransiska Rusli, Cynthia Saputra, Dustin Hendarlim, Freddy Chayadi as friends under the same supervision for their love and support for the author.
- 14. Friends from Food Technology 2015 Class C of Universitas Pelita Harapan, especially Nabillah Chanan Din, Jesseline Kuo, Rheza Theodorus and Liana Oktavia for their help, guidance and support for the author.
- 15. Friends from Food Technology Study Program Batch 2015 that cannot be mentioned one-by-one, for their endless support, guidance, advices and thoughtfulness given to the author.
- 16. Other friends, close relatives, and colleagues who has not yet to be mentioned by the author but have supported the author from the beginning of this thesis research until the completion of the report.

The author is aware that this thesis report is far from perfect and still requires further improvement. Therefore, the author is welcome to any suggestion and criticism the readers to improve this report. At last, the author hope that the reader will find this thesis report to be useful and informative.




TABLE OF CONTENTS

		page
COVER		
	OF THESIS AUTHENTICITY	
	Y THESIS SUPERVISOR Y THESIS EXAMINATION COMMITTEE	
	THESIS EXAMINATION COMMITTEE	*7
	Λ	
ADSINAN ACKNOWI FD	GEMENTS	٧١
TARI F OF CO	NTENTS	VII V
	RES	
	ES	
	NDICES	
CHAPTER I IN	TRODUCTION	1
	1 Background	1
	2 Research Problem	
	3Objectives	
	1.3.1 General Objectives	
	1.3.2 Specific Objectives	
~		
CHAPTER II L	ITERATURE REVIEW	5
	.1 Dragon Fruit	
	2.1.1 Dragon Fruit Peel	6
2.	.2 Edible Coating and Film	
	2.2.1 Edible Film	8
	2.2.2 Edible Coating	
2.	.3 Components of Edible Coating and Film	9
_	2.3.1 Pectin	9
	2.3.1.1 Type of Pectin	10
	2.3.1.2 Pectin Extraction.	
	2.3.2 Starch	
2	2.3.3 Plasticizers.	
	.4 Characteristics of Edible Film and Coating	
۷.	.5 Apples	13
CHAPTED III I	NEGE A DOLL METHODOL OCY	1.7
	RESEARCH METHODOLOGY	
	3.1 Materials and Equipment	
	3.2 Research Method	
	3.2.1 Preliminary Research	
	3.2.1.1 Preparation of Dragon Fruit Peel Powder.	
	3.2.1.2 Preparation of Dragon Fruit Pectin	
	3.2.2 Main Research Stage I	20

3.2.3 Main Research Stage II	21
3.3 Experimental Design	23
3.3.1 Main Research Stage I	
3.3.2 Main Research Stage II	
3.4 Procedure of Analyses	
3.4.1 Moisture Content (AOAC, 2005)	
3.4.2 Ash Content (AOAC, 2005)	
3.4.3 Protein Content (AOAC, 2005)	
3.4.4 Fat Content (AOAC, 2005)	28
3.4.5 Carbohydrate Content (AOAC, 2005)	
3.4.6 Yield (Azad, et al., 2014)	29
3.4.7 Equivalent Weight (Akili, <i>et al.</i> , 2012)	29
3.4.8 Methoxyl Content (Suwoto, et al., 2017)	
3.4.9 Galacturonic Acid Content (Akili, et al., 2012)	30
3.4.10 Degree of Esterification (DE) (Akili, et al.,	
2012)	31
3.4.11 Thickness (Fazilah, et al., 2011)	31
3.4.12 Water Vapor Transmission Rate (ASTM, 1995)	
with modification)	31
3.4.13 Tensile Strength and Elongation (Dashipour,	l.
2014)	32
3.4.14 Hardness (Chiabrando and Giacalone, 2013)	
3.4.15 Weight Loss (AOAC, 1994)	32
3.4.16 Total Plate Count (TPC) and Total Molds	
and Yeast (Ribeiro, et al., 2007; Ogawa, et al.,	
2014 with modification)	
3.4.17 Lightness (Velickova, et al., 2013)	34
3.4.18 Total Titratable Acidity (TTA) (Rocha and	
Morais, 2003 with modification)	34
3.4.19 Total Dissolved Solid (AOAC, 2005)	35
CHAPTER IV RESULTS AND DISCUSSIONS	36
4.1 Dragon Fruit Peel Powder.	26
4.2 Characteristics of Pectin from Dragon Fruit Peel Powder	
4.2.1 Pectin Yield	
4.2.2 Moisture and Ash Content of Dragon Fruit Pectin.	
4.2.3 Equivalent Weight of Dragon Fruit Pectin	
4.2.4 Methoxyl Content of Dragon Fruit Pectin	
4.2.5 Galacturonic Acid Content of Dragon Fruit Pectin	
4.2.6 Degree of Esterification of Dragon Fruit Pectin	
4.3 Characteristics of Edible Films	
4.3.1 Thickness	
4.3.2 Tensile Strength of Edible Films	
4.3.3 Elongation of Edible Films	
4.3.4 Water Vapor Transmission Rate of Edible Films	
1.5.1 Tracer Taper Transmission Rate of Edicie I IIII5	

4.4 Selected Edible Film Formulation	51
4.5 Effects of Edible Film Application on Fresh-cut	
Apples Quality during Storage	52
4.5.1 Weight loss of Fresh-cut Apples during Storage	
4.5.1.1 Fresh-cut Apples Stored in Room	
Temperature	52
4.5.1.2 Fresh-cut Apples Stored in	
Refrigeration Temperature	53
4.5.2 Hardness of Fresh-cut Apples during Storage	
4.5.2.1 Fresh-cut Apples Stored in Room	
Temperature	55
4.5.2.2 Fresh-cut Apples Stored in	
Refrigeration Temperature	56
4.5.3 Lightness of Fresh-cut Apples during Storage	58
4.5.3.1 Fresh-cut Apples Stored in Room	
Temperature	58
4.5.3.2 Fresh-cut Apples Stored in Refrigeration Temperature	60
4.5.4 Total Titratable Acidity of Fresh-cut Apples	
during Storage	62
4.5.4.1 Fresh-cut Apples Stored in Room	
Temperature	62
4.5.4.2 Fresh-cut Apples Stored in Refrigeration Temperature	64
4.5.5 Total Dissolved Solids of Fresh-cut Apples	
during Storage	65
4.5.5.1 Fresh-cut Apples Stored in Room	
Temperature	65
4.5.5.2 Fresh-cut Apples Stored in	
Refrigeration Temperature	66
4.5.6 Total Plate Count and Total Molds and Yeast	
Count of Fresh-cut Apples during Storage	68
4.5.6.1 Fresh-cut Apples Stored in Room	
Temperature	68
4.5.6.2 Fresh-cut Apples Stored in	
Refrigeration Temperature	71
CHAPTER V CONCLUSIONS AND SUGGESTIONS	75
5.1 Conclusions	
5.2 Suggestions	
3.2 Suggestions	//
DIDLIGGRADINA	=-
BIBLIOGRAPHY	
APPENDICES	85

LIST OF FIGURES

	page
Figure 2.1 Dragon fruit red flesh (Hylocereus polyrhizus) and its scaly exterior	
Figure 2.2 Repeating segment of pectin molecules	
Figure 3.1 Flowchart of dragon fruit peel powder making	
Figure 3.2 Processing flowchart of dragon fruit peel pectin extraction	19
Figure 3.3 Flowchart of edible film production with different cassava	
starch and pectin concentration	21
Figure 3.4 Processing flowchart of grape coated with edible coating	22
Figure 4.1 Effect of pectin concentration and concentration of cassava starch	
on thickness of dragon fruit pectin based edible films	44
Figure 4.2 Effect of pectin concentration and concentration of cassava starch	
on tensile strength of dragon fruit pectin based edible films	45
Figure 4.3 Effect of pectin concentration and concentration of cassava starch	
on elongation of dragon fruit pectin based edible films	47
Figure 4.4 Effect of concentration of cassava starch on water vapor	
transmission rate of dragon fruit pectin based edible films	48
Figure 4.5 Effect of pectin concentration on water vapor transmission rate	
of dragon fruit pectin based edible films	49
Figure 4.6 Appearance of edible film made with 1.93% pectin and 50% cassav	
starch	52
Figure 4.7 Effect of storage time and coating treatment on the weight loss	
(%) of fresh-cut apples stored in room temperature	52
Figure 4.8 Effect of storage time and coating treatment on the weight loss	
(%) of fresh-cut apples stored in refrigeration temperature	54
Figure 4.9 Effect of storage time and coating treatment on the hardness (g)	
of fresh-cut apples stored in room temperature	55
Figure 4.10 Effect of storage time and coating treatment on the hardness (g)	
of fresh-cut apples stored in refrigeration temperature	57
Figure 4.11 Effect of storage time and coating treatment on the lightness	
(L* value) of fresh-cut apples stored in room temperature	59
Figure 4.12 Effect of storage time on the lightness (L* value) of fresh-cut	
apples stored in refrigeration temperature	61
Figure 4.13 Effect of coating treatment on the lightness (L* value) of	
fresh-cut apples stored in refrigeration temperature	62
Figure 4.14 Effect of storage time and coating treatment on the total	
titratable acidity (%) of fresh-cut apples stored in room	
temperature	63
Figure 4.15 Effect of storage time and coating treatment on the total	
titratable acidity (%) of fresh-cut apples stored in refrigeration	
temperature	64
Figure 4.16 Effect of storage time and coating treatment on the total	
dissolved solids (^o Brix) of fresh-cut apples stored in room	
temperature	65
Figure 4.17 Effect of storage time and coating treatment on the total	

dissolved solids (^o Brix) of fresh-cut apples stored in refrigeration temperature	67
Figure 4.18 Effect of storage time and coating treatment on the total plate count (Log CFU/g) of fresh-cut apples stored in room	07
temperature	68
Figure 4.19 Effect of storage time and coating treatment on the total molds and yeast count (Log CFU/g) of fresh-cut apples stored in room	5 0
temperature	70
count (Log CFU/g) of fresh-cut apples stored in refrigeration	71
Figure 4.21 Effect of storage time and coating treatment on the total molds	/ 1
and yeast count (Log CFU/g) of fresh-cut apples stored in	
refrigeration temperature	73

LIST OF TABLES

	page
Table 3.1 Formulation of edible coating and film	20
Table 3.2 Experimental design at main research stage I	23
Table 3.3 Experimental design at main research stage II for fresh-cut apples	
stored in room temperature	25
Table 3.4 Experimental design at main research stage II for fresh-cut apples	
stored in refrigeration temperature	25
Table 4.1 Characteristics of dragon fruit peel powder	36
Table 4.2 Identification of dragon fruit pectin	37



LIST OF APPENDICES

	page
Appendix A	
Proximate Analysis Result of Dragon Fruit Peel Powder	
Result of Dragon Fruit Peel Powder Yield	
Moisture Content Result of Dragon Fruit Peel Powder	
Ash Content Result of Dragon Fruit Peel Powder	
Fat Content Result of Dragon Fruit Peel Powder	
Protein Content Result of Dragon Fruit Peel Powder	
Carbohydrate Content Result of Dragon Fruit Peel Powder	A-6
Appendix B	
Results of Dragon Fruit Pectin Analyses	
Result of Dragon Fruit Pectin Yield	
Moisture Content Result of Dragon Fruit Pectin	
Ash Content Result of Dragon Fruit Pectin	
Equivalent Weight Result of Dragon Fruit Pectin	
Methoxyl Content Result of Dragon Fruit Pectin	
Galacturonic Acid Content Result of Dragon Fruit Pectin	B-6
Degree of Esterification Result of Dragon Fruit Pectin	B-7
Appendix C Result of Edible Film Thickness, Tensile Strength and Elongation	C-1
Appendix D Result of Edible Film Water Vapor Transmission Rate	D-1
Appendix E Weight Loss Result of Fresh-cut Apples	E-1
Appendix F Hardness Result of Fresh-cut Apples	F-1
Appendix G Lightness Result of Fresh-cut Apples	G-1
Appendix H Total Titratable Acidity Result of Fresh-cut Apples	H-1
Appendix I Total Dissolved Solids Result of Fresh-cut Apples	I-1

