

## BIBLIOGRAPHY

- Abbas, R. K., Elsharbasy, F. S., & Fadlemula, A. A. (2018). Nutritional Values of *Moringa oleifera*, Total Protein, Amino Acid, Vitamins, Minerals, Carbohydrates, Total Fat and Crude Fiber, under the Semi-Arid Conditions of Sudan. *Journal of Microbial and Biochemical Technology*, 10(2), 56–58. <https://www.longdom.org/open-access/nutritional-values-of-moringa-oleifera-total-protein-amino-acid-vitaminsminerals-carbohydrates-total-fat-and-crude-fiber-under-the-1948-5948-1000396.pdf>
- Ahn, R., Burke, T.F., McGahan, A.M, Rowe, L.A., Dodson, D.M. *Addressing Micronutrient Malnutrition in Urban Settings: Innovating for Healthy Urbanization*; Springer: New York, NY, USA, 2015.
- Alkhudhayri, D. A., Osman, M. A., Alshammari, G. M., Al Maiman, S. A., & Yahya, M. A. (2021). *Moringa peregrina* leaf extracts produce anti-obesity, hypoglycemic, anti-hyperlipidemic, and hepatoprotective effects on high-fat diet fed rats. *Saudi Journal of Biological Sciences*, 28(6), 3333–3342. <https://doi.org/10.1016/j.sjbs.2021.02.078>
- Allen, L., Benoist, B. de, Dary, O., & Hurrell, R. (2006). Guidelines on Food Fortification With Micronutrients. *WHO, FAO*, 341. <https://doi.org/10.1242/jeb.02490>
- Angestia, W., Ningrum, V., Lee, T. L., Lee, S.-C., & Bakar, A. (2020). Antibacterial activities of *moringa olifera* freeze dried extract on *staphylococcus aureus*. *Journal of Dentomaxillofacial Science*, 5(3), 154. <https://doi.org/10.15562/jdmfs.v5i2.1043>
- Armel, A. A. J., Edith, F. N., & Moses, M. C. (2020). In vitro Protein Digestibility and Iron Bioavailability According to Agro-Ecological Zone and Stage of Maturity of *Moringa oleifera* Lam Leaves. *European Journal of Nutrition & Food Safety*, 12(11), 90–103.
- Augustyn, G. H., Tuhumury, H. C. D., & Dahoklory, M. (2017). PENGARUH PENAMBAHAN TEPUNG DAUN KELOR (*Moringa oleifera*) TERHADAP KARAKTERISTIK ORGANOLEPTIK DAN KIMIA BISKUIT MOCAF (Modified Cassava Flour). *AGRITEKNO, Jurnal Teknologi Pertanian*, 6(2), 52–58. <https://doi.org/10.30598/jagritekno.2017.6.2.52>
- Badan Standardisasi Nasional. 2011. *SNI 2973:2011 Biskuit*. Jakarta: Badan Standardisasi Nasional.
- Bamagous, G. A., Al Ghamdi, S. S., Ibrahim, I. A. A., Mahfoz, A. M., Afify, M. A., Alsugoor, M. H. M., Shammah, A. A., Arulselvan, P., & Rengarajan,

- T. (2018). Antidiabetic and antioxidant activity of ethyl acetate extract fraction of *Moringa oleifera* leaves in streptozotocin-induced diabetes rats via inhibition of inflammatory mediators. *Asian Pacific Journal of Tropical Biomedicine*, 8(6), 320–327. <https://doi.org/10.4103/2221-1691.235327>
- Barhoi, D., Upadhaya, P., Barbhuiya, S. N., Giri, A., & Giri, S. (2021). Aqueous Extract of *Moringa oleifera* Exhibit Potential Anticancer Activity and can be Used as a Possible Cancer Therapeutic Agent: A Study Involving In Vitro and In Vivo Approach. *Journal of the American College of Nutrition*, 40(1), 70–85. <https://doi.org/10.1080/07315724.2020.1735572>
- Batista, A. L., Silva, R., Cappato, L. P., Almada, C. N., Garcia, R. K., Silva, M. C., et al. (2015). Quality parameters of probiotic yoghurt added to glucose oxidase compared to commercial products through microbiological, physical–chemical and metabolic activity analyses. *Food Research International*, 77, 627–635.
- Bidima, I. M. (2016). *Production and Processing of Moringa*. CTA. [https://www.google.co.id/books/edition/Production\\_and\\_processing\\_of\\_moringa/DxU0DwAAQBAJ?hl=en&gbpv=1&dq=](https://www.google.co.id/books/edition/Production_and_processing_of_moringa/DxU0DwAAQBAJ?hl=en&gbpv=1&dq=)
- Bourekoua, H., Rózyło, R., Gawlik-Dziki, U., Benatallah, L., Zidoune, M. N., & Dziki, D. (2018). Evaluation of physical, sensorial, and antioxidant properties of gluten-free bread enriched with *Moringa Oleifera* leaf powder. *European Food Research and Technology*, 244(2), 189–195. <https://doi.org/10.1007/s00217-017-2942-y>
- Coppin, J. P., Xu, Y., Chen, H., Pan, M. H., Ho, C. T., Juliani, R., Simon, J. E., & Wu, Q. (2013). Determination of flavonoids by LC/MS and anti-inflammatory activity in *Moringa oleifera*. *Journal of Functional Foods*, 5(4), 1892–1899. <https://doi.org/10.1016/j.jff.2013.09.010>
- Coulibaly, A., Kouakou, B., & Chen, J. (2011). Phytic Acid in Cereal Grains: Structure, Healthy or Harmful Ways to Reduce Phytic Acid in Cereal Grains and Their Effects on Nutritional Quality. *American Journal of Plant Nutrition and Fertilization Technology*, 1(1), 1–12.
- Dary, O., & Mora, J. O. (2013). Food Fortification: Technological Aspects. In *Encyclopedia of Human Nutrition* (Vols. 2–4). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-375083-9.00120-3>
- Dewi, D. P. (2018). Substitusi tepung daun kelor (*Moringa oleifera* L.) pada cookies terhadap sifat fisik, sifat organoleptik, kadar proksimat, dan kadar Fe. *Ilmu Gizi Indonesia*, 1(2), 104. <https://doi.org/10.35842/ilgi.v1i2.22>

- De Brauw, A., Moursi, M., Munhaua, M. Vitamin A Intakes Remain Higher among Intervention Participants 3 Years after a Biofortification Intervention in Mozambique. *Br. J. Nutr.* 2019, *122*, 1175–1181.
- Elhadi, D. A. E., Elgasim, E. A., & Mohamed Ahmed, I. A. (2017). Microbial and oxidation characteristics of refrigerated chicken patty incorporated with moringa (*Moringa oleifera*) leaf powder. *CYTA - Journal of Food*, *15*(2), 234–240. <https://doi.org/10.1080/19476337.2016.1242157>
- Ernawati, F., Syauby, A., Arifin, A. Y., Soekarti, M. Y. E., & Sandjaja, S. (2021). Micronutrient Deficiencies and Stunting Were Associated with Socioeconomic Status in Indonesian Children Aged 6-59 Months. *Nutrients*, *13*(6), 1802. <https://www.mdpi.com/2072-6643/13/6/1802/htm>
- Fachriyah, E., Kusriani, D., Haryanto, I. B., Wulandari, S. M. B., Lestari, W. I., & Sumariyah, S. (2020). Phytochemical Test, Determination of Total Phenol, Total Flavonoids and Antioxidant Activity of Ethanol Extract of Moringa Leaves (*Moringa oleifera* Lam). *Jurnal Kimia Sains Dan Aplikasi*, *23*(8), 290–294. <https://doi.org/10.14710/jksa.23.8.290-294>
- Fahlia, N., & Septiani, S. (2020). PENGARUH SUBSTITUSI TEPUNG DAUN KELOR (*Moringa oleifera* Lam.) TERHADAP SIFAT ORGANOLEPTIK DAN KADAR KALSIUM SNACK BAR. *Jurnal Gizi Dan Pangan Soedirman*, *4*(2), 216–228. <https://doi.org/10.20884/1.jgipas.2020.4.2.2794>
- Fatmawaty, Anggreni, N. G. M., Fadhil, N., & Prasasty, V. D. (2019). Potential In Vitro and In Vivo Antioxidant Activities from *Piper crocatum* and *Persea americana* Leaf Extracts. *Biomedical and Pharmacology Journal*, *12*(2), 661–667.
- Geleta, B., Makonnen, E., Debella, A., & Tadele, A. (2016). In vivo antihypertensive and antihyperlipidemic effects of the crude extracts and fractions of *Moringa stenopetala* (Baker f.) Cufod. leaves in rats. *Frontiers in Pharmacology*, *7*(APR), 1–10. <https://doi.org/10.3389/fphar.2016.00097>
- Glover-Amengor, M., Aryeetey, R., Afari, E., & Nyarko, A. (2017). Micronutrient composition and acceptability of *Moringa oleifera* leaf-fortified dishes by children in Ada-East district, Ghana. *Food Science and Nutrition*, *5*(2), 317–323. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5332270/>
- Govender, L., & Siwela, M. (2020). The effect of moringa *oleifera* leaf powder on the physical quality, nutritional composition and consumer acceptability of white and brown breads. *Foods*, *9*(12), 1–17. <https://doi.org/10.3390/foods9121910>

- González-Burgos, E., Ureña-Vacas, I., Sánchez, M., & Gómez-Serranillos, M. P. (2021). Nutritional Value of Moringa oleifera Lam. Leaf Powder Extracts and Their Neuroprotective Effects via Antioxidative and Mitochondrial Regulation. *Nutrients*, 13(7). <https://www.mdpi.com/2072-6643/13/7/2203>
- Guo, M. (2013). *Functional Foods: Principles and Technology*. Elsevier Science. [https://www.google.co.id/books/edition/Functional\\_Foods/VpVwAgAAQBAJ?hl=en&gbpv=1](https://www.google.co.id/books/edition/Functional_Foods/VpVwAgAAQBAJ?hl=en&gbpv=1)
- Hassan, F. A. M., Bayoumi, H. M., Abd El-Gawad, M. A. M., Enab, A. K., & Yousef, Y. B. (2016). Utilization of Moringa oleifera leaves powder in production of yoghurt. *International Journal of Dairy Science*, 11(2), 69–74. <https://doi.org/10.3923/ijds.2016.69.74>
- Ihwah, A., Pranowo, D., & Mustanirah, S. A. (2018). Formulation of food bar based on moringa leaves as a functional food for nursing mother. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 1(2), 1–7.
- Irwan, Z. (2020). Kandungan Zat Gizi Daun Kelor (*Moringa oleifera*) Berdasarkan Metode Pengeringan. *Jurnal Kesehatan Manarang*, 6(1), 69–77.
- Jayawardana, B. C., Liyanage, R., Lalantha, N., Iddamalgoda, S., & Weththasinghe, P. (2015). Antioxidant and antimicrobial activity of drumstick (*Moringa oleifera*) leaves in herbal chicken sausages. *LWT - Food Science and Technology*, 64(2), 1204–1208. <https://doi.org/10.1016/j.lwt.2015.07.028>
- Mashau, M. E., Ramatsetse, K. E., & Ramashia, S. E. (2021). Effects of adding moringa oleifera leaves powder on the nutritional properties, lipid oxidation and microbial growth in ground beef during cold storage. *Applied Sciences (Switzerland)*, 11(7). <https://doi.org/10.3390/app11072944>
- Mazidah, L., Fahreina, Y., & Kusumaningrum, I. (2018). PENGGUNAAN TEPUNG DAUN KELOR PADA PEMBUATAN CRACKERS SUMBER KALSIMUM. *ARGIPA*, 3(2), 67–79.
- Meija, L.A., Bower, A.M. The global regulatory landscape regarding micronutrient fortification of condiments and seasonings. *Am. Acad. Sci.* 2015, 1357, 1–7.
- Mishra, S. P., Singh, P., & Singh, S. (2012). Processing of Moringa oleifera Leaves for Human Consumption. *Bulletin of Environment, Pharmacology and Life Sciences*, 2(1), 28–31. [https://www.researchgate.net/profile/Sanjay-Singh-24/publication/257817208\\_Processing\\_of\\_Moringa\\_oleifera\\_Leaves\\_for](https://www.researchgate.net/profile/Sanjay-Singh-24/publication/257817208_Processing_of_Moringa_oleifera_Leaves_for)

[\\_Human\\_Consumption/links/0deec525e61e179b70000000/Processing-of-Moringa-oleifera-Leaves-for-Human-Consumption.pdf](https://www.researchgate.net/publication/315111111/_Human_Consumption/links/0deec525e61e179b70000000/Processing-of-Moringa-oleifera-Leaves-for-Human-Consumption.pdf)

- Mudgil, D., & Barak, S. (2017). *Functional Food Sources and Health Benefits*. Scientific Publishers. [https://www.google.co.id/books/edition/Functional\\_Foods\\_Sources\\_and\\_Health\\_Bene/6eKMDwAAQBAJ?hl=en&gbpv=0](https://www.google.co.id/books/edition/Functional_Foods_Sources_and_Health_Bene/6eKMDwAAQBAJ?hl=en&gbpv=0)
- Munira, M., Amalia, D., Khazanah, W., & Nasir, M. (2021). Uji Aktivitas Antibakteri Ekstrak Etanol Daun Kelor (*Moringa oleifera* Lamk) Berdasarkan Perbedaan Waktu Panen. *Indonesian Journal for Health Sciences*, 5(2).
- Natsir, H., Wahab, A. W., Budi, P., Arif, A. R., Arfah, R. A., Djakad, S. R., & Fajriani, N. (2019). Phytochemical and Antioxidant Analysis of Methanol Extract of Moringa and Celery Leaves. *Journal of Physics: Conference Series*, 1341(3). <https://doi.org/10.1088/1742-6596/1341/3/032023>
- Nawaz, H., Byrne, H. J., Hanif, M. A., & Khan, M. M. (2019). Moringa. In *Medicinal Plants of South Asia, Novel Sources for Drug Discovery* (pp. 509–523). Elsevier Science. [https://www.google.co.id/books/edition/Medicinal\\_Plants\\_of\\_South\\_Asia/ro6vDwAAQBAJ?hl=en&gbpv=1&dq=M](https://www.google.co.id/books/edition/Medicinal_Plants_of_South_Asia/ro6vDwAAQBAJ?hl=en&gbpv=1&dq=M)
- Nobossé, P., Fombang, E. N., & Mbofung, C. M. F. (2018). Effects of age and extraction solvent on phytochemical content and antioxidant activity of fresh *Moringa oleifera* L. leaves. *Food Science and Nutrition*, 6, 2188–2198.
- Nua, E. N., Adesta, R. O., & Conterius, R. E. B. (2021). Efektifitas Pemberian Biskuit Kelor (Bi-Kelor) Terhadap Peningkatan Kadar Hemoglobin Pada Ibu Hamil Dengan Anemia. *Journal of Nutrition College*, 4(2), 154–165.
- Nurismanto, R., Sarofa, U., & Setyowatik, A. T. (2011). Aktivitas Antioksidan Komponen Fungsional Tepung Daun Kelor (*Moringa oleifera* Lam). *Jurnal Teknologi Pangan*, 1–9.
- Ogbe, A. O., & Affiku, J. P. (2011). Proximate Study, Mineral and Anti-Nutrient Composition of *Moringa Oleifera* Leaves Harvested From Lafia, Nigeria: Potential Benefits in Poultry Nutrition and Health. *Journal of Microbiology*, 1(3), 296–308.
- Osuagwu, O., Ria, E., T., O., & AA., O. (2014). Comparative Studies of the Physicochemical Properties and Mineral Elements of *Moringa oleifera* Lam. Leaves in the Guinea Savannah of Nigeria. *International Journal of Agriculture and Biosciences*, 3(6), 266–270. <http://www.ijagbio.com/pdf-files/volume-3-no-6-2014/266-270.pdf>

- Paikra, B. K., Dhongade, H. K. J., & Gidwani, B. (2017). Phytochemistry and Pharmacology of *Moringa oleifera* Lam. *Journal of Pharmacopuncture*, 20(3), 194–200. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5633671/>
- Palada, M., Ebert, A. W., & Joshi, R. C. (2019). *The Miracle Tree: Moringa oleifera*. Xlibris US. [https://www.google.co.id/books/edition/The\\_Miracle\\_Tree/1FrBDwAAQBAJ?hl=en&gbpv=1&dq=](https://www.google.co.id/books/edition/The_Miracle_Tree/1FrBDwAAQBAJ?hl=en&gbpv=1&dq=)
- Quinton, A., & Davis, U. (2018). *Moringa — the next superfood*. University of California. <https://www.universityofcalifornia.edu/moringa-next-superfood>
- Rahmi, Y., Wani, Y. A., Kusuma, T. S., Yuliani, S. C., Rafidah, G., & Azizah, T. A. (2019). Profil Mutu Gizi, Fisik, dan Organoleptik Mie Basah dengan Tepung Daun Kelor (*Moringa oleifera*). *Indonesian Journal of Human Nutrition*, 6(1), 10–21.
- Rajput, H., Prasad, S., Srivastav, P., Singh, N., & Morya, S. (2017). Development of fresh *Moringa oleifera* leaf jam and its physico-chemical properties. *International Journal of Food Science and Nutrition*, 2(6), 234–238. [https://www.researchgate.net/profile/Rajput-2/publication/322899099\\_Development\\_of\\_fresh\\_Moringa\\_oleifera\\_leaf\\_jam\\_and\\_its\\_physico-chemical\\_properties/links/5a74a8ca45851551207a1abc/Development-of-fresh-Moringa-oleifera-leaf-jam-and-its-physico-chemical-properties.pdf](https://www.researchgate.net/profile/Rajput-2/publication/322899099_Development_of_fresh_Moringa_oleifera_leaf_jam_and_its_physico-chemical_properties/links/5a74a8ca45851551207a1abc/Development-of-fresh-Moringa-oleifera-leaf-jam-and-its-physico-chemical-properties.pdf)
- Rajput, H., Prasad, S., Srivastav, P., Singh, N., Suraj, L., & Chandra, R. (2017). Chemical and Phytochemical Properties of Fresh and Dried *Moringa Oleifera* (PKM-1) Leaf Powder. *Chemical Science Reviews and Letters*, 6(22), 1004–1009. [https://www.researchgate.net/profile/Rajput-2/publication/322899000\\_Chemical\\_and\\_Phytochemical\\_Properties\\_of\\_Fresh\\_and\\_Dried\\_Moringa\\_Oleifera\\_PKM-1\\_Leaf\\_Powder/links/5a86a5bda6fdcc6b1a36dcdd/Chemical-and-Phytochemical-Properties-of-Fresh-and-Dried-Moringa-Oleifera-PKM-1-Leaf-Powder.pdf](https://www.researchgate.net/profile/Rajput-2/publication/322899000_Chemical_and_Phytochemical_Properties_of_Fresh_and_Dried_Moringa_Oleifera_PKM-1_Leaf_Powder/links/5a86a5bda6fdcc6b1a36dcdd/Chemical-and-Phytochemical-Properties-of-Fresh-and-Dried-Moringa-Oleifera-PKM-1-Leaf-Powder.pdf)
- Rocchetti, G., Rizzi, C., Pasini, G., Lucini, L., Giuberti, G., & Simonato, B. (2020). Effect of *Moringa oleifera* L. leaf powder addition on the phenolic bioaccessibility and on in vitro starch digestibility of durum wheat fresh pasta. *Foods*, 9(5). <https://doi.org/10.3390/foods9050628>
- Saini, R. K., Shetty, N. P., Prakash, M., & Giridhar, P. (2014). Effect of dehydration methods on retention of carotenoids, tocopherols, ascorbic acid and antioxidant activity in *Moringa oleifera* leaves and preparation of a RTE product. *Journal of Food Science and Technology*, 51(9), 2176–2182. <https://doi.org/10.1007/s13197-014-1264-3>

- Sankhalkar, S., & Vernekar, V. (2016). Quantitative and Qualitative analysis of Phenolic and Flavonoid content in *Moringa oleifera* Lam and *Ocimum tenuiflorum* L. *Pharmacognosy Research*, 8(1), 16–21. <https://doi.org/10.4103/0974-8490.171095>
- Sari, Y. K., & Adi, A. C. (2017). Daya Terima, Kadar Protein dan Zat Besi Cookies Substitusi Tepung Daun Kelor dan Tepung Kecambah Kedelai. *Media Gizi Indonesia*, 12(1), 27–33.
- Sallau, A. B., Mada, S. B., Ibrahim, S., & Ibrahim, U. (2012). Effect of Boiling, Simmering and Blanching on the Antinutritional Content of *Moringa oleifera* Leaves. *International Journal of Food Nutrition and Safety*, 2(1), 1–6. [https://www.researchgate.net/profile/Sanusi-Mada/publication/269223635\\_Effect\\_of\\_Boiling\\_Simmering\\_and\\_Blanching\\_on\\_the\\_Antinutritional\\_Content\\_of\\_Moringa\\_oleifera\\_Leaves/links/54bfc6850cf28a63249fdf64/Effect-of-Boiling-Simmering-and-Blanching-on-the-Antinutritional-Content-of-Moringa-oleifera-Leaves.pdf](https://www.researchgate.net/profile/Sanusi-Mada/publication/269223635_Effect_of_Boiling_Simmering_and_Blanching_on_the_Antinutritional_Content_of_Moringa_oleifera_Leaves/links/54bfc6850cf28a63249fdf64/Effect-of-Boiling-Simmering-and-Blanching-on-the-Antinutritional-Content-of-Moringa-oleifera-Leaves.pdf)
- Setyaji, D. Y., & Maharini, F. S. (2021). Ganyong-kelor snack bar's glycemic index as a diet for diabetics. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 9(2), 105–110. <https://doi.org/10.14710/jgi.9.2.105-110>
- Singh, A. K., Rana, H. K., Tshabalala, T., Kumar, R., Gupta, A., Ndhlala, A. R., & Pandeya, A. K. (2020). Phytochemical, nutraceutical and pharmacological attributes of a functional crop *Moringa oleifera* Lam: An overview. *South African Journal of Botany*, 129(1), 209–220.
- Sohaimy, S. A. El, Hamad, G. M., Mohamed, S. E., Amar, M. H., & Al-Hindi, R. R. (2015). Biochemical and functional properties of *Moringa oleifera* leaves and their potential as a functional food. *Global Advanced Research Journal of Agricultural Science*, 4(4), 188–199. [https://www.researchgate.net/profile/Gamal-Hamad/publication/278026956\\_biochemical\\_and\\_functional\\_properties\\_of\\_moringa\\_oleifera\\_leaves\\_and\\_their\\_potential\\_as\\_a\\_functional\\_food/links/552979baca08aeb6d8c020574b/biochemical-and-functional-properties-of-moringa-oleifera-leaves-and-their-potential-as-a-functional-food.pdf](https://www.researchgate.net/profile/Gamal-Hamad/publication/278026956_biochemical_and_functional_properties_of_moringa_oleifera_leaves_and_their_potential_as_a_functional_food/links/552979baca08aeb6d8c020574b/biochemical-and-functional-properties-of-moringa-oleifera-leaves-and-their-potential-as-a-functional-food.pdf)
- Spohrer, R., Larson, M., Maurin, C., Laillou, A., Capanzana, M., Garrett, G.S. The growing importance of staple foods and condiments used as ingredients in the food industry and implications for large-scale food fortification programs in Southeast Asia. *Food Nutr. Bull.* 2013, 34 (2), S50–S61.
- Suhaemi, Z., Husmaini, Yerizal, E., & Yessirita, N. (2021). Pemanfaatan Daun Kelor (*Moringa oleifera*) dalam Fortifikasi Pembuatan Nugget. *Jurnal*

*Ilmu Produksi Dan Teknologi Hasil Peternakan*, 9(1), 49–54.  
<https://doi.org/10.29244/jipthp.9.1.49-54>

- Sulistiyawati, R., & Pratiwi, P. Y. (2015). Analgesic and Antiinflammatory Activity of Ethanol Extract of Kelor Leaves (*Moringa oleifera* L.) Through Expression of Cyclooxygenase Enzyme. *Pharmaciana*, 16(1), 31–38.
- Sultana, S. (2020). Nutritional and Functional Properties of *Moringa oleifera*. *Metabolism Open*, 8, 1–6.  
<https://reader.elsevier.com/reader/sd/pii/S2589936820300414?token=A5119810B786B35A9260E5A909AEA1198133FAEA8DADBDF356635C1C1AD22FBA4D5B0E78805EDAF9841D4D56F5B1FE33&originRegion=eu-west-1&originCreation=20211028045757>
- Taki, S. (2018). Malnutrition among children in Indonesia: It is still a problem. *Jurnal Kedokteran Dan Kesehatan Indonesia*, 9(2), 68–71.  
<https://journal.uui.ac.id/JKKI/article/view/11217/pdf>
- Taren, D., de Pee, S., & Bloem, M. W. (2017). *Nutrition and Health in a Developing World* (Third). Springer International Publishing.  
[https://www.google.co.id/books/edition/Nutrition\\_and\\_Health\\_in\\_a\\_Developing\\_Wor/OQQhDgAAQBAJ?hl=id&gbpv=1](https://www.google.co.id/books/edition/Nutrition_and_Health_in_a_Developing_Wor/OQQhDgAAQBAJ?hl=id&gbpv=1)
- Thakur, M., Singh, K., & Khedkar, R. (2020). Phytochemicals: Extraction process, safety assessment, toxicological evaluations, and regulatory issues. *Functional and Preservative Properties of Phytochemicals*, 341–361.  
<https://www.sciencedirect.com/science/article/pii/B9780128185933000117>
- Van Der Straeten, D., Bhullar, N.K., de Steur, H., Gruissem, W., MacKenzie, D., Pfeiffer, W., Qaim, M., Slamet-Loedin, I., Strobbe, S., Tohme, J., et al. Multiplying the efficiency and impact of biofortification through metabolic engineering. *Nat. Commun.* 2020, 11, 5203.
- WHO. *WHO Guideline: Use of Multiple Micronutrient Powders for Point-of-Use Fortification of Foods Consumed by Infants and Young Children Aged 6–23 Months and Children Aged 2–12 Years*; WHO: Geneva, Switzerland, 2016.
- Zhang, T., Jeong, C. H., Cheng, W. N., Bae, H., Seo, H. G., Petriello, M. C., & Han, S. G. (2019). Moringa extract enhances the fermentative, textural, and bioactive properties of yogurt. *Lwt*, 101(November 2018), 276–284.  
<https://doi.org/10.1016/j.lwt.2018.11.010>
- Zula, A. T., Ayele, D. A., & Egigayhu, W. A. (2021). Proximate Composition, Antinutritional Content, Microbial Load, and Sensory Acceptability of Noodles Formulated from Moringa (*Moringa oleifera*) Leaf Powder and



Wheat Flour Blend. *International Journal of Food Science*, 2021(1), 1–6.  
<https://www.hindawi.com/journals/ijfs/2021/6689247/>

