

## DAFTAR PUSTAKA

- Adilla, M.T, Ahmad, S., dan Afifah, D.N. 2020. Kandungan Gizi, Daya Cerna Pati *In Vitro*, dan Penerimaan Formulasi *Cookies* Berbasis Tepung Pisang Batu (*Musa balbisiana* Colla) dengan Modifikasi Enzimatik. *Penelitian Gizi dan Makanan (The Journal of Nutrition and Food Research)* 43(2):101-111. DOI: <https://doi.org/10.22435/pgm.v43i2.3351>.
- Affah, D.N., Sari, L.N.I., Sari, D.R., Probosari, E., Wijayanti, H.S. dan Anjani, G. 2020. Analisis Kandungan Zat Gizi, Pati Resisten, Indeks Glikemik, Beban Glikemik dan Daya Terima *Cookies* Tepung Pisang Kepok (*Musa paradisiaca*) Termodifikasi Enzimatik dan Tepung Kacang Hijau (*Vigna radiate*). *Jurnal Aplikasi Teknologi Pangan*, 9(3):101-107. DOI: <https://doi.org/10.17728/jatp.8148>.
- Agama-Acevedo, E., Islas-Hernández, J.J., Pacheco-Vargas, G., Osorio-Díaz, P., dan Bello-Pérez, L.A. 2012. Starch digestibility and glycemic index of cookies partially substituted with unripe banana flour. *LWT-Food Science and Technology*, 46(1):177-182. DOI: <https://doi.org/10.1016/j.lwt.2011.10.010>.
- Alcântara, R.G.D., Fukumasu, H., Raspantini, P.C.F., Raspantini, L.E.R., Steel, C.J., Oliveira, L.D.C., Carvalho, R.A.D., dan Vanin, F.M. 2020. Baking effect on resistant starch digestion from composite bread produced with partial wheat flour substitution. *Journal of Food Quality*, 20:5-12. DOI: <https://doi.org/10.1155/2020/9245035>.
- Alsaffar, A.A., 2011. Effect of food processing on the resistant starch content of cereals and cereal products. *International Journal of Food Science & Technology*, 46(3):455-462. DOI: <https://doi.org/10.1111/j.13652621.2010.02529.x>.
- Aryani, T., Mu'awanah, I.A.U. and Widiantara, A.B. 2018. Karakteristik fisik, kandungan gizi tepung kulit pisang dan perbandingannya terhadap syarat mutu tepung terigu. *JRST (Jurnal Riset Sains dan Teknologi)*, 2(2):45-50. DOI: 10.30595/jrst.v2i2.3094
- Aziah, A.N., Ho, L.H., Shazliana, A.N., dan Bhat, R. 2012. Quality evaluation of steamed wheat bread substituted with green banana flour. *International Food Research Journal*, 19(3):869.

Badan Standardisasi Nasional. 1992. *Cookies*. Jakarta.

Badan Standardisasi Nasional. 1995. *Tepung Pisang*. Jakarta.

Badan Standardisasi Nasional. 2009. *Tepung Terigu*. Jakarta.

Badan Standardisasi Nasional. 2011. *Biskuit*. Jakarta.

Bertoft, E., 2017. *Understanding starch structure: Recent progress. Agronomy*, 7(3):56. DOI: <https://doi.org/10.3390/agronomy7030056>.

Bodinham, C.L., Smith, L., Thomas, E.L., Bell, J.D., Swann, J.R., Costabile, A., Russell-Jones, D., Umpleby, A.M., dan Robertson, M.D. 2014. Efficacy of increased resistant starch consumption in human type 2 diabetes. *Endocrine connections*, 3(2):75-84. DOI: <https://doi.org/10.1530/EC-14-0036>.

Bourekoua, H., Benatallah, L., Zidoune, M.N., dan Rosell, C.M. 2016. Developing gluten free bakery improvers by hydrothermal treatment of rice and corn flours. *Lwt*, 73:342-350. DOI: <https://doi.org/10.1016/j.lwt.2016.06.032>.

Cahyana, Y., Rangkuti, A., Siti Halimah, T., Marta, H., dan Yuliana, T. 2020. Application of heat-moisture-treated banana flour as composite material in hard biscuit. *CyTA-Journal of Food*, 18(1):599-605. DOI: <https://doi.org/10.1080/19476337.2020.1805514>.

Cahyana, Y. dan Restiani, R. 2017. Wheat Flour Substitution with Retrograded Banana Flour to Produce Cookies Possessing Good Physical Characteristics and Low Glycemic Index. *KnE Life Sciences*, 556-562. DOI: 10.18502/cls.v2i6.1075.

Cahyani, S. dan Hermanto, H. 2019. Pengaruh lama dan suhu pengeringan terhadap karakteristik organoleptik, aktivitas antioksidan dan kandungan kimia tepung kulit pisang ambon (*Musa acuminata* Colla). *Jurnal Sains dan Teknologi Pangan*, 4(1):56.

- Codex Alimentarius Commission. 2009. Report of the 30th session of the Codex Committee on Nutrition and Foods for Special Dietary Uses. *Codex Alimentarius Commission*, 46.
- Ekafitri, R., Sarifudin, A., dan Surahman, D.N., 2013. Pengaruh penggunaan tepung dan puree pisang terhadap karakteristik mutu makanan padat berbasis-pisang. *Nutrition and Food Research*, 36(2):127-134. DOI: 10.22435/pgm.v36i2.3998.127-134.
- Faridah, D.N., Fardiaz, D., Andarwulan, N., dan Sunarti, T.C. 2014. Karakteristik sifat fisikokimia pati garut (*Maranta arundinaceae*). *Agritech*, 34(1):14-21. DOI: <https://doi.org/10.22146/agritech.9517>.
- Gargari, B.P., Namazi, N., Khalili, M., Sarmadi, B., Jafarabadi, M.A, dan Dehghan, P., 2015. Is there any place for resistant starch, as alimentary prebiotic, for patients with type 2 diabetes. *Complementary therapies in medicine*, 23(6):810-815. DOI:10.1016/j.ctim.2015.09.005.
- Hadnađev, T.D., Torbica, A., dan Hadnađev, M. 2011. Rheological properties of wheat flour substitutes/alternative crops assessed by Mixolab. *Procedia Food Science*, 1:328-334. DOI: <https://doi.org/10.1016/j.profoo.2011.09.051>.
- Harun, N. dan Fitriani, S. 2019. Pemanfaatan Tepung Pisang Kepok dan Buah Nangka Kering dalam Pembuatan Snack Bar. *Jurnal Teknologi Pangan*, 13(1):1-11. DOI: <https://doi.org/10.33005/jtp.v13i1.1503>.
- Hasyim, M. dan Hapzah, H., 2019. Daya Terima Kue Baruas dengan Penambahan Tepung Daun Kelor Tua. *Jurnal Kesehatan Manarang*, 5(2):132-137. DOI: <https://doi.org/10.33490/jkm.v5i2.167>.
- Hatmi, R.U. dan Djaafar, T.F. 2014. Keberagaman Umbi-Umbian Sebagai Pangan Fungsional. In *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi 2014*, 22:950-960.
- Husin, H., Rahmi, S. and Pakpahan, N., 2019. Pengaruh Substitusi Tepung Modified Cassava Flour (Mocaf) Dan Lama Suhu Pemanggangan Terhadap Mutu Roti Manis. In *Prosiding Seminar Nasional Pertanian*, 2(1):204-216.
- Istinganah, M., Rauf, R., dan Widyaningsih, E.N. 2017. Tingkat kekerasan dan daya terima biskuit dari campuran tepung jagung dan tepung terigu dengan volume

air yang proporsional. *Jurnal kesehatan*, 10(2):83-93. DOI: <https://doi.org/10.23917/jk.v10i2.5537>.

Jan, R., Saxena, D.C., dan Singh, S. 2016. Physico-chemical, textural, sensory and antioxidant characteristics of gluten-free cookies made from raw and germinated *Chenopodium* (*Chenopodium album*) flour. *LWT-Food Science and Technology*, 71:281-287. DOI: <https://doi.org/10.1016/j.lwt.2016.04.001>.

Jekle, M. dan Becker, T. 2015. Wheat dough microstructure: The relation between visual structure and mechanical behavior. *Critical reviews in food science and nutrition*, 55(3):369-382. DOI: <https://doi.org/10.1080/10408398.2012.656476>.

Jenie, B.S.L., Putra, R.P., dan Kusnandar, F. 2012. Fermentasi kultur campuran bakteri asam laktat dan pemanasan otoklaf dalam meningkatkan kadar pati resisten dan sifat fungsional tepung pisang tanduk (*Musa paradisiaca formatypica*). *Jurnal Penelitian Pascapanen Pertanian*, 9(1):18-26. DOI: <http://dx.doi.org/10.21082/jpasca.v9n1.2012.18-26>

Jenkins, D.J., Kendall, C.W., Augustin, L.S., Mitchell, S., Sahye-Pudaruth, S., Mejia, S.B., Chiavaroli, L., Mirrahimi, A., Ireland, C., Bashyam, B., dan Vidgen, E. 2012. Effect of legumes as part of a low glycemic index diet on glycemic control and cardiovascular risk factors in type 2 diabetes mellitus: a randomized controlled trial. *Archives of internal medicine*, 172(21):1653-1660. DOI: 10.1001/2013.jamainternmed.70.

Khan, I., Yousif, A.M., Johnson, S.K. dan Gamlath, S. 2014. Effect of sorghum flour substitution on in vitro starch digestibility, cooking quality, and consumer acceptability of durum wheat pasta. *Journal of food science*, 79(8):1560-1567. DOI: <https://doi.org/10.1111/1750-3841.12542>.

Khoiriyah, N. dan Amalia, L., 2014. Formulasi cincau jelly drink (*Premna oblongifolia* L Merr) sebagai pangan fungsional sumber antioksidan. *Jurnal Gizi dan Pangan*, 9(2):74. DOI: <https://doi.org/10.25182/jgp.2014.9.2.%25p>.

Kustanti, I.H., Rimbawan, R., dan Furqon, L.A. 2016. Formulasi biskuit rendah indeks glikemik (Batik) dengan substitusi tepung pisang klutuk (*Musa Balbisiana Colla*) dan tepung tempe. *Jurnal Aplikasi Teknologi Pangan*, 6(1):12-18. DOI: <http://dx.doi.org/10.17728/jatp.217>.

- Kusuma, V. J. M. dan Zubaidah, E. 2016. Evaluasi pertumbuhan *Lactobacillus casei* dan *Lactobacillus plantarum* dalam medium fermentasi tepung kulit pisang. *Jurnal Pangan Dan Agroindustri*. 4(1):100–108.
- Lee, S.Y., Ko, S.H., Choi, W.S., dan Han, Y.S. 2012. Characteristics of Sanghwabyung (traditional leavened bread) made with Black-wheat Flour. *Korean journal of food and cookery science*, 28(4):383 -390. DOI: <https://doi.org/10.9724/kfcs.2012.28.4.383>.
- Li, C., Guo, P., Okekunle, A.P., Ji, X., Huang, M., Qi, J., Jiang, Y., Feng, R., dan Li, R. 2019. Lean non-alcoholic fatty liver disease patients had comparable total caloric, carbohydrate, protein, fat, iron, sleep duration and overtime work as obese non-alcoholic fatty liver disease patients. *Journal of gastroenterology and hepatology*, 34(1):256-262. DOI: 10.1111/jgh.14360.
- Li, H., Ma, Y., Pan, Y., Yu, L., Tian, R., Wu, D., Xie, Y., Wang, Z., Chen, X., dan Gao, X. 2021. Starch other than gluten may make a dominant contribution to wheat dough mixing properties: A case study on two near-isogenic lines. *LWT*, 152:1-9. DOI: <https://doi.org/10.1016/j.lwt.2021.112413>.
- Liu, J., Meenu, M., dan Xu, B. 2020. Effect of unripe banana flour and wheat gluten on physicochemical characteristics and sensory properties of white salted noodles. *Journal of Food Processing and Preservation*, 44(7):1-11. DOI: <https://doi.org/10.1111/jfpp.14513>.
- Long, J., Zhang, B., Li, X., Zhan, X., Xu, X., Xie, Z. dan Jin, Z., 2018. Effective production of resistant starch using pullulanase immobilized onto magnetic chitosan/Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Food chemistry*, (239):276-286. DOI: <https://doi.org/10.1016/j.foodchem.2017.06.117>.
- Loong, C.Y.L. dan Wong, C.Y.H. 2018. Chinese steamed bread fortified with green banana flour. *Food research*, 2(4):320-330.
- Martínez-Castaño, M., Lopera-Idarraga, J., Pazmiño-Arteaga, J., dan Gallardo-Cabrera, C. 2020. Evaluation of the behaviour of unripe banana flour with non-conventional flours in the production of gluten-free bread. *Food Science and Technology International*, 26(2): 160-172. DOI: <https://doi.org/10.1177/1082013219873246>.

- Mulyawanti, I. dan Widowati, S. 2018. Teknologi Pengolahan Roti Kering Substitusi Tepung Sukun. *Jurnal Penelitian Pascapanen Pertanian*, 8(2):64-71. DOI: <http://dx.doi.org/10.21082/jpasca.v8n2.2011.64-71>.
- Musita, N., 2012. Kajian Kandungan dan Karakteristik Pati Resisten dari Berbagai Varietas Pisang. *Jurnal Teknologi Industri Pertanian*, 14(1):68-79. DOI: <http://dx.doi.org/10.23960/jtihp.v14i1.68%20-%2079>.
- Musita, N. 2014. Pemanfaatan tepung pisang batu (*Musa balbisiana* Colla) pada pembuatan kue brownies. *Journal of Industrial Research (Jurnal Riset Industri)*, 8(3):171-178.
- Nurdjanah, S., Musita, N., dan Indriani, D. 2012. Karakteristik Biskuit Coklat Dari Campuran Tepung Pisang Batu (*Musa Balbisiana* Colla) Dan Tepung Terigu Pada berbagai Tingkat Substitusi. *Jurnal Teknologi & Industri Hasil Pertanian*, 16(1):51-62. DOI: <http://dx.doi.org/10.23960/jtihp.v16i1.51%20-%2062>.
- Osorio-Díaz, P., Islas-Hernández, J.J., Agama-Acevedo, E., Rodríguez-Ambriz, S.L., Sánchez-Pardo, M.E, dan Bello-Pérez, L.A. 2014. Chemical, starch digestibility and sensory characteristics of durum wheat/unripe whole banana flour blends for spaghetti formulation. *Food and Nutrition Sciences*, 5(3):264-270. DOI: 10.4236/fns.2014.53033.
- Pasanda, I.M., Suryanto, E., dan Djarkasi, G. 2019. Formulation of Composite Flour with Antioxidant from Goroho Plantain Flour (*Musa Acuminata*, sp) and Yellow Pumpkin Flour (*Cucurbita moschata*) and Its Application on Biscuit Making. *Indonesian Food and Nutrition Progress*, 16(1):15-21. DOI: <https://doi.org/10.22146/ifnp.45793>.
- Pramesti, R.D., Dwiloka, B.D., dan Setiani, B.E. 2019. Pengaruh Penggunaan Bekatul terhadap Kadar Protein, Kadar Air, Kadar Lemak, dan Sifat Organoleptik Nugget Belut (*Monopterus albus* Zuiewu). *Jurnal Teknologi Pangan*, 3(2):253-258. DOI: <https://doi.org/10.14710/jtp.3.2.253-258>.
- Pratama, I.A. dan Nisa, F.C. 2014. Formulasi Mie Kering dengan Substitusi Tepung Kimpul (*Xanthosoma sagittifolium*) dan Penambahan Tepung Kacang Hijau (*Phaseolus radiatus* L.). *Jurnal Pangan dan Agroindustri*, 2(4):101-112.
- Puspita, W., Sulaeman, A., dan Damayanthi, E. 2019. Snack bar berbahan pati sagu (*Metroxylon* sp.), tempe, dan beras hitam sebagai pangan fungsional berindeks

glikemik rendah. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 8(1):11-23.

- Putra, G.H., Nurali, E.J., Koapaha, T., dan Lalujan, L.E. 2013. Pembuatan beras analog berbasis tepung pisang goroho (*Musa Acuminata*) dengan bahan pengikat carboxymethyl cellulose (CMC). In *Cocos*, 2(4):8.
- Putri, C.Y.K., Pranata, F.S., dan Swasti, Y.R. 2019. Kualitas Muffin Dengan Kombinasi Tepung Pisang Kepok Putih (*Musa paradisiaca forma typica*) Dan Tepung Labu Kuning (*Cucurbita moschata*). *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 4(2):50-62. DOI: <https://doi.org/10.24002/biota.v4i2.2471>.
- Rahman, T., Luthfiyanti, R., dan Ekafitri, R. 2011. Optimasi proses pembuatan food bar berbasis pisang. *Prosiding SNaPP2011 Sains, Teknologi, dan Kesehatan*, 2(1):295-302.
- Ray, K.S. dan Singhanian, P.R., 2014. Glycemic and insulinemic responses to carbohydrate rich whole foods. *Journal of food science and technology*, 51(2):347-352. DOI: <https://doi.org/10.1007/s13197-011-0497-7>.
- Rayo, L.M., e Carvalho, L.C., Sardá, F.A., Dacanal, G.C., Menezes, E.W., dan Tadini, C.C. 2015. Production of instant green banana flour (*Musa cavendishii*, var. Nanicão) by a pulsed-fluidized bed agglomeration. *LWT-Food Science and Technology*, 63(1):461-469. DOI: <https://doi.org/10.1016/j.lwt.2015.03.059>.
- Ritthiruangdej, P., Parnbankled, S., Donchedee, S., dan Wongsagonsup, R. 2011. Physical, chemical, textural, and sensory properties of dried wheat noodles supplemented with unripe banana flour. *Agriculture and Natural Resources*, 45(3):500-509.
- Romero-Lopez, M.R., Osorio-Diaz, P., Bello-Perez, L.A., Tovar, J., dan Bernardino-Nicanor, A. 2011. Fiber concentrate from orange (*Citrus sinensis L.*) bagase: characterization and application as bakery product ingredient. *International Journal of Molecular Sciences*, 12(4):2174-2186. DOI: <https://doi.org/10.3390/ijms12042174>.
- Sarawong, C., Rodríguez Gutiérrez, Z.C., Berghofer, E., dan Schoenlechner, R. 2014. Gluten-free pasta: effect of green plantain flour substitution and influence of starch modification on the functional properties and resistant starch content. *International Journal of Food Science & Technology*, 49(12):2650-2658. DOI: <https://doi.org/10.1111/ijfs.12599>.

- Sari, A.R., Martono, Y. dan Rondonuwu, F.S., 2020. Identifikasi Kualitas Beras Putih (*Oryza sativa* L.) Berdasarkan Kandungan Amilosa dan Amilopektin di Pasar Tradisional dan “Selepan” Kota Salatiga. *Jurnal Ilmiah Multi Sciences*, 12(1):24-30. DOI: <https://doi.org/10.30599/jti.v12i1.599>.
- Sayangbati, F., Nurali, E.J., Mandey, L.M.L. and Lelengboto, M.B., 2013, January. Karakteristik fisikokimia biskuit berbahan baku tepung pisang goroho (*Musa acuminata*, SP). In *Cocos*, 2(1):1-10. DOI: <https://doi.org/10.35791/cocos.v2i1.721>.
- Seguchi, M., Tabara, A., Iseki, K., Takeuchi, M., dan Nakamura, C. 2014. Development of gluten-free bread baked with banana (*Musa* spp.) flour. *Food Science and Technology Research*, 20(3):613-619. DOI: <https://doi.org/10.3136/fstr.20.613>.
- Segundo, C., Román, L., Gómez, M. dan Martínez, M.M. 2017. Mechanically fractionated flour isolated from green bananas (*M. cavendishii* var. *nanica*) as a tool to increase the dietary fiber and phytochemical bioactivity of layer and sponge cakes. *Food Chemistry*, 219:240-248. DOI: <https://doi.org/10.1016/j.foodchem.2016.09.143>.
- Segundo, C., Giménez, A., Lobo, M., Iturriaga, L., dan Samman, N. 2020. Formulation and attributes of gluten-free cakes of Andean corn improved with green banana flour. *Food science and technology international*, 26(2):95-104. DOI: <https://doi.org/10.1177/1082013219860361>.
- Setiarto, R.H.B., Widhyastuti, N. dan Sumariyadi, A. 2018. Peningkatan Kadar Pati Resisten Tipe III Tepung Singkong Termodifikasi Melalui Fermentasi Dan Pemanasan Bertekanan (Improvement Level of Resistant Starch Type III on Modified Cassava Flour Using Fermentation and Autoclaving-cooling). *Biopropal Industri*, 9(1):9-23. DOI: <http://dx.doi.org/10.36974/jbi.v9i1.3425>.
- Shareenie, M.A., Matkhir, A.A., Akanda, J.H., Mamat, H., dan Hamid, M.A. 2021. The Effects of Unripe Saba Banana Composite Flour on Acceptance and Physicochemical Characteristics of Biscuits. *Scientific Research Journal*, 18(1):55-70. DOI: <https://doi.org/10.24191/srj.v18i1.11397>.
- Shinde, T., Perera, A.P., Vemuri, R., Gondalia, S.V., Beale, D.J., Karpe, A.V., Shastri, S., Basheer, W., Southam, B., Eri, R., dan Stanley, R. 2020. Symbiotic



supplementation with prebiotic green banana resistant starch and probiotic *Bacillus coagulans* spores ameliorates gut inflammation in mouse model of inflammatory bowel diseases. *European journal of nutrition*, 59(8):3669-3689. DOI: 10.1007/s00394-020-02200-9.

Sihombing, M., Puspita, D., dan Sirenden, M.T. 2018. Fragrance Formation in the of Cocoa Roasted Process (*Theobroma cacao*) with Roaster Temperature Variation using a Vacuum Drying Oven. *Jurnal Kimia Sains dan Aplikasi*, 21(3):155-160.

Silfia, S. 2012. Pengaruh Substitusi Tepung Pisang pada Pembuatan Brownies terhadap Sifat Kimia dan Penerimaan Organoleptik. *Jurnal Litbang Industri*, 2(2):71-78. DOI: <http://dx.doi.org/10.24960/jli.v2i2.602.71-78>.

Silfia, S. 2012. Pengaruh Substitusi Tepung Pisang Terhadap Mutu Kue Kering. *Jurnal Litbang Industri*, 2(1):43-49. DOI: <http://dx.doi.org/10.24960/jli.v2i1.599.43-49>

Simsek, S. dan El, S.N. 2012. Production of resistant starch from taro (*Colocasia esculenta* L. Schott) corm and determination of its effects on health by in vitro methods. *Carbohydrate polymers*, 90(3):1204-1209. DOI: 10.1016/j.carbpol.2012.06.039.

Siswanto, V., Sutedja, A.M., dan Marsono, Y. 2015. Karakteristik cookies dengan variasi terigu dan tepung pisang tanduk pregelatinisasi. *Jurnal Teknologi Pangan dan Gizi*, 14(1):17-21. DOI: <https://doi.org/10.33508/jtpg.v14i1.1513>.

Soto-Maldonado, C., Concha-Olmos, J., dan Zúñiga-Hansen, M.E. 2020. The effect of enzymatically treated ripe banana flour on the sensory quality and glycemic response of banana-wheat flour composite muffins. *Journal of Food Science and Technology*, 57:3621-3627. DOI: <https://doi.org/10.1007/s13197-020-04394-6>.

Subagio, H. 2014. Potensi pengembangan jagung dan sorgum sebagai sumber pangan fungsional. *Jurnal Penelitian dan Pengembangan Pertanian*, 32(2):47-55. DOI: <http://dx.doi.org/10.21082/jp3.v32n2.2013.p47-55>.

Suhartini, M.S.M., 2018. Modifikasi Limbah Kulit Pisang Adsorbenion Logam Mn (II) dan Cr (VI). *Jurnal Sains Materi Indonesia*, 14(3):229-234. DOI: 10.17146/jsmi.2013.14.3.4414.

- Suloi, A., Rumitasari, F.J., Fitriani, S., dan Ramadhani, N.L. 2020. Snack Bars: Camilan Sehat Rendah Indeks Glikemik Sebagai Alternatif Pencegahan Penderita Diabetes. *Jurnal Abdi*, 2(1):118-125.
- Supriati, Y. 2016. Keanekaragaman Iles-Iles (*Amorphophallus* spp.) dan Potensinya untuk Industri Pangan Fungsional, Kosmetik, dan Bioetanol. *Jurnal Penelitian dan Pengembangan Pertanian*, 35(2):69-80. DOI: <http://dx.doi.org/10.21082/jp3.v35n2.2016.p69-80>.
- Tan, J., McKenzie, C., Potamitis, M., Thorburn, A.N., Mackay, C.R., dan Macia, L., 2014. The role of short-chain fatty acids in health and disease. *Advances in immunology*, 121:91-119. DOI: <https://doi.org/10.1016/B978-0-12-800100-4.00003-9>.
- Tejera, R.L., Luis, G., González-Weller, D., Caballero, J.M., Gutiérrez, Á.J., Rubio, C., dan Hardisson, A. 2013. Metals in wheat flour; comparative study and safety control. *Nutricion hospitalaria*, 28(2):506-513. DOI: 10.3305/nh.2013.28.2.6287.
- Tosh, S.M. dan Chu, Y., 2015. Systematic review of the effect of processing of whole-grain oat cereals on glycaemic response. *British Journal of Nutrition*, 114(8):1256-1262. DOI: 10.1017/s0007114515002895.
- USDA (United States Department of Agriculture). 2001. Color index numbers for banana ripening. California.
- USDA (United States Department of Agriculture). 2013. Nutrition facts label for sponge cake (commercially prepared).
- Wang, S., Khamchanxana, P., Zhu, F., Zhu, C., dan Pan, J. 2017. Textural and sensory attributes of steamed bread fortified with high-amylose maize starch. *Journal of Texture Studies*, 48(1):3-8. DOI: <https://doi.org/10.1111/jtxs.12208>.
- Wibowo, C., Naufalin, R., dan Nafisah, M. 2021. Characteristic of banana flour produced from the variety of “Raja Lawe” and “Raja Labu”. In *IOP Conference Series: Earth and Environmental Science*, 653 (1): 1-7. DOI: 10.1088/1755-1315/653/1/012112.

- Visita, B.F. dan Putri, W.D.R. 2013. Pengaruh Penambahan Bubuk Mawar Merah (*Rosa damascene*) dengan Jenis Bahan Pengisi Berbeda pada Cookies. *Jurnal Pangan dan Agroindustri*, 2(1):39-46.
- Yang, S. 2017. Influence of heating on the weight loss and mineral phase in MSWI ash: LOI of incineration ash. In *IOP Conference Series: Earth and Environmental Science*, 61(1):1-7. DOI: 10.1088/1755-1315/61/1/012079.
- Yusrina, F., 2020. Perbaikan Respon Glisemik dan Profil Lipid Setelah Mengkonsumsi Tepung Pisang Mentah Termodifikasi. *Indonesian Journal of Human Nutrition*, 7(2):92-107. DOI: <http://dx.doi.org/10.21776/ub.ijhn.2020.007.02.2>.

