

## DAFTAR PUSTAKA

- [1] B. Dahlöf. Cardiovascular disease risk factors: epidemiology and risk assessment. *The American journal of cardiology*, 105(1):3A–9A, 2010.
- [2] N. M. Kaplan, R. G. Victor, and J. T. Flynn. *Kaplan's Clinical Hypertension, 10th Edition*. Wollters Kluwer Health/Lippincott Williams & Wilkins, 2010.
- [3] S. Watson. Everything you need to know about diabetes, 2020. Dapat diakses di <https://www.healthline.com/health/diabetes#symptoms>. [Diakses pada 11 Juni 2021].
- [4] World Health Organization. The top 10 causes of death, 2020. Dapat diakses di <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death>. [Diakses pada 10 Juni 2021].
- [5] World Health Organization. *Noncommunicable Diseases Country Profiles 2018*. World Health Organization, Geneva, 2018.
- [6] Indonesia health profile. Dapat diakses di <https://www.worldlifeexpectancy.com/country-health-profile/indonesia>. [Diakses pada 25 Juni 2021].
- [7] M. Engelgau, S. Rosenhouse, S. El-Saharty, and A. Mahal. The economic effect of noncommunicable diseases on households and nations: a review of existing evidence. *Journal of health communication*, 16(2):75–81, 2011.
- [8] D. C. M. Dickson, M. R. Hardy, and H. R. Waters. *Actuarial Mathematics for Life Contingent Risks, 2nd Edition*. International Series on Actuarial Science. Cambridge University Press, 2013.
- [9] J. Johnson. A review of therapies and lifestyle changes for diabetes, 2020. Dapat diakses di <https://www.medicalnewstoday.com/articles/317074>. [Diakses pada 25 Juni 2021].
- [10] Centre for Health Protection. Hypertension - the preventable and treatable silent killer, 2013. Dapat diakses di <https://www.chp.gov.hk/en/features/28272.html>. [Diakses pada 25 Juni 2021].
- [11] A. Delgado. Stroke recovery: What to expect, 2018. Dapat diakses di <https://www.healthline.com/health/stroke/recovery#complications>. [Diakses pada 25 Juni 2021].
- [12] F. V. Ferdinand, J. Sebastian, and F. Natalia. Predicting stroke, hypertension, and diabetes based on individual characteristics. *ICIC express letters, part B: applications*, 12(8):723–731, 2021.

- [13] H. Margaretha, M. Susanto, E. O. Lionel, and F. V. Ferdinand. An actuarial model of stroke long term care insurance with obesity as a risk factor. In *AIP Conference Proceedings*, volume 2192, page 030004. AIP Publishing LLC, 2019.
- [14] S. Ghahramani. *Fundamentals of Probability: With Stochastic Processes, 4th Edition*. CRC Press, 2018.
- [15] K. Siegrist. *Conditional Probability*. University of Alabama in huntsville, 2021. Dapat diakses di <https://stats.libretexts.org/@go/page/10132>. [Diakses pada 12 Juli 2021].
- [16] S. A. Klugman, H. H. Panjer, and G. E. Willmot. *Loss Models: From Data to Decisions, 4th Edition*. Wiley Series in Probability and Statistics. Wiley, 2012.
- [17] P. K. Dunn and G. K. Smyth. *Generalized Linear Models With Examples in R*. Springer Texts in Statistics. Springer New York, 2018.
- [18] P. McCullagh. *Generalized Linear Models, 2nd Edition*. CRC Press, 2019.
- [19] S. A. Broverman. *Mathematics of Investment and Credit, 6th Edition*. ACTEX Academic Series. ACTEX Publications, Incorporated, 2015.
- [20] S. J. Camilli, T. Duncan, and R. L. London. *Models for Quantifying Risk, 6th Edition*. ACTEX Academic Series. ACTEX Publications, Incorporated, 2014.
- [21] C. Kartsonaki. Survival analysis. *Diagnostic Histopathology*, 22(7):263–270, 2016. Mini-Symposium: Medical Statistics.
- [22] J. Beyersmann, A. Allignol, and M. Schumacher. *Competing Risks and Multistate Models with R*. Use R! Springer New York, 2011.
- [23] S. J. Richards. A handbook of parametric survival models for actuarial use. *Scandinavian Actuarial Journal*, 2012(4):233–257, 2012.
- [24] I. D. Currie. On fitting generalized linear and non-linear models of mortality. *Scandinavian Actuarial Journal*, 2016(4):356–383, 2016.
- [25] Z. Zhu, Z. Li, D. Wylde, M. Failor, and G. Hrischenko. Logistic regression for insured mortality experience studies. *North American Actuarial Journal*, 19(4):241–255, 2015.
- [26] A. R. Thatcher. The long-term pattern of adult mortality and the highest attained age. *Journal of the Royal Statistical Society. Series A (Statistics in Society)*, 162(1):5–43, 1999.

- [27] L. G. Doray. Inference for logistic-type models for the force of mortality. In *Living to 100 and Beyond Symposium*. Society of Actuaries, 2008.
- [28] G. Rodriguez. Lecture notes on generalized linear models, 2007. Dapat diakses di <https://data.princeton.edu/wws509/notes/>. [Diakses pada 12 Juli 2021].
- [29] M. Franzese and A. Iuliano. Hidden Markov models. In S. Ranganathan, M. Gribskov, K. Nakai, and C. Schönbach, editors, *Encyclopedia of Bioinformatics and Computational Biology*, pages 753–762. Academic Press, Oxford, 2019.
- [30] J. Li, A. Ng, and ACTEX Publications (Firm). *ACTEX Study Manual for SOA Exam MLC, Fall 2016 Edition*. ACTEX Learning, 2016.
- [31] T. Chatterjee, A. S. Macdonald, and H. R. Waters. A model for ischaemic heart disease and stroke i: The model. *Annals of Actuarial Science*, 3(1-2):45–81, 2008.
- [32] B. Jones. Actuarial calculations using a Markov model. *Transactions of the Society of Actuaries*, 46:69–77, 1994.
- [33] RI Kementerian Kesehatan. Riset kesehatan dasar (Riskesdas) 2007. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, 2007.
- [34] RI Kementerian Kesehatan. Riset kesehatan dasar (Riskesdas) 2013. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, 2013.
- [35] RI Kementerian Kesehatan. Riset kesehatan dasar (Riskesdas) 2018. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, 2018.
- [36] Badan Pusat Statistik. Produk domestik regional bruto, 2010. Dapat diakses di <https://bps.go.id/indicator/52/286/1/-seri-2010-produk-domestik-regional-bruto-.html>. [Diakses pada 10 Juni 2021].
- [37] World Health Organization. Life tables by country, 2020. Dapat diakses di <https://who.int/data/gho/data/indicators/indicator-details/GHO/gho-ghe-life-tables-by-country>. [Diakses pada 10 Juni 2021].
- [38] F. Baione and S. Levantesi. A health insurance pricing model based on prevalence rates: Application to critical illness insurance. *Insurance: Mathematics and Economics*, 58:174–184, 2014.

- [39] S. Haberman. Decrement tables and the measurement of morbidity: II. *Journal of the Institute of Actuaries*, 111(1):73–86, 1984.
- [40] M. H. Schutta. Diabetes and hypertension: epidemiology of the relationship and pathophysiology of factors associated with these comorbid conditions. *Journal of the cardiometabolic syndrome*, 2(2):124–130, 2007.
- [41] Y. Zheng, X. Hua, Y. Zhang, Y. Tian, Y. Xue, and M. Wang. Determination of aquatic product growth factors based on pca with stepwise regression test. In *Journal of Physics: Conference Series*, volume 1575, page 012153. IOP Publishing, 2020.
- [42] BI 7-day (reverse) repo rate. Dapat diakses di <https://www.bi.go.id/id/statistik/indikator/bi-7day-rr.aspx>. [Diakses pada 31 Oktober 2021].
- [43] E. S. Ford and A. H. Mokdad. Fruit and vegetable consumption and diabetes mellitus incidence among US adults. *Preventive medicine*, 32(1):33–39, 2001.
- [44] A. Alonso, C. de la Fuente, A. M. Martín-Arnau, J. de Irala, J. A. Martínez, and M. Á. Martínez-González. Fruit and vegetable consumption is inversely associated with blood pressure in a Mediterranean population with a high vegetable-fat intake: the Seguimiento Universidad de Navarra (SUN) Study. *British Journal of Nutrition*, 92(2):311–319, 2004.
- [45] S. C. Larsson, J. Virtamo, and A. Wolk. Total and specific fruit and vegetable consumption and risk of stroke: a prospective study. *Atherosclerosis*, 227(1):147–152, 2013.
- [46] L. A. Bazzano, T. Y. Li, K. J. Joshipura, and F. B. Hu. Intake of fruit, vegetables, and fruit juices and risk of diabetes in women. *Diabetes care*, 31(7):1311–1317, 2008.
- [47] InterAct Consortium et al. Consumption of sweet beverages and type 2 diabetes incidence in European adults: results from EPIC-InterAct. *Diabetologia*, 56(7):1520–1530, 2013.
- [48] M. Payab, R. Kelishadi, M. Qorbani, M. E. Motlagh, S. H. Ranjbar, G. Ardalan, H. Zahedi, M. Chinian, H. Asayesh, B. Larijani, et al. Association of junk food consumption with high blood pressure and obesity in Iranian children and adolescents: the CASPIAN-IV Study. *Jornal de pediatria*, 91(2):196–205, 2015.

- [49] T. T. Fung, M. J. Stampfer, J. E. Manson, K. M. Rexrode, W. C. Willett, and F. B. Hu. Prospective study of major dietary patterns and stroke risk in women. *Stroke*, 35(9):2014–2019, 2004.
- [50] B. S. Bucher, A. Ferrarini, N. Weber, M. Bullo, M. G. Bianchetti, and G. D. Simonetti. Primary hypertension in childhood. *Current hypertension reports*, 15(5):444–452, 2013.
- [51] C. M. Kastorini, H. J. Milionis, K. Kalantzi, E. Trichia, V. Nikolaou, K. N. Vemmos, J. A. Goudevenos, and D. B. Panagiotakos. The mediating effect of the Mediterranean diet on the role of discretionary and hidden salt intake regarding non-fatal acute coronary syndrome or stroke events: A case/case-control study. *Atherosclerosis*, 225(1):187–193, 2012.
- [52] R. Tajima, S. Kodama, M. Hirata, C. Horikawa, K. Fujihara, Y. Yachi, S. Yoshizawa, K. T. Iida, and H. Sone. High cholesterol intake is associated with elevated risk of type 2 diabetes mellitus—a meta-analysis. *Clinical nutrition*, 33(6):946–950, 2014.
- [53] M. Damjanovi and M. Barton. Fat intake and cardiovascular response. *Current hypertension reports*, 10(1):25–31, 2008.
- [54] Z. Zhao, M. Li, C. Li, T. Wang, Y. Xu, Z. Zhan, W. Dong, Z. Shen, M. Xu, J. Lu, et al. Dietary preferences and diabetic risk in China: A large-scale nationwide internet data-based study. *Journal of diabetes*, 12(4):270–278, 2020.
- [55] R. Micha, S. K. Wallace, and D. Mozaffarian. Red and processed meat consumption and risk of incident coronary heart disease, stroke, and diabetes mellitus: a systematic review and meta-analysis. *Circulation*, 121(21):2271–2283, 2010.
- [56] R. Micha, G. Michas, and D. Mozaffarian. Unprocessed red and processed meats and risk of coronary artery disease and type 2 diabetes—an updated review of the evidence. *Current atherosclerosis reports*, 14(6):515–524, 2012.
- [57] M. Lajous, A. Bijon, G. Fagherazzi, E. Rossignol, M. C. Boutron-Ruault, and F. Clavel-Chapelon. Processed and unprocessed red meat consumption and hypertension in women. *The American journal of clinical nutrition*, 100(3):948–952, 2014.
- [58] T. Insawang, C. Selmi, U. Cha'on, S. Pethlert, P. Yongvanit, P. Areejitranusorn, P. Boonsiri, T. Khampitak, R. Tangrassameeprasert, C. Pinitsoontorn, et al. Monosodium glutamate (MSG) intake is associated

- with the prevalence of metabolic syndrome in a rural Thai population. *Nutrition & Metabolism*, 9(1):1–6, 2012.
- [59] Z. Shi, B. Yuan, A. W. Taylor, Y. Dai, X. Pan, T. K. Gill, and G. A. Wittert. Monosodium glutamate is related to a higher increase in blood pressure over 5 years: findings from the Jiangsu Nutrition Study of Chinese adults. *Journal of hypertension*, 29(5):846–853, 2011.
  - [60] X. Jiang, D. Zhang, and W. Jiang. Coffee and caffeine intake and incidence of type 2 diabetes mellitus: a meta-analysis of prospective studies. *European journal of nutrition*, 53(1):25–38, 2014.
  - [61] C. Shao, H. Tang, X. Wang, and J. He. Coffee consumption and stroke risk: evidence from a systematic review and meta-analysis of more than 2.4 million men and women. *Journal of Stroke and Cerebrovascular Diseases*, 30(1):105452, 2021.
  - [62] C. L. Chei, J. K. Loh, A. Soh, J. M. Yuan, and W. P. Koh. Coffee, tea, caffeine, and risk of hypertension: The Singapore Chinese Health Study. *European journal of nutrition*, 57(4):1333–1342, 2018.
  - [63] T. Tsujimoto, H. Kajio, and T. Sugiyama. Association between caffeine intake and all-cause and cause-specific mortality: a population-based prospective cohort study. In *Mayo Clinic Proceedings*, volume 92, pages 1190–1202. Elsevier, 2017.
  - [64] H. J. Shin, E. Cho, H. J. Lee, T. T. Fung, E. Rimm, B. Rosner, J. E. Manson, K. Wheelan, and F. B. Hu. Instant noodle intake and dietary patterns are associated with distinct cardiometabolic risk factors in Korea. *The Journal of nutrition*, 144(8):1247–1255, 2014.
  - [65] M. S. Amarra and G. L. Khor. Sodium consumption in Southeast Asia: an updated review of intake levels and dietary sources in six countries. In A. Bendich and D. J. Deckelbaum, editors, *Preventive Nutrition*, pages 765–792. Springer, Switzerland, 2015.
  - [66] B. Eliasson. Cigarette smoking and diabetes. *Progress in cardiovascular diseases*, 45(5):405–413, 2003.
  - [67] P. Sleight. Smoking and hypertension. *Clinical and experimental hypertension*, 15(6):1181–1192, 1993.
  - [68] R. S. Shah and J. W. Cole. Smoking and stroke: the more you smoke the more you stroke. *Expert review of cardiovascular therapy*, 8(7):917–932, 2010.

- [69] J. M. R. Gill and A. R. Cooper. Physical activity and prevention of type 2 diabetes mellitus. *Sports Medicine*, 38(10):807–824, 2008.
- [70] K. M. Diaz and D. Shimbo. Physical activity and the prevention of hypertension. *Current hypertension reports*, 15(6):659–668, 2013.
- [71] C. D. Lee, A. R. Folsom, and S. N. Blair. Physical activity and stroke risk: a meta-analysis. *Stroke*, 34(10):2475–2481, 2003.
- [72] S. Dinca-Panaiteescu, M. Dinca-Panaiteescu, T. Bryant, I. Daiski, B. Pilkington, and D. Raphael. Diabetes prevalence and income: results of the Canadian Community Health Survey. *Health policy*, 99(2):116–123, 2011.
- [73] M. Kaczmarek, B. Stawińska-Witoszyńska, A. Krzyżaniak, M. Krzywińska-Wiewiorowska, and A. Siwińska. Who is at higher risk of hypertension? socioeconomic status differences in blood pressure among Polish adolescents: a population-based ADOPOLNOR study. *European journal of pediatrics*, 174(11):1461–1473, 2015.
- [74] A. M. Cox, C. McKevitt, A. G. Rudd, and C. D. A. Wolfe. Socioeconomic status and stroke. *The Lancet Neurology*, 5(2):181–188, 2006.
- [75] S. S. Bassuk, L. F. Berkman, and B. C. Amick III. Socioeconomic status and mortality among the elderly: findings from four US communities. *American Journal of Epidemiology*, 155(6):520–533, 2002.
- [76] H. E. Bays, R. H. Chapman, S. Grandy, and SHIELD Investigators' Group. The relationship of body mass index to diabetes mellitus, hypertension and dyslipidaemia: comparison of data from two national surveys. *International journal of clinical practice*, 61(5):737–747, 2007.
- [77] Asia Pacific Cohort Studies Collaboration. Body mass index and cardiovascular disease in the Asia-Pacific region: an overview of 33 cohorts involving 310,000 participants. *International journal of epidemiology*, 33(4):751–758, 2004.
- [78] P. T. Katzmarzyk, C. L. Craig, and C. Bouchard. Original article underweight, overweight and obesity: relationships with mortality in the 13-year follow-up of the Canada Fitness Survey. *Journal of clinical epidemiology*, 54(9):916–920, 2001.