

## BIBLIOGRAPHY

- Ahmed, S. and Stepp, J. R. 2012. Tea in Health and Disease Prevention. Elsevier Science and Technology.
- Alagawany, M., Attia, Y. A. Farag, M. R., Elnesr, S. S. Nagadi, S. A. Shafi, M. E. Khafaga, A. F., Ohran, H., Alaqil, A. A. and Hack, M. E. A. E. 2021. The strategy of boosting the immune system under the COVID-19 pandemic. *Frontiers in Veterinary Science* 2020 (7): 1-17.
- Alderson, H., Liu, C., Mehta, A., Gala, H. S., Mazvie, N. R., Chen, Y., Zhang, Y., Wang, S. and Serventi, L. 2021. Sensory profile of kombucha brewed with New Zealand ingredients by focus group and word clouds. *Fermentation* 2021 7(100): 1-13.
- Anris, S. P. E., Athomo, A. B., Tchiama, R. S., Jose, F., Mediana, S., Cabaret, T., Pizzi, A. and Charrier, B. 2020. The condensed tannins of Okoume (*Aucoumea klaineana* Pierre): A molecular structure and thermal stability study. *Scientific Report* 10 1773 (2020): 1-14.
- Antolak, H., Piechota, D. and Kucharska, A. 2021. Kombucha tea – A double power of bioactive compounds from tea and symbiotic culture of bacteria and yeasts (SCOBY). *Antioxidants* 10(10): 1-21.
- Arumsari, K., Aminah and S. Nurrahman. 2019. Total Phenol, Antioxidant Activity and Sensory Characteristics of Kecombrang Flower, Mint Leaves and Stevia Leaves Tea Bags. *Journal Pangan dan Gizi* 9(2): 79-93.
- Ayu, S. P. P., Ramona, Y. and Leliqia, N. P. E. 2013. Penetapan aktivitas antioksidan yang optimal pada the hitam kombucha lokal di bali dengan variasi waktu fermentasi: *Universitas Udayana*: 25-29.
- Bachmanov, A. A., Keifer, S. W., Molina, J. C., Tordoff, M. G., Duffy, V. B., Bartoshuk, L. M. and Mennela, J. A. 2003. Chemosensory factors influencing alcohol perception, preferences and consumption. *Alcohol Clin Exp Res.* 27(3): 220-231.
- Bertazzo, A., Comai, S., Mangiarini, F. and Chen, S. 2013. Chocolate in health and nutrition: Composition of cacao beans: 105-117.
- Bishop, P., Pitts, E. R., Budner, D. and Witrick, K. A. T. 2022. Kombucha: Biochemical and microbiological impacts on the chemical and flacor profile. *Food Chemistry Advances* 1: 1-9.
- CABI. 2019. Theobroma Cacao (Cocoa). Cabi.org.

- Carloni, P., Tiano, L., Padella, L., Bacchetti, T., Customu, C., Kay, A. and Damiani, E. 2013. antioxidant activity of white, green and black tea obtained from the same tea cultivar. *Food Research International* 53(2): 1-9.
- Center for Disease Control. 2020. Food Safety Assesment of Kombucha Tea Recipe and Food Safety Plan: British Columbia. Bccdc.ca/.
- Chen, C. and Liu, B. Y. 2000. Changes in major components of tea fungus metabolites during prolonged fermentation. *Journal Applied Microbiology* 89(5): 834-839.
- Cheung, B., Kwan, M., Chan, R., Sea, M. and Woo, J. 2016. Chapter 47- Potential of asian natural products for health in aging. *Molecular Basis of Nutririon and Aging*: 659-676.
- DPKP (*Dinas Pertanian dan Ketahanan Pangan*) Jogjakarta. 2021. Pemanfaatan limbah kakao untuk pakan ternak mendukung integrasi kakao-ternak. Dpkp.jogjaprovo.go.id.
- Dwiputri, C. M. and Feroniasanti, Y. M. L. 2019. Effect of fermentation to total titratable acids, flavonoid and antioxidant activity of butterfly pea kombucha. *Journal of Physics: Conference Series* 1241 (2019): 1-7.
- Ebersole, B. 2016. Analysis of sugars in kombucha tea by high performance liquid chromatography. *NaturPro Scientific LLC*.
- Food and Drug Administration (2009). Food Code. Fda.gov.
- Hadhiwaluyo, K., Rahmawati, D., & Maria. (2017, November 27). Development of antioxidative effect in ice cream with Kalakai (*Stenochlaena palustris*) water extract. *Proceedings of 3<sup>rd</sup> International Symposium on Applied Chemistry* 1904 (1): 1-8.
- Hassan, O., Nasarudin, R. and Lee, S. L. 2004. Extracts of Cocoa (*Theobroma cacao L.*) Leaves and their Antioxidation Potential. *Food Chemistry* 86 (1): 41-46.
- Hidayana, V. dan Kusuma, A. E. 2017. Uji Aktivitas Antioksidan The Kombucha Daun Coklat (*Theobroma cacao L.*) Berdasarkan Lama Fermentasi. *Jurnal Farmasi Higea*, 9(2): 103-108.
- Hiremath, M.P. Vaidehi, M.P. and Mushtari, B.J. Effect of fermented tea on the blood sugar levels of NIDDM Subjects. 2002. *Indian Pract* 55(1): 423-425.
- Hossain, M. A., Weli, A. M. and Ahmed, S. H. I. 2019. Comparison of total phenols, flavonoids and antioxidant acitvity of various crude extracts of

hyoscyamus gallagheri traditionally used for the treatment of epilepsy. *International Journal of Phytomedicine and Phytotherapy* 5(20): 1-8.

- Ihsani, N., Hernahadini, N. and Fauzi, M. 2020. The variation of ethanol concentration and kombucha characterization on several incubation periods. *Journal of Physics: Conference Series* 1764: 1-5.
- Jakubczyk, K., Kaldunska, J., Kochman, J. and Janda, K. 2020. Chemical profile and antioxidant activity of the kombucha beverage derived from white, green, black and red tea. *Antioxidants*, 9 (447): 1-15.
- Jayabalan, R., Marimuthu, S. and Swaminathan, K. 2007. Changes in Content of organic acids and tea polyphenols during kombucha tea fermentation. *Food Chemistry* 102(1): 392-398.
- Jaywant, S. A., Singh, H. and Arif, K. M. 2022. sensors and instruments for brix measurement: A review. *Sensors* 2022 22(2290): 1-20.
- Kaewkod, T., Bovonsombut, S. and Tragoolpua, Y. 2019. Efficacy of kombucha obtained from green, oolong and black teas on inhibition of pathogenic bacteria, antioxidation and toxicity on colorectal cancer cell line. *Microorganisms* 2019 7(12): 1-18.
- Kayisoglu, S. and Coskun, F. 2021. Determination of physical and chemical properties of kombucha teas prepared with different herbal teas. *Food Science Technology* 41(1): 393-397.
- Khamidah, S. and Antarlina, S. S. 2020. Opportunities of kombucha drinking as functional food. *Jurnal Ilmu-Ilmu Pertanian*, 14(2): 184-200.
- Kim, Y. K., Oh, Y. J., Chung, J. O., Lee, S. J. and Kim, K. O. 2009. Chemical composition of green teas according to processing methods and extraction conditions. *Food Science and Biotechnology* 18(5): 1212-1217.
- Kobayashi, M. and Ikeda, I. 2014. Chapter 48 – modulation of intestinal cholesterol absorption by dietary tea polyphenols. *Polyphenols in Human Health and Disease* Volume 1: 625-638.
- Lee, K. W., Lee, H. J. and Lee, C. Y. 2002. Antioxidant activity of black tea vs. green tea. *Journal of Nutrition* 132(4): 785.
- Lobo, V., Patil, A., Phatak, A. and Chandra, N. Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacogon Rev.* 4(8): 118-126.
- Lunkes, L. B. F and Hashizume, L. N. 2014. Evaluation of the ph and titratable acidity of teas commercially available in brazilian market. *Rev Gaucha Odontol, Porto Alegre* 62(1): 59-64.

- Malbasa, R. V., Loncar, E. S., Vitas, J. S. and Brunet, J. M. C. 2011. Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chemistry* 127(4): 1727-1731.
- Marwati, Syahrumsyah, H. and Handria, R. 2013. Effects of sugar concentration and starter on quality of kombucha tea. *Jurnal Teknologi Pertanian* 8 (2): 49-53.
- Medini, F., Fellah, H., Ksouri, R. and Abdelly, C. 2018. total phenolic, flavonoid and tannin contents and antioxidant and antimicrobial activities of organic extracts of shoots of the plant *Limonium delicatulum*. *Journal of Taibah University for Science* 8(3): 216-224.
- Mousavi, S. M., Hashemi, S. A., Zarei, M., Gholami, A., Lai, C. W., Chiang, W. H., Omidifar, N., Bahrani, S. and Mazraedoost, S. Recent progress in chemical composition, production and pharmaceutical effects of kombucha beverage: a complementary and alternative medicine. *Evidence-Based Complementary Alternative Medicine* 2020 (1): 1-15.
- Mudgil, D and Barak, S. Beverage Processing & Technology. Scientific Publishers: 190-209.
- Mutha, R. E., Tatiya, A. U. and Surana, S. J. 2021. Flavonoids as natural phenolic compounds and their role in therapeutics: An overview. *Futur J Pharm Sci* 7(1): 25.
- Nurchayati, N and Ardiyansyah, F. 2019. Local knowledge of food crops and its utilization in using tribe of Bayuwangi regency. *Journal of Tropical Biology*, 7(1): 11-20.
- Nurikasari, M., Puspitasari, Y. and Siwi, R. P. Y. Characterization and analysis kombucha tea antioxidant activity based on long fermentation as a beverage functional. *Journal of Global Research in Public Health* 2(2): 90-96.
- Ozyurt, H. 2020. Changes in the content of total polyphenols and the antioxidant activity of different beverages obtained by kombucha 'tea fungus'. *International Journal of Agriculture, Environment and Food Sciences*, 4(3): 255-261.
- Peluso, I. and Serafini, M. 2017. Antioxidants from black and green tea: From dietary modulation of oxidative stress to pharmacological mechanisms. *Br J Pharmacol* 174(11): 1195-1208.
- Pou, K. R. J. 2016. Fermentation: The key step in the processing of black tea. *Journal of Biosystem Engineering* 41 (2): 85-92.

- Pou, K. R., Paul, S. K. and Malakar, S. 2019. Caffeinated and Cocoa Based Beverages Vol 8: The Science of Beverages: Industrial Processing of CTC Black Tea. Woodhead Publishing, Elsevier: 131-162.
- Rohdiana, D. 2015. teh: proses, karakteristik & komponen fungsionalnya. *FoodReview Indonesia*, 10(8): 34-37.
- Rohman, A., Dwiloka, B. Rizqiati, H. 2019. Effect of fermentation time on acidity, total lactic acid bacteria, total yeast and hedonic quality green coconut (*Cocos nucifera*) water kefir. *Journal Teknologi Pangan* 3(1): 127-133.
- Rosita, Handito, D. and Amaro, M. 2021. Effect of SCOBY (Symbiotic Culture of Bacteria and Yeast) starter's concentration on chemical, microbiological and organoleptic properties of apple juice kombucha. *Jurnal Ilmu dan Teknologi Pangan* 7(2): 12-22.
- Rubiyo and Siswanto. 2012. Peningkatan produksi dan pengembangan kakao (*Theobroma cacao* L.) di Indonesia. *Buletin RISTR* 3(1): 33-48.
- Rusita, Y. D., Lukito, P. I., Purwasih, R. and Indriani, R. 2019. Comparison of tannin concentration on fresh and dried tea leaf (*Camelia sinensis* L.) extract using uv-visible spectrophotometric method. *International Conference of Health, Science & Technology (ICOHTECH)*: 7-9.
- Sat'ana, L. D., Ferreira, A. B. B., Lorenzon, M. C. A., Berbara, R. L. L. and Castro, R. N. 2014. Correlation of total phenolic and flavonoid contents of brazilian honeys with colour and antioxidant capacity. *International Journal of Food Properties* 17(1): 65-76.
- Sehwag, S., & Das, M. (2013). Antioxidant activity: An overview. *Journal of Food Science and Technology*, 2(3): 1-11
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18(B): 757-781.
- Singh. V., Verma, D. K. and Singh, G. 2014. Processing technology and health benefirs of green tea. *Popular Kheti*, 2(1): 23-30.
- Sintyadewi, P. R., Rabani, I. G. A. Y. and Wulansari, N. T. 2021. Analysis of chemical characteristics and antioxidant activity test of kombucha black tea and butterfly pea flower (*Clitoria ternatea* L.) based on fermentation time. *International Journal of Chemical & Material Sciences* 4(1): 27-32.
- Srihari, T. and Satyanarayana, U. 2012. Changes in free radical scavanging activity of kombucha during fermentation. *Journal of Pharmaceutical Sciences and Research* 4(11): 1978-1981.

- Soto, S. A. V, Beaufort, S., Boujila, J., Souchard, J. P. and Taillandier, P. 2018. Understanding kombucha tea fermentation: A review. *Journal of Food Science*, 83(3): 580-588.
- Suhardini, P. N. and Zubaidah, E. 2016. Study of antioxidant activity on various kombucha leaves during fermentation. *Jurnal Pangan dan Agroindustri* 4(1): 221-229.
- Sulaiman, C. T. and Balachandran, I. 2012. Total phenolics and total flavonoids in selected indian medicinal plants. *Indian Journal of Pharmaceutical Sciences* 74(3): 258-260.
- Supriyanto, Darmadji, P. and Susanti, I. 2014. Studi pembuatan teh daun tanaman kakao (*Theobroma cacao* L.) sebagai minuman penyegar. *Agritech*, 34(4): 424-429.
- Sutomo, N., Hariyadi, B. W. and Ali, M. 2013. Budidaya Tanaman Kakao (*Theobroma cacao* L.). OSF Preprints. Osf.io.
- Teshome, K. 2019. Effect of tea processing methods on biochemical composition and sensory quality of black tea (*Camellia sinensis* (L.) O. Kuntze: A review. *Journal of Horticulture and Forestry* 11(6): 84-95.
- Teshome, K., Debela, A. and Garedew, W. 2013. Effect of drying temperature and duration on biochemical composition and quality of black tea (*Camellia sinensis* L.) O. Kuntze at Wush Wush, South Western Ethiopia. *Asian Journal of Plant Sciences* 12(6): 235-240.
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A. and Yangsabai, A. 2018. Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: An overview. *Medicines* 5(93): 1-16.
- Velicanski, A. S., Cvetkovic, D. D., Markov, S. L. Saponjac, V. T. T. and Vulic, J. J. 2014. Antioxidant and antibacterial activity of the beverage obtained by fermentation of sweetened lemon balm (*Melissa officinalis* L.) tea with symbiotic consortium of bacteria and yeasts. *Journal of Food Technology and Biotechnology*, 52(4): 420-429.
- Yenrina, R., Sayuti, K. and Anggraini, T. 2016. Effect of natural colorants on color and antioxidant activity of “Kolang Kaling” (sugar palm fruit) Jam. *Pakistan Journal of Nutrition* 15(12): 1061-1066.
- Zhao, C. N., Tang, G. Y., Cao, S. Y., Xu, X. Y., Gan, R. Y., Liu, Q., Mao, Q. Q., Shang, A. and Li, H. B. 2019. Phenolic profiles and antioxidant activities of 30 tea infusions from green, black, oolong, white, yellow and dark teas. *Antioxidants (Basel)* 8(7): 215.

Zhu, J. J., Tang, A. T. H., Matinlinna, J. P. and Tzol, J. 2013. Potentiometric determination of fluoride release from three types of tea leaves. *International Journal of Electrochemical Science* 8(9): 11142-11150.

