

DAFTAR PUSTAKA

- Akhtar, T., Hoq, M., & Mazid, M. (2018). Bacterial proteases as thrombolytics and fibrinolytics. *Dhaka University Journal of Pharmaceutical Science*, 16(2), 255. doi: 10.3329/dujps.v16i2.35265
- Ali, R., Hossain, M, S., Islam, A., Arman, S, I., Raju, S, G., Dasgupta, P., & Noshin, T, F. (2014). Aspect of thrombolytic therapy: a review. *The Scientific World Journal*, 2014, 1-8. doi: 10.1155/2014/586510
- Alkarithi, G., Duval, C., Shi, Y., Macrae, F, L., Ariëns, R, A, S. (2021). Thrombus structural composition in cardiovascular disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 41(9), 2370-2383. doi: <https://doi.org/10.1161/ATVBAHA.120.315754>
- Allensandra, B. (1997). Fibrin(ogen) degradation and clot lysis by fibrinolytic matrix metalloproteinase. *Europe Pubmed Central*.
- Beveridge, T, J. (2001). Use of the gram stain in microbiology. *Biotech Histochem*, 76(3), 8-111.
- Biglu, M, H., Ghavami, M., & Biglu, S. (2016). Cardiovascular disease in the mirror of science. *Journal of Cardiovascular and Thoracic Research*, 8(4), 158-163. doi: 10.15171/jcvtr.2016.32
- Biology LibreText. (2021). *Bacterial Colony Morphology*. Retrieved from: https://bio.libretexts.org/Learning_Objects/Laboratory_Experiments/Microbiology_Labs/Microbiology_Labs_I/08%3A_Bacterial_Colony_Morphology (27 Juli 2022)
- Booth, N, A., Walker, E., Maughan, R., & Bennett, B. (1987). Plasminogen activator in normal subjects after exercise and venous occlusion: t-PA circulates as complex with c1-inhibitor and pai-1. *Blood*, 69(6), 1600-1604. doi: 10.1182/blood.V69.6.1600.1600
- Centers for Disease Control and Prevention. (2022). *Colonial Characteristics*. Retrieved from CDC: https://www.cdc.gov/labtraining/docs/job_aids/biochemicals_gram_positive_organism_id/Colonial_Characteristics_Branded_508.pdf (27 Juli 2022)
- Chakraborty, S, P., Mahapatra, S, K., & Roy, S. (2011). Biochemical characters and antibiotic susceptibility of staphylococcus aureus isolates. *Asian Pacific Journal of Tropical Biomedicine*, 1(3), 212-216. doi: 10.1016/S2221-1691(11)60029-4

- Collen, D., & Lijnen, H, R. (2009). The tissue-type plasminogen activator story. *Journal of The American Heart Association*, 29(8), 1151-1155. doi: 10.1161/ATVBAHA.108.179655
- Collin Collage. (2022). *Endospore Stain*. Retrieved from: <http://faculty.collin.edu/dcain/CCCCD%20Micro/endospore.htm> (22 Juli 2022)
- Diwan, D., Usmani, Z., Sharma, M., Welson, J, W., Thakur, V, K., Christie, G., Molina, G., & Gupta, V, K. (2021). Thrombolytic enzymes of microbial origin: a review. *International Journal of Molecular Science*, 22(19), 10468. doi: <https://doi.org/10.3390/ijms221910468>
- Gaffney, P, J. (1975). Distinction between fibrinogen and fibrin degradation products in plasma. *Clinica Chimica Acta*, 65(1), 109-115. doi: 10.1016/0009-8981(75)90341-1
- Goldhaber, S, Z., & Correnti, N. (2002). Treatment of blood clots. *Circulations*, 106(20), e138-e140. doi: <https://doi.org/10.1161/01.CIR.0000038923.61628.3D>
- Hamdani, S., Asstiyani, N., Astriany, D., Singgih, M., & Ibrahim, S. (2019). Isolation and identification of proteolytic bacteria from pig sludge and protease activity determination. *International Conference on Green Agro0-industry and Bioeconomy*, 230, 1-7. doi: 10.1088/1755-1315/230/1/012095
- Hassan, B, A. (2018). Carbohydrate fermentation test & starch hydrolysis test. *Project*. doi: 10.13140/RG.2.2.21943.57762
- Huang, S., Pan, S., Chen, G., Huang, S., Zhang, Z., Li, Y., & Liang, Z. (2013). Biochemical characteristic of a fibrinolytic enzyme purified from a marine bacterium, bacillus subtilis hqs-3. *International Journal of Biological Macromolecules*, 62, 124-130. doi: 10.1016/j.ijbiomac.2013.08.048
- Hurley, R. (2007). Anemia and red blood cell disorders. *Immigrant Medicine*, 611-623. doi: 10.1016/B978-0-323-03454-8.50050-4
- Ittyerah, T, R., Weidner, N., Wochner, R, D., & Sherman, L, A. (1979). Effect of fibrin degradation products and thrombin on fibrinogen synthesis. *British Journal of Haematology*, 43, 661-668. doi: 10.1111/j.1365-2141.1979.tb03799.x
- Jeong, Y, K., Park, J, U., Baek, H., Park, S, H., Kong, I, S., Kim, D, W., & Joo, W, H. (2001). Purification and biochemical characterization of a fibrinolytic enzyme from bacillus subtilis bk-17. *World Journal of Microbiology and Biotechnology*, 17(1), 89-92. doi: 10.1023/a:1016685411809

- Jilani, T., N., & Siddiqui. (2022). *Tissue Plasminogen Activator*. Treasure Island (FL): StatPearls Publishing.
- Kartika, A. I., Darmawati, S., & Ethica, S. N. (2019). Isolation and identification of molecular bacteria staphylococcus epidermis on rusip udang windu (*Penaeus monodon*) 24 hour post-fermentation based on gen 16s rRNA sequence. *Prosiding Mahasiswa Seminar Nasional Uminus*, 2, 208-216.
- Kietsiroje, N., Ariëns, R. A. S., & Ajjan R, A. (2021). Fibrinolysis in acute and chronic cardiovascular disease, *Seminars in Thrombosis and Hemostasis*. doi: 10.1055/s-0040-1718923
- Lähtenmäki, K., Kuusela, P., & Korhonen, T, K. (2001). Bacterial plasminogen activators and receptors. *FEMS Microbiology Reviews*, 25(5), 531-552. doi: 10.1016/S0168-6445(01)00067-5
- Lee, S., Lee, J., Jin, Y., Jeong, J., Chang, Y, H., Lee, Y., Jeong, Y, & Kim, M. (2017). Probiotic characteristic of bacillus strains isolated from korean traditional soy sauce. *LWT-Food Science and Technology*, 79, 518-524. doi: 10.1016/j.lwt.2016.08.040
- Lin, H., Xu, L., & Yu, S. (2020). Therapeutics targeting fibrinolytic system. *Experimental & Molecular Medicine*, 52, 367-379. doi: <https://doi.org/10.1038/s12276-020-0397-x>
- Longstaff, C. (2018). Measuring fibrinolysis: from research to routine diagnostic assays. *Journal of Thrombosis and Haemostasis*, 16(4), 652-662. doi: 10.1111/jth.13957
- Mahmood, N., Mihalcioiu, C., & Rabbani, S, A. (2018). Multifaced role of the urokinase-type plasminogen activator (uPA) and its receptor (uPAR): diagnostic, prognostic and therapeutic applications. *Frontiers in Oncology*, 8. doi: <https://doi.org/10.3389/fonc.2018.00024>
- Maron, B, A., & Loscalzo, J. (2007). The role of platelets in fibrinolysis. *Platelets*, 415-430. doi:10.1016/b978-012369367-9/50783-7
- McDonagh, J., Messel, H., McDonagh, R, P., Murano, G., & Blombäck. (1972). Molecular weight analysis of fibrinogen and fibrin chains by an improved sodium dodecyl sulfate gel electrophoresis method. *Biochimica et Biophysica Acta (BBA)- Protein Structure*, 257(1), 135-142. doi: 10.1016/0005-2795(72)90262-0

- Microbugz. (2022). *Endospore Stain*. Retrived from: https://www.austincc.edu/microbugz/endospore_stain.php (22 Juli 2022)
- Millán, M., Dorado, L., & Dávalos, A. (2010). Fibrinolytic therapy in acute stroke. *Current Cardiology Reviews*, 6(3), 218-226. doi: 10.2174/157340310791658758
- Moore, H. B., Moore, E. E., Gonzales, E., Hansen, K. C., Dzieciatkowska, M., Chapman, M. P., Sauaia, A., West, B., Banerjee, A., Silliman, C. C. (2015). Hemolysis exacerbates hypofibrinolysis, whereas plateletolysis shuts down fibrinolysis: evolving concepts of the spectrum of fibrinolysis in response to severe injury. *Shock*, 43(1), 39-46. doi: 10.1097/SHK.0000000000000245
- Mormak, D. A., & Casida, L. E. (1985). Study of bacillus subtilis endospore in soil by use of a modified endospore stain. *Applied and Environmental Microbiology*, 49(6), 1356-1360.
- Mulaw, G., Tessema, T. S., Muleta, D., & Tesfaye, A. (2019). In vitro of probiotic properties of lactic acid bacteria isolated from some traditionally fermented Ethiopian food products. *International Journal of Microbiology*, 2019, 7179514. doi: 10.1155/2019/7179514
- Nascimento, W. C. A., & Martins, M. L. L. (2006). Studies on the stability of protease from bacillus sp. and its compatibility with commercial detergent. *Brazilian Journal of Microbiology*, 37, 307-311. doi: 10.1590/S1517-83822006000300020
- Oklu, R. (2017). Thrombosis. *Cardiovascular Diagnosis & Therapy*, 7(3), S131-S133. doi: 10.21037/cdt.2017.11.08
- Peng, Y., Huang, Q., Zhang, R., & Zhang, Y. (2003). Purification and characterization of a fibrinolytic enzyme produced by bacillus amyloliquefaciens DC-4 screened from douchi, a traditional Chinese soybean food. *Comparative Biochemistry and Physiology*, 134(1), 45-52. doi: 10.1016/s1096-4959(02)00183-5
- Pinontoan, R., Elvina, Sanjaya, A., & Jo, J. (2021). Fibrinolytic characteristics of bacillus subtilis g8 isolated from natto. *Bioscience of Microbiota, Food, and Health*, 40(3), 144-149. doi: 10.12938/bmfh.2020-071
- Prasad, S., Kashyap, R. S., Deopujari, J. Y., Purohit, H. J., Taori, G. M., & Dagainawala, H. F. (2006). Development of an in vitro model to study clot lysis activity of thrombolytic drugs. *Thrombosis Journal*, 4, 14. doi: <https://doi.org/10.1186/1477-9560-4-14>
- Puspita, I. D., Wardani, A., Puspitasari, O. A., Nugraheni, P. S., Putra, M. P., Pudjiraharti, S., & Ustadi. (2017). Occurance of chitinolytic bacteria in shrimp

- rusip and measurement of their chitin-degrading enzyme activities. *Biodiversitas*, 18(3), 1275-1281. doi: 10.13057/biodiv/d180354
- Sartori, M. R., & Cella, G. (2004). Tissue plasminogen activator (t-PA). *Encyclopedia Endocrine Disease*, 581-585. doi: <https://doi.org/10.1016/B0-12-475570-4/01314-7>
- Sharma, M. (2019). Transdermal and intravenous nano drug delivery systems: present and future. *Applications of Targeted Nano Drugs and Delivery System*, 499-550. doi: 10.1016/B978-0-12-814029-1.00018-1
- Shaw, M. A., Kombrinck, K. W., McElhinney, K. E., Sweet, D. R., Flick, M. J., Palumbo, J. S., Cheng, M., Esmon, N. L., Esmon, C. T., Brill, A., Wagner, D. D., Degen, J. L., & Mullins, E. S. (2016). Limiting prothrombin activation to meizothrombin is compatible with survival but significantly alters hemostatis in mice. *Journal of The American Society of Hematology*, 128(5), 721-731. doi: 10.1182/blood-2015-11-680280
- Stewart, J., Manmathan, G., & Wilkinson, P. (2017). Primary prevention of cardiovascular disease: a review of contemporary guidance and literature. *JRSM Cardiovascular Disease*, 6, 1-9. doi: 10.13057/biodiv/d180354
- Takada, A., & Takada, Y. (1988). Physiology of plasminogen: with special reference to activation and degradation. *Pathophysiology of Haemostasis and Thrombosis*, 18(1), 25-35. doi: 10.1159/000215834
- University of Wyoming. (2022). *Starch Hydrolysis Test*. Retrieved from UW Navigation: https://www.uwyo.edu/molb2021/additional_info/summ_biochem/starch.html (19 Juli 2022)
- Walker, J. B., & Nesheim, M. E. (1999). The molecular weights, mass distribution, chain composition, and structure of soluble fibrin degradation products released from fibrin a fibrin clot perfused with plasmin. *Journal of Biological Chemistry*, 274(8), 5201-5212. doi: 10.1074/jbc.274.8.5201
- Weisel, J. W., & Litinov R, I. (2014). Mechanisms of fibrinolysis and basic principles of management. *Hemostatis and Thrombosis*, 169-185. doi: 10.1002/9781118833391.ch13
- Wongnam, W., Mitani, T., Katayama, S., Nakamura, S., & Yongsawatdigul, J. (2020). Production and characterization of chicken blood hydrolysate with antihypertensive properties. *Poultry Science*, 99, 5163-5174. doi: 10.1016/j.psj.2020.07.006

- World Health Organization. (2022). *Cardiovascular Diseases*. Retrieved from: https://www.who.int/health-topics/cardiovascular-diseases#tab=tab_1 (4 Juli 2022)
- Wu, K., & Yang, T. (2020). A novel improved gram staining method based on capillary tube. *Polish Journal of Microbiology*, 69(4), 503-508. doi: 10.33073/pjm-2020-043
- Yatsenko, T, A., Rybachuck, V, M., Yusova, O, I., Kharchenko, S, M., & Grinenko, T, V. (2016). Effect of fibrin degradation products on fibrinolytic process. *Ukrainian Biochemical Journal*, 88, 16-24. doi: <http://dx.doi.org/10.15407/ubj88.02.016>

