

DAFTAR PUSTAKA

1. Dhingra, PL. Dhingra, Shruti. *Disease of Ear, Nose, and Throat*. 5th Edition. India: Elsevier. 2012
2. Abdelazeem M, Gamea A, Mubarak H, Elzawawy N. Epidemiology, causative agents, and risk factors affecting human otomycosis infections. *Turk J Med Sci*. 2015; 45(4):820-6.
3. Barati, B. Dkk. *Otomycosis in Central Iran: A Clinical and Mycological Study*. *Iran Red Crescent Med J* 2011; 13(12):873-876. Vol.13. www.ircmj.com,
4. Jawetz, Melnick & Adelber. *Mikrobiologi kedokteran*. 2005
5. Sulaiman E, Purwanto B, Lasminingrum L, Dewi YA, Mahdiani S. Potency of Vinegar Therapy in Otomycosis Patients. *J Med Heal*. 2015;1(2).
6. Sudrajad H, Hendradewi S, Sinaga Y. Dibanding Ketokonazol 2 % Topikal Pada Terapi Otomikosis. 2018;48(1).
7. Liston SL, Duvall III AJ. embriologi, anatomi dan fisiologi telinga. Dalam: Boies. *Buku ajar penyakit tht*. Edisi ke-6. Jakarta: Penerbit Buku Kedokteran EGC; 1997. hlm.27-31.
8. Snell, Richard S. *Anatomi Klinik untuk Mahasiswa Kedokteran*. Edisi 6. Jakarta: EGC. 2006.
9. Applegate, Edith J. *The Anatomy and Physiology Learning System*. 4th edition. Missouri: Saunders Elsevier. 2011 Ballenger JJ. *Disease of the nose, throat, ear, head and neck*. 14nd ed, Philadelphia, Lea & Febiger, 1991; 670-776.
10. Hurst WB. Outcome of 22 cases of perforated tympanic membrane caused by otomycosis. *J Laryngol Otol*. 2001; 115(11): 879-80.
11. Amigot SL, Gomez CR, Luque AG, Ebner G. Microbiological study of external otitis in Rosario City, Argentina. *Mycoses*. 2003; 46: 312-5.

12. Ismail M, Alkafri A, Ismail M. Otomycosis in Damascus, Syria: Etiology and clinical features. *Curr Med Mycol.* 2017;3(3):27–30.
13. Ho, Tang. *Otomycosis: Clinical Features and Treatment Implication.* Otolaryngology Head and Neck Surgery. American Academy of Otolaryngology Head and Neck Surgery Foundation. 2006.135, 787-791.
14. Kumar A. Fungal spectrum in Otomycosis patients. *JK science* 2005;7:152-5
15. Vander et al. *Human Physiology: The Mechanism of Body Function.* Eight Edition. McGraw-Hill Companies. 2001
16. Satish HS, Vishwanatha, Manjuladevi. A Clinical Study of Otomycosis. *IOSR J Dent Med Sci.* 2013; 5(2): 57-62
17. Anwar K, Gohar MS. Otomycosis; clinical features, predisposing factors and treatment implications. *Pak J Med Sci.* 2014; 30(3):564-7.
18. Vennewald I, Klemm E. Otomycosis: diagnosis and treatment. *Clin Dermatol.* 2010; 28(2):202-11.
19. Moghadam AY, Asadi MA, Dehghani R, Mahmoudabadi AZ, Rayegan F, Hooshyar H, et al. Evaluating the effect of a mixture of alcohol and acetic acid for otomycosis therapy. *Jundishapur J Microbiol.* 2010;3(2):66–70.
20. Hueso Gutierrez P, Jimenez Alvarez S, Gil-Carcedo Sanudo E, Gil-Carcedo Garcia LM, Ramos Sanchez C, Vallejo Valdezate LA. Presumption diagnosis: otomycosis. A 451 patients study. *Acta Otorrinolaringol Esp.* 2005; 56(5):181-6.
21. Kesehatan, B. P. (1999). *Metodologi Penelitian Kesehatan.* Jakarta: BALITBANGKES.
22. Munguia R, Daniel SJ. Otological antifungals and Otomycosis: A review. *Int J Ped Otorhinolaryngol* 2008; 72:453-9.
23. Sander R. Otitis externa: a practical guide to treatment and prevention. *Am Fam Physician.* 2001; 63: 927-42.
24. Lavle, N., Shukla, P., and Panchal, A., 2016. Role of Flavonoids and Saponins in the Treatment of otomycosis. *Journal of Pharmaceutical*

- Science and Bioscientific Research, 6 (4), 535-541.
25. Mittal, A. Man, SBS. Panda , NK. Mahra, YN. Talwar, P. Secondary Fungal Infection in Chronic Suppurative Otitis Media. *IJO & NHS*. 1997; 50:175-7
 26. Viswanatha B, Naseeruddin K. Fungal infections of the ear in immunocompromised host: a review. *Mediterr J Hematol Infect Dis*. 2011; 3(1):e2011003.
 27. Yaganeh MA.. Evaluating the Effect of a Mixture of Alcohol and Acetic Acid for Otomycosis Therapy. *Jundishapur J Microbiol, Iran*. 2010; 3(2): 66-70
 28. Uslu, Hakan. Yoruk, Ozgur. Uyanik, M. Hamidullah. Mycological Investigation in Patients with Otitis Externa. *The Eurasian Journal of Medicine*. Volume 37, Number 1, Page(s) 015-017. 2005.
 29. Sefidgar A, Kyakajouri K, Meyrzaei M, Sharifi F. Fungal infection of external ear in otomycosis. *Journal of Babol Medical Sciences* 2001; 13: 25-29.
 30. Yosefina, enrieka (2017). Efektivitas Asam Asetat 2% (10ml) dalam Alkohol 70% (90ml) Pada Pengobatan Otomikosis di RSUD Dr. Soedirman Mangun Sumarso Wonogiri.
 31. Sinaga, Y. Hadi S, Sarwastuti H. Efektivitas Asam Asetat 2% Dalam Alkohol 70% dibandingkan Ketokonazol 2% Pada Terapi Otomikosis
 32. Sulaiman, E., Bambang P., Lina L., Yussy A D., Sally M., (2015). Potensi Larutan Cuka Apel pada Penderita Otomikosis. *Journal of Medicine and Health*, Vol 1 No 2.
 33. Jackman A, Ward R, April M, Bent J. Topical antibiotic induced otomycosis. *Int J Pediatr Otorhinolaryngol*. 2005; 69: 857- 60.
 34. Anwar K, Gohar MS. 2014. Otomycosis: clinical features, predisposing factors and treatment implications. *Pak J Med Sci*. 30(3):564-7.
 35. Humaira, F. Prevalensi Otomikosis Pada Mahasiswa PSPD UIN Syarif Hidayatullah Jakarta dan Faktor yang Mempengaruhi. 2012.