

DATFAR PUSTAKA

- Abbas, S., Nehdi, M. L., & Saleem, M. A. (2016). Ultra-High Performance Concrete: Mechanical Performance, Durability, Sustainability and Implementation Challenges. In *International Journal of Concrete Structures and Materials* (Vol. 10, Issue 3, pp. 271–295). Korea Concrete Institute. <https://doi.org/10.1007/s40069-016-0157-4>
- Abdullah, A., Ali, A., & Demirboga, R. (2011). A Review for Characterization of Silica Fume and Its Effects on Concrete Properties Effect of different curing temperatures on alkali activated palm oil fuel ash paste View project Development of Earthquake Energy Dissipation Systems View project. In *Article in International Journal of Sustainable Construction Engineering Technology*. <https://www.researchgate.net/publication/265803466>
- Abdullah, A., & Mohammed, A. (2019). *Scanning Electron Microscopy (SEM): A Review*. <https://www.researchgate.net/publication/330169176>
- Ambily, P. S., Ravisankar, K., Umarani, C., Dattatreya, J. K., & Iyer, N. R. (2014). Development of Ultra-High Performance Geopolymer Concrete. *Magazine of Concrete Research*, 66(2), 82–89. <https://doi.org/10.1680/macr.13.00057>
- ASTM International. (2005). *ASTM C1240 Standard Specification for Silica Fume Used in Cementitious Mixtures*.
- ASTM International. (2016). *ASTM C39/C39M Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens*.
- ASTM International. (2018). *ASTM C33 Standard Specification for Concrete Aggregates*.
- ASTM International. (2022). *ASTM C618 Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete*.
- Atış, C. D., Görür, E. B., Karahan, O., Bilim, C., Ilkentapar, S., & Luga, E. (2015). Very High Strength (120 MPa) Class F Fly Ash Geopolymer Mortar Activated at Different NaOH Amount, Heat Curing Temperature and Heat Curing Duration. *Construction and Building Materials*, 96, 673–678. <https://doi.org/10.1016/j.conbuildmat.2015.08.089>
- Azmee, N. M., & Shafiq, N. (2018). Ultra-High Performance Concrete: From Fundamental to Applications. *Case Studies in Construction Materials*, 9. <https://doi.org/10.1016/j.cscm.2018.e00197>
- Badan Litbang PU Departemen Pekerjaan Umum. (2005). *Pd. T-07-2005-B*.
- Bakharev. (2005). Geopolymeric Materials Prepared Using Class F Fly Ash and Elevated Temperature Curing. *Cement and Concrete Research*, 35(6).
- Chindaprasirt, P., Chareerat, T., & Sirivivatnanon, V. (2007). Workability and Strength of Coarse High Calcium Fly Ash Geopolymer. *Cement and Concrete Composites*, 29(3), 224–229. <https://doi.org/10.1016/j.cemconcomp.2006.11.002>
- Chindaprasirt, P., Rattanasak, U., & Taebuanhuad, S. (2013). Role of Microwave Radiation in Curing the Fly Ash Geopolymer. *Advanced Powder Technology*, 24(3), 703–707. <https://doi.org/10.1016/j.apt.2012.12.005>
- Davidovits, J. (1988). *Geopolymer: Chemistry and Applications*.

- Ghannam, S., Najm, H., & Vasconez, R. (2016). Experimental Study of Concrete Made with Granite and Iron Powders as Partial Replacement of Sand. *Sustainable Materials and Technologies*, 9, 1–9. <https://doi.org/10.1016/j.susmat.2016.06.001>
- Ginting, A. (2012). *Perbandingan Kuat Tekan Beton Menggunakan Agregat Kering Muka dengan Agregat Kering Udara*.
- Görhan, G., & Kürklü, G. (2014). The Influence of the NaOH Solution on the Properties of the Fly Ash-Based Geopolymer Mortar Cured at Different Temperatures. *Composites Part B: Engineering*, 58, 371–377. <https://doi.org/10.1016/j.compositesb.2013.10.082>
- Imam, A., Sharma, K. K., Kumar, V., & Singh, N. (2022). A Review Study on Sustainable Development of Ultra High Performance Concrete. *AIMS Materials Science*, 9(1), 9–35. <https://doi.org/10.3934/MATERSCI.2022002>
- Johnson, D. M., Hooper, P. R., & Conrey, R. M. (1999). *XRF Analysis of Rocks and Minerals for Major and Trace Elements on a Single Low Dilution Lithium-tetraborate Fused Bead*.
- Kasyanto, H. (2012). Tinjauan Kuat Tekan Geopolimer Berbahan Dasar Fly Ash Dengan Aktivator Sodium Hidroksida dan Sodium Silikat. In *Industrial Research Workshop and National Seminar*. www.sinarharapan.co.id
- Khater, H. M. (2014). *Effect of Silica Fume on the Characterization of the Geopolymer Materials*.
- Luga, E., & Atış, C. D. (2016). Strength Properties of Slag and Fly Ash Blends Activated with Sodium Metasilicate and Sodium Hydroxide + Silica Fume. *Periodica Polytechnica Civil Engineering*, 60(2), 223–228. <https://doi.org/10.3311/PPci.8270>
- MacGinley, T. J., & Choo, B. S. (1990). *Reinforced Concrete: Design Theory and Example* (Vol. 2).
- Nongnuang, T., Jitsangiam, P., Rattanasak, U., Tangchirapat, W., Suwan, T., & Thongmunee, S. (2021). Characteristics of Waste Iron Powder as a Fine Filler in a High-Calcium Fly Ash Geopolymer. *Materials*, 14(10), 2515. <https://doi.org/10.3390/ma14102515>
- Panjehpour, M., Abdullah, A., Ali, A., & Demirboga, R. (2011). A Review for Characterization of Silica Fume and Its Effects on Concrete Properties. In *Article in International Journal of Sustainable Construction Engineering Technology*. <https://www.researchgate.net/publication/265803466>
- Qaidi, S. M. A., Atrushi, D. S., Mohammed, A. S., Ahmed, H. U., Faraj, R. H., Emad, W., Tayeh, B. A., & Najm, H. M. (2022). *Ultra-High Performance Geopolymer Concrete: A Review*. <https://www.sciencedirect.com/science/article/abs/pii/S0950061822021559>
- Rangan, B. V. (2014). *Geopolymer Concrete for Environmental Protection*. <https://www.researchgate.net/publication/286116300>
- Risdanareni, P., Puspitasari, P., & Januarti Jaya, E. (2017). Chemical and Physical Characterization of Fly Ash as Geopolymer Material. *MATEC Web of Conferences*, 97, 01031. <https://doi.org/10.1051/matecconf/20179701031>
- Sayed Muhamad, & Nunu Anugrah. (2021, March 16). *Fly Ash dan Bottom Ash (FABA) Hasil Pembakaran Batu Bara Wajib Dikelola*. Kementerian

- Lingkungan Hidup Dan Kehutanan.
https://www.menlhk.go.id/site/single_post/3707/fly-ash-dan-bottom-ash-faba-hasil-pembakaran-batubara-wajib-dikelola
- Setiawati, M., & Imaduddin, M. (2018). *Fly Ash sebagai Bahan Pengganti Semen pada Beton*. 5.
- SNI (Standar Nasional Indonesia). (2019). *SNI-2847-2019 Persyaratan Beton Struktural untuk Bangunan Gedung*.
- Standar Nasional Indonesia. (2000). *SNI 03-6468-2000 Perencanaan Campuran Tinggi dengan Semen Portland dengan Abu Terbang*.
- Surjaputra, I. V. (2019). *Pengaruh Variasi Molarias NaOH 4M, 6M dan 8M terhadap Kuat Tekan dan Kuat Lentur Beton Geopolimer dengan Mutu Normal*.
- Susanto, J. (2020). *Pengaruh Penggunaan Superplasticizer terhadap Workability dan Kuat Tekan Beton Geopolimer*.
- Tempest, B., Snell, C., Gentry, T., Trejo, M., & Isherwood, K. (2015). Manufacture of Full-Scale Geopolymer Cement Concrete Components: A Case Study to Highlight Opportunities and Challenges. In *PCI Journal* (Vol. 60, Issue 6, pp. 39–50). Precast/Prestressed Concrete Institute.
<https://doi.org/10.15554/pcij.11012015.39.50>
- Vimmrová, A., & Výborný, J. (2002). *Building Materials 10: Materials and Testing Methods*.
- Wattimena, O. K., Antoni, & Hardjito, D. (2017). A Review on the Effect of Fly Ash Characteristics and Their Variations on the Synthesis of Fly Ash Based Geopolymer. *AIP Conference Proceedings*, 1887.
<https://doi.org/10.1063/1.5003524>
- Wibowo, K. A. (2020). *Perbandingan Karakteristik dan Kuat Lentur pada Beton Geopolimer dan Beton Normal*.
- Widjajakusuma, J., Bali, I., Ng, G. P., & Wibowo, K. A. (2022). An Experimental Study on the Mechanical Properties of Low-Aluminum and Rich-Iron-Calcium Fly Ash-Based Geopolymer Concrete. *Advances in Technology Innovation*, 7(4), 295–302. <https://doi.org/10.46604/aiti.2022.10525>
- Wirahara, R. S. (2022). *Perencanaan Geopolymer Concrete Mutu Tinggi Berbasis Fly Ash*.
- Wong, H. S., Zobel, M., Buenfeld, N. R., & Zimmerman, R. W. (2009). Influence of the Interfacial Transition Zone and Micro Cracking on the Diffusivity, Permeability and Sorptivity of Cement-Based Materials After Drying. *Magazine of Concrete Research*, 61(8), 571–589.
<https://doi.org/10.1680/macr.2008.61.8.571>