

## DAFTAR PUSTAKA

- Abraham, C., & Sheeran, P. (2015). *The Health Belief Model* (pp. 30–69).  
<https://www.researchgate.net/publication/290193215>
- Adefolalu, A., Nkosi, Z., Olorunju, S., & Masemola, P. (2014). Self-efficacy, medication beliefs and adherence to antiretroviral therapy by patients attending a health facility in Pretoria. *South African Family Practice*, 56(5), 281–285.  
<https://doi.org/10.1080/20786190.2014.975476>
- Adiratna, W., Udiyono, A., Dian Saraswati, L., Peminatan EpidemioIogi dan Penyakit Tropik Fakultas Kesehatan Masyarakat Universitas Diponegoro, M., & Pengajar Bagian EpidemioIogi dan, S. (2020). Hubungan Pengetahuan dan Dukungan Sosial Terhadap Skor Kepatuhan Minum Obat Kelasi Besi pada Pasien Thalassemia (Studi di RSUD Tidar Kota Magelang). *Jurnal Kesehatan Masyarakat*, 8(1).  
<http://ejournal3.undip.ac.id/index.php/jkm>
- Agustina, V., Rayanti, R.E., & Hidayah, N. (2020). Penerapan Perilaku Pencegahan Penyakit Diabetes Mellitus Menggunakan Health Belief Model di Puskesmas Sidorejo Lor Salatiga. *Jurnal Keperawatan Muhammadiyah*, 5(2), 61-69.
- Aisyahi, I., Setiadi Kelana, D., Diploma, S., & Keperawatan, T. (2021). Penyuluhan Kesehatan Tentang Penyakit Thalasemia. In *Bina Sehat Masyarakat* (Vol. 1, Issue 1). <https://ejournal.upi.edu/index.php/BSM/index>
- Aisyi, M., & Tumbelaka, A. R. (2003). Pola Penyakit Infeksi pada Thalassemia. *Sari Pediatri*, 5(1), 27-33.
- Aksu, T., Özbek, N., Söker, M., Coşkun, C., Güzelküçük, Z., Üzel, H., Yarali, N., Gümrük, F., & Ünal, Ş. (2020). Comparison of Compliance of Different Iron

Chelators Including Original and Bioequivalents of Deferasirox. *Acta Medica*, 51(3), 38-43.

Al-Kloub, M. I., A Bed, M. A., Al Khawaldeh, O. A., Al Tawarah, Y. M., & Froelicher, E. S. (2014). Predictors of non-adherence to follow-up visits and deferasirox chelation therapy among jordanian adolescents with thalassemia major. *Pediatric Hematology and Oncology*, 31(7), 624–637. <https://doi.org/10.3109/08880018.2014.939792>

Althouse, L. A., Ware, W. B., & Ferron, J. M. (1998). Detecting Departures from Normality: A Monte Carlo Simulation of a New Omnibus Test based on Moments. Paper presented at the Annual Meeting of the American Educational Research Association, San Diego, CA.

Asmarinah, Arozal, W., Sukmawati, D., Syaidah, R., Prijanti, A. R., & Asmarinah (2023). *Darah: kelainan dan transfusi*. UI Publishing.

BPJS Kesehatan. (2023). *BPJS Kesehatan Kucurkan Rp24 Triliun untuk Penyakit Katastropik pada 2022*.

Brunner & Suddarth, (2013). *Buku Ajar Keperawatan Medikal Bedah Edisi 8 volume 2*. Jakarta: EGC.

Bulan, S. (2009). *Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Anak Thalassemia Beta Mayor*. Universitas Diponegoro.

Buglar, M.E., White, K.M., & Robinson, N.G. (2010). The role of self-efficacy in dental patients' brushing and flossing: test an extended health belief model. *Patient Education and Counseling*, 78(2), 269-272.

- Camacho, L. H., Wilairatana, P., Weiss, G., Mercader, M. A., Brittenham, G. M., Looareesuwan, S., & Gordeuk, V. R. (1999). The eosinophilic response and haematological recovery after treatment for *Plasmodium falciparum* malaria. *Tropical Medicine and International Health*, 4(7), 471–475. <https://doi.org/10.1046/j.1365-3156.1999.00426.x>
- Chairunisa, C., Arifin, S., & Rosida, L. (2019). Faktor-Faktor yang Berhubungan dengan Perilaku Kepatuhan Minum Obat Anti Diabetes pada Penderita Diabetes Melitus Tipe 2. *Homeostasis*, 2(1), 33-42.
- Champion, V. L., & Skinner, C. S. (2008). *The health belief model*. In K. Glanz, B. K. Rimer, & K. Viswanath (Eds.), *Health behavior and health education: Theory, research, and practice* (p. 45-65). San Francisco, CA: Jossey-Bass.
- Chaudhary, P., Pullarkat, V. (2013). Deferasirox: appraisal of safety and efficacy in long-term therapy. *J Blood Med*. 5(4):101-10.
- Chawsamtong, S., Jetsrisuparb, A., Kengkla, K., & Jaisue, S. (2022). Effect of drug use calendar on adherence to iron chelation therapy in young thalassemia patients. *Pharmacy practice*, 20(1), 2570. <https://doi.org/10.18549/PharmPract.2022.1.2570>
- Cho, S. J., & Kim, J. (2014). Factors associated with nonadherence to antihypertensive medication. *Nursing & health sciences*, 16(4), 461–467. <https://doi.org/10.1111/nhs.12145>
- Chong, C. C., Redzuan, A. M., Sathar, J., & Makmor-Bakry, M. (2021). Patient Perspective on Iron Chelation Therapy: Barriers and Facilitators of Medication Adherence. *Journal of patient experience*, 8, 2374373521996958. <https://doi.org/10.1177/2374373521996958>

- Chuansumrit, A., Songdej, D., Sirachainan, N., Wongwerawattanakoon, P., Kadegasem, P., & Sasanakul, W. (2016). Safety profile of a liquid formulation of deferiprone in young children with transfusion-induced iron overload: a 1-year experience. *Paediatrics and international child health*, 1–5. Advance online publication. <https://doi.org/10.1080/20469047.2015.1109272>
- Cunningham M. J. (2010). Update on thalassemia: clinical care and complications. *Hematology/oncology clinics of North America*, 24(1), 215–227. <https://doi.org/10.1016/j.hoc.2009.11.006>
- Crisponi, G., Nurchi, V. M., & Lachowicz, J. I. (2019). Iron Chelation for Iron Overload in Thalassemia. *Metal ions in life sciences*, 19, /books/9783110527872/9783110527872-009/9783110527872-009.xml. <https://doi.org/10.1515/9783110527872-009>
- Damayanti, A., Chicade, A., Sadiyah, H., Petrisia, K., Elwin, L. T. R., Yericho, M., Andini, M. P., Rachman, M. R., Yuzhar, M., Pebrianti, P., Nayaken, P. O., Ratna, W. D., Dewi, S. K., Imani, S. R., Hasanah, U., Zahra, Y. A., & Syamsyu, E. (2022). Pendekatan Health Belief Model (HBM) Untuk Menganalisis Kepatuhan Pasien Diabetes Mellitus Dalam Menggunakan Insulin Di Kota Banjarmasin. *Journal Pharmaceutical Care and Sciences*, 2(2), 61–68. <https://doi.org/10.33859/jpcs.v2i2.160>
- Daud, K. A. M., Khidzir, N. Z., Ismail, A. R., & Abdullah, F. A. (2018). Validity and Realiability of Instrument to Measure Social Media Skills Among Small and Medium Entrepreneurs at Pangkalan Datu River. *International Journal of Development and Sustainability*, 7(3), 1026-1037.

- Delea, T. E., Edelsberg, J., Sofrygin, O., Thomas, S. K., Baladi, J. F., Phatak, P. D., & Coates, T. D. (2007). Consequences and costs of noncompliance with iron chelation therapy in patients with transfusion-dependent thalassemia: a literature review. *Transfusion*, 47(10), 1919–1929. <https://doi.org/10.1111/j.1537-2995.2007.01416.x>
- Eller, L. S., Lev, E., L., Yuan, C., & Watkins, A. V. (2016) Describing Self-Care Self-Efficacy Definition, Measurement, Outcomes, and Implications. *International Journal of Nursing Knowledge*, 29(1), 38-48.
- Elsayed, E., M., & Hussein, A., A. (2002). The Effectiveness of an Educational Intervention on Maternal Management of Children with Beta Thalassemia. *Alexandria Journal of Pediatrics*, 16(2), 251-258.
- Fahamsya, A., Anggraini, M. T., & Faizin, C. (2022). Efikasi Diri dan Dukungan Keluarga Mendorong Kepatuhan Minum Obat Pasien Diabetes Melitus Tipe 2. *Biomedika*, 14(1), 63–73. <https://doi.org/10.23917/biomedika.v14i1.17040>
- Fajrin, J., Pathurahman, & Pratama, L. G. (2016). Aplikasi Metode Analysis of Variance (ANOVA) untuk Mengkaji Pengaruh Penambahan Silica Fume terhadap Sifat Fisik dan Mekanik Mortar. *Jurnal Rekayasa Sipil*, 12(1), 11-23.
- Fakhrunnisak, D., & Patria, B. (2022). The positive effects of parents' education level on children's mental health in Indonesia: a result of longitudinal survey. *BMC public health*, 22(1), 949. <https://doi.org/10.1186/s12889-022-13380-w>
- Farmakis, D., Porter, J., Taher, A., Domenica Cappellini, M., Angastiniotis, M., & Eleftheriou, A. (2022). 2021 Thalassaemia International Federation Guidelines for

the Management of Transfusion-dependent Thalassemia. *HemaSphere*, 6(8), e732.

<https://doi.org/10.1097/HS9.0000000000000732>

Ferdinand. 2006. *Metode Penelitian Manajemen*. Semarang: Universitas Diponegoro.

Fibach, E., & Rachmilewitz, E. A. (2017). Pathophysiology and treatment of patients with beta-thalassemia - an update. *F1000Research*, 6, 2156.

<https://doi.org/10.12688/f1000research.12688.1>

Fitriani, Y., Pristianty, L., & Hermansyah, A. (2019). Pendekatan Health Belief Model (HBM) untuk Menganalisis Kepatuhan Pasien Diabetes Melitus Tipe 2 dalam Menggunakan Insulin. *Pharmaceutical Journal of Indonesia*, 16(2), 167-177.

Fortin, P. M., Fisher, S. A., Madgwick, K. V., Trivella, M., Hopewell, S., Doree, C., & Estcourt, L. J. (2018). Interventions for improving adherence to iron chelation therapy in people with sickle cell disease or thalassaemia. *The Cochrane database of systematic reviews*, 5(5), CD012349.

<https://doi.org/10.1002/14651858.CD012349.pub2>

Gallie, B. L., & Olivieri, N. F. (2019). The Role of Deferiprone in Iron Chelation. *The New England journal of medicine*, 380(9), 892.

<https://doi.org/10.1056/NEJMc1817335>

Glanz, K., Rimer B, K., and Viswanath, K. 2008. *Health Behavior and Health Education: Theory, Research, and Practice*. USA: John Wiley and Sons.

Gustiana, H., Gunantara, T., & Rathomi, H. (2020). Kepatuhan Konsumsi Obat Kelasi Besi dan Kadar Feritin Serum Pasien Talasemia Beta-Mayor di RSUD Al-Ihsan Bandung. *Jurnal Integrasi Kesehatan & Sains (JKS)*, 2(1), 26–30.  
<http://ejournal.unisba.ac.id/index.php/jiks>

- Haley K. (2017). Congenital Hemolytic Anemia. *The Medical clinics of North America*, 101(2), 361–374. <https://doi.org/10.1016/j.mcna.2016.09.008>
- Hammond, J., Thompson, A. A., Fogel, M. A., Hammond, K., Kokroko, J., & Kwiatkowski, J. L. (2019). Combination Oral Chelation in Adult Patients With Transfusion-dependent Thalassemia and High Iron Burden. *Journal of pediatric hematology/oncology*, 41(1), e47–e50. <https://doi.org/10.1097/MPH.0000000000001269>
- Hart, A. (2001). Mann-Whitney test is not just a test of medians: differences in spread can be important. *BMJ*, 391–393.
- Hastuti, Y., & Rahma, A. (2017). Gambaran Health Belief Model pada Penderita Diabetes Mellitus Tipe II. *Jurnal Departemen Ilmu Keperawatan*, 1-8.
- Hay, D. and Weatherall, D.J. (2017). *Thalassaemias*. In eLS, John Wiley & Sons, Ltd (Ed.). <https://doi.org/10.1002/9780470015902.a0002274.pub3>
- Hawa, T., D., S., Riza, M., & Kawuryan, D., L. (2023). Hubungan Tingkat Kepatuhan Konsumsi Obat Kelasi Besi dengan Kadar Feritin pada Pasien Thalassemia Anak di RSUD DR. Moewardi. *Infokes: Jurnal Ilmiah Rekam Medis Dan Informatika Kesehatan*, 13(1), 46–51. <https://doi.org/10.47701/infokes.v13i1.2533>
- Hershko, C. M., Link, G. M., Konijn, A. M., & Cabantchik, Z. I. (2005). Iron chelation therapy. *Current hematology reports*, 4(2), 110–116.
- Hidayat, T., & Firdhania, N. (2023). Hubungan Antara Persepsi Ancaman Terhadap Kesehatan dengan Tingkat Kepatuhan Minum Obat pada Penderita TB Paru. *Jurnal Ilmu Kesehatan Insan Sehat*, 11(2), 31-34.

- Hidayati, I., R., & Putri, C. (2019). Factors Affecting in the Use of Antihypertension Drugs With the Health Belief Model Approach in Puskesmas Pandanwangi Malang. *Jurnal Farmasi dan Ilmu Kesehatan*, 4(2), 1-5.
- Hider, R. C., & Hoffbrand, A. V. (2018). The Role of Deferiprone in Iron Chelation. *The New England journal of medicine*, 379(22), 2140–2150. <https://doi.org/10.1056/NEJMra1800219>
- Ibrahiem, O.A., Thabet, A.F. (2013). Deferasirox Versus Deferoxiamine for the Treatment of Transfusional Iron Overload in Patients with  $\beta$ -Thalassemia Major. *Ibnosina J Med BS*. 6(1):14-18.
- Islam, N. N. M. I. (2021). Analisis Validitas dan Reliabilitas Instrumen Kepuasan Pengguna Elektronik Rekam Medis. *Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal*, 11(3), 579-586.
- Kannan, S., & Singh, A. (2017). Compliance score as a monitoring tool to promote treatment adherence in children with thalassemia major for improved physical growth. *Asian Journal of Transfusion Science*, 11(2), 108–114. [https://doi.org/10.4103/ajts.AJTS\\_61\\_16](https://doi.org/10.4103/ajts.AJTS_61_16)
- Kanwal, M., Ahmad, R. S., Tariq, N., & Rehan, G.-. (2022). Predictors of Non-adherence to iron chelation therapy in pediatric thalassemia patients. *Journal of Rawalpindi Medical College*, 1(1), 11–17. <https://doi.org/10.37939/jrmc.v1i1.1840>
- Karimi, M., Cohan, N., De Sanctis, V., Mallat, N. S., & Taher, A. (2014). Guidelines for diagnosis and management of Beta-thalassemia intermedia. *Pediatric hematology and oncology*, 31(7), 583–596. <https://doi.org/10.3109/08880018.2014.937884>



- Kawulusan, K. B., Katuuk, M. E., & Bataha, Y. B. (2019). Hubungan Self-Efficacy dengan Kepatuhan Minum Obat Hipertensi di Puskesmas Ranotana Weru Kota Manado. *Jurnal Keperawatan*, 7(1). <https://doi.org/10.35790/jkp.v7i1.24340>
- Kemenkes RI. (2017). *Profil Penyakit Tidak Menular Tahun 2016*.
- King, A. P., & Eckersley, R. J. (2019). Inferential Statistics IV: Choosing a Hypothesis Test. *Statistics for Biomedical Engineers and Scientists*, 147–171. <https://doi.org/10.1016/B978-0-08-102939-8.00016-5>
- Kozier. Erb, Berman. Snyder. (2010). *Buku Ajar Fundamental Keperawatan: Konsep, Proses & Praktik*, Volume: 1, Edisi: 7, EGC: Jakarta.
- Krittayaphong, R., Viprakasit, V., Saiviroonporn, P., Wangworatrakul, W., & Wood, J. C. (2018). Serum ferritin in the diagnosis of cardiac and liver iron overload in thalassaemia patients real-world practice: a multicentre study. In *British Journal of Haematology* (Vol. 182, Issue 2, pp. 301–305). Blackwell Publishing Ltd. <https://doi.org/10.1111/bjh.14776>
- Kurniati, M., Robbiardy Eksa, D., & Risnawati, C. (2020). Hubungan Kepatuhan Terapi Kelas dengan Kadar Feritin pada Penderita Talasemia Mayor di RSUD H. Abdul Moeloek Provinsi Lampung. In *Jurnal Ilmu Kedokteran Dan Kesehatan* (Vol. 7, Issue 2).
- Lee, S. T., Yoo, E. H., Kim, J. Y., Kim, J. W., & Ki, C. S. (2010). Multiplex ligation-dependent probe amplification screening of isolated increased HbF levels revealed three cases of novel rearrangements/deletions in the  $\beta$ -globin gene cluster. *British Journal of Haematology*, 148(1), 154–160. <https://doi.org/10.1111/j.1365-2141.2009.07927.x>

- Lee, Y. L., Lin, D. T., & Tsai, S. F. (2009). Disease knowledge and treatment adherence among patients with thalassemia major and their mothers in Taiwan. *Journal of clinical nursing*, 18(4), 529–538. <https://doi.org/10.1111/j.1365-2702.2007.02150.x>
- Leung, T. Y., & Lao, T. T. (2012). Thalassaemia in pregnancy. *Best practice & research. Clinical obstetrics & gynaecology*, 26(1), 37–51. <https://doi.org/10.1016/j.bpobgyn.2011.10.009>
- Mariani, D. (2021). Hubungan Karakteristik, Jenis Kelasi Besi Dengan Kepatuhan Terhadap Kelasi Besi pada Penyandang Thalassemia Usia Remaja. *Media Informasi*, 17(1), 37–42. <https://doi.org/10.37160/bmi.v17i1.661>
- Mawan, A.i., & Muflihatin, S.K. (2021). Hubungan Kecemasan Dengan Manajemen Diri Pada Penderita Diabetes Mellitus Tipe II Di Wilayah Kerja Puskesmas Palaran Kota Samarinda. *Borneo Student Research*, 2(2), 738-746.
- Mishra, P., Pandey, C. M., Singh, U., Gupta, A., Sahu, C., & Keshri, A. (2019). Descriptive statistics and normality tests for statistical data. *Annals of Cardiac Anaesthesia*, 22(1), 67–72. [https://doi.org/10.4103/aca.ACA\\_157\\_18](https://doi.org/10.4103/aca.ACA_157_18)
- Mitra, J., & Mashayekhi, S. O. (2007). Demographic and clinical aspects in thalassaemic or hemophilic patients referred to pediatric hospital in Tabriz city, 2004, Iran. *Research Journal of Biological Sciences*, 2(5), 543–545.
- Modell, B., Khan, M., & Darlison, M. (2000). Survival in beta-thalassaemia major in the UK: data from the UK Thalassaemia Register. *Lancet (London, England)*, 355(9220), 2051–2052. [https://doi.org/10.1016/S0140-6736\(00\)02357-6](https://doi.org/10.1016/S0140-6736(00)02357-6)

- Mohamed, R., Abdul Rahman, A. H., Masra, F., & Abdul Latiff, Z. (2022). Barriers to adherence to iron chelation therapy among adolescent with transfusion dependent thalassemia. *Frontiers in Pediatrics*, *10*. <https://doi.org/10.3389/fped.2022.951947>
- Mustofani, D., & Hariyani. (2023). Penerapan Uji Korelasi Rank Spearman Untuk Mengetahui Hubungan Tingkat Pengetahuan Ibu Terhadap Tindakan Swamedikasi Dalam Penanganan Demam Pada Anak. *Unisda Journal of Mathematics and Computer Science*, *9*(1), 9-13.
- Neufeld E. J. (2006). Oral chelators deferasirox and deferiprone for transfusional iron overload in thalassemia major: new data, new questions. *Blood*, *107*(9), 3436–3441. <https://doi.org/10.1182/blood-2006-02-002394>
- Notoatmodjo, S. (2004). *Metodologi Penelitian Kesehatan*. Jakarta: PT. Rineka Cipta.
- Notoatmodjo. (2006). *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta: Rineka Cipta.
- Nurhidayati, I., Aniswari, A., Y., Sulistyowati, A., D., & Sutaryono, S. (2018). Penderita Hipertensi Dewasa Lebih Patuh daripada Lansia dalam Minum Obat Penurun Tekanan Darah. *Jurnal Kesehatan Masyarakat Indonesia*, *13*(2), 1-5.
- Ozili, P., K. (2023). "The acceptable R-square in empirical modelling for social science research," MPRA Paper 115769, University Library of Munich, Germany.
- Panda, K., Mishra, N. R., & Jena, S. K. (2018). Adherence to deferasirox among beta-thalassemia major children-A cross-sectional study in a tertiary care hospital. In *Indian J Child Health* , Vol. 38.
- Permatasari, T., Kartikasari, G., & Ismail, C. (2023). Correlation between Adherence Therapy of Iron Chelation Levels with Serum Ferritin Levels in Major Beta-

- Thalassemia Patients at Kediri District General Hospital. *Indonesian Health Journal*, 2(2), 38–43.
- Permatasari, S. N., Mita, & Herman. (2020). Hubungan Peran Fungsi Petugas Kesehatan dengan Kepatuhan Minum Obat pada Pasien Diabetes Melitus Tipe 2 di Wilayah Kerja Puskesmas Gang Sehat Pontianak. *Tanjungpura Journal of Nursing Practice and Education*, 2(1).
- Poggiali, E., Cassinerio, E., Zanaboni, L., & Cappellini, M. D. (2012). An update on iron chelation therapy. *Blood transfusion = Trasfusione del sangue*, 10(4), 411–422. <https://doi.org/10.2450/2012.0008-12>
- Pratiwi, V. A. (2020). Kepatuhan Penggunaan Obat Kelasi Besi pada Pasien Talasemia Mayor di Poli Talasemia RSUD DR. M. Yunus. *Akademi Farmasi Al-Fatah*.
- Puspita, R., C., Tamtomo, D., & Indarto, D. (2017). Health Belief Model for the Analysis of Factors Affecting Hypertension Preventive Behavior among Adolescents in Surakarta. *Journal of Health Promotion and Behavior*, 2(2), 183-196.
- Reddy, P. S., Locke, M., & Badawy, S. M. (2022). Adherence to Iron Chelation Therapy among Adults with Thalassemia: A Systematic Review. *Hemoglobin*, 46(4), 201–213. <https://doi.org/10.1080/03630269.2022.2072320>
- Ricerca, B. M., Di Girolamo, A., & Rund, D. (2009). Infections in thalassemia and hemoglobinopathies: focus on therapy-related complications. *Mediterranean journal of hematology and infectious diseases*, 1(1), e2009028. <https://doi.org/10.4084/MJHID.2009.028>
- Riviere, J.E., and Papich, M.G. (2013). *Veterinary Pharmacology and Therapeutics*. John Wiley & Sons, Hoboken, 993.

- Rosita, E., & Lindayani, L. (2023). Factors Influencing Antiretroviral Medication Adherence Based on the Health Belief Model in HIV/AIDS Patients. *Jurnal Keperawatan PPNI Jawa Barat*, 1(2), 101-117.
- Rujito, L. (2019). *Buku Referensi Talasemia: Genetik Dasar dan Pengelolaan Terkini*.
- Safrina, L., Sari, K., & Mawarpury, M. (2016). Hubungan Pengetahuan, Sikap, dan Perilaku Wanita Dewasa Muda terhadap Kanker Leher Rahim. *Jurnal Mediapsi*, 2(1), 19-28.
- Saliba, A. N., Musallam, K. M., Cappellini, M. D., Graziadei, G., Daar, S., Viprakasit, V., & Taher, A. T. (2017). Serum ferritin values between 300 and 800 ng/mL in nontransfusion-dependent thalassemia: A probability curve to guide clinical decision making when MRI is unavailable. In *American Journal of Hematology* (Vol. 92, Issue 3, pp. E35–E37). Wiley-Liss Inc. <https://doi.org/10.1002/ajh.24628>
- Santosa, B., Marchira, C. R., & Sumarni, P. (2017). Development and Validity and Reliability Tests of Professionalism Assessment Instrument in Psychiatry Residents. *Jurnal Pendidikan Kedokteran Indonesia*, 6 (1), 59-64.
- Santoso, B. S., & Zulhelmi. (2018). Analisis Pengaruh Inovasi Produk, Perspesi Harga dan Kualitas Produk Terhadap Kepercayaan Produk yang Mempengaruhi Keputusan Pembelian Konsumen (Studi Kasus pada “Atala Art” di Jepara). *Diponegoro Journal of Management*, 7(3), 1–9. <http://ejournal-s1.undip.ac.id/index.php/dbr>
- Saparizki, R., Sumantri, A. F., & Achmad, S. (2023). Pengaruh Kepatuhan Minum Obat Kelasi Besi dengan Kadar Ferritin pada Pasien Thalassemia di RSUD Al-Ihsan

- Bandung Tahun 2021/2022. In *Bandung Conference Series: Medical Science*, 3 (1), 177-181.
- Sarwono, J. (2010). *Pengertian Dasar Structural Equation Modeling (SEM)*. <http://www.jonathansarwono.info>
- Schumacker, R. E., & Lomax, R. G. (2010). *A beginner's Guide to Structural Equation Modeling*. <https://www.researchgate.net/publication/362079746>
- Shabrina, S., A. (2023). *Analisis Faktor yang Berpengaruh Terhadap Kepatuhan Minum Obat pada Pasien DM Tipe 2 di Wilayah Kerja Puskesmas Tanjung Bintang Kabupaten Lampung Selatan dengan Health Belief Model* [Unpublished undergraduate thesis]. Universitas Lampung.
- Shafique, F., Ali, S., Almansouri, T., Van Eeden, F., Shafi, N., Khalid, M., Khawaja, S., Andleeb, S., & Ul Hassan, M. (2023). Thalassemia, a human blood disorder. *Brazilian Journal of Biology*, 83. <https://doi.org/10.1590/1519-6984.246062>
- Shah N. R. (2017). Advances in iron chelation therapy: transitioning to a new oral formulation. *Drugs in context*, 6, 212502. <https://doi.org/10.7573/dic.212502>
- Sholiha, M. (2014). *Gambaran Peluang Perubahan Perilaku Dengan Health Belief Model Pada Pasien Hipertensi Di Puskesmas Ciputat Tangerang Selatan*. Jakarta: UIN Syarif Hidayatullah. Skripsi.
- Sidhu, S., Kakkar, S., Dewan, P., Bansal, N., & Sobti, P. C. (2021). Adherence to Iron Chelation Therapy and Its Determinants. In *International Journal of Hematology-Oncology and Stem Cell Research*.
- Stefan, M.M., Redjeki, G.S., & Susilo. (2014). Hubungan Karakteristik Pasien Dengan Kepuasan Pasien Terhadap Mutu Pelayanan Kesehatan di Puskesmas Kecamatan

Pesanggrahan. Jakarta: Program Studi S1 Keperawatan Jalur A Sekolah Tinggi Ilmu Kesehatan Sint Carolus.

Stewart, K. (2024, May 8). *Pearson's correlation coefficient*. *Encyclopedia Britannica*.  
<https://www.britannica.com/topic/Pearsons-correlation-coefficient>

Streiner, D. L. (2005). Finding Our Way: An Introduction to Path Analysis. *The Canadian Journal of Psychiatry*, 50 (2), 115-122.

Sugiyono. (2015). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif, Dan R&D*. Bandung: Alfabeta.

Supriatna, C., Indriani, B. K., & Akbari, R. (2020). Evaluasi Penggunaan Obat Kelasi Besi dalam Menurunkan Kadar Ferritin Pada Pasien Talasemia Anak di RSUD 45 Kuningan. *Jurnal Ilmiah Indonesia*, 5 no.1.

Swari Paramanindita, A., Harahap, Y., Wijayanti, T. R., Luthom, W., Prasaja, B., Widjaja, E., Sandra, M., Puspanegara, G., & Paramanindita, A. S. (2021). Paramanindita AS et al. Efficacy of Deferasirox through Bioequivalence Study in Indonesian Healthy Volunteer. *Iranian Journal of Blood and Cancer 48 IJBC* (Vol. 13, Issue 2). [www.ijbc.ir](http://www.ijbc.ir)

Taher, A. T., & Saliba, A. N. (2017). *Iron Overload in Thalassemia: Different Organs at Different Rates*. <http://ashpublications.org/hematology/article-pdf/2017/1/265/1251103/hem00036.pdf>

Tahira, N., Bari, A., Aamir, K., Faizan, M., & Manager, W. (2020). Predictors of Non-Adherence to Chelation Therapy among Children with Thalassemia Major. *Pakistan Journal of Medical & Health Sciences*, 14(4).

- Trachtenberg, F., Vichinsky, E., Haines, D., Pakbaz, Z., Mednick, L., Sobota, A., Kwiatkowski, J., Thompson, A. A., Porter, J., Coates, T., Giardina, P. J., Olivieri, N., Yamashita, R., Neufeld, E. J., & Thalassemia Clinical Research Network (2011). Iron chelation adherence to deferoxamine and deferasirox in thalassemia. *American journal of hematology*, 86(5), 433–436. <https://doi.org/10.1002/ajh.21993>
- Triwardhani, E., R., Reniarti, L., & Setiabudiawan, B. (2022) Hubungan Jenis dan Tingkat Kepatuhan Pengobatan Kelasi Besi Oral dengan Kadar Feritin Serum pada Penyandang Talasemia Beta Mayor Anak. *Sari Pediatri*, 24(1), 23-30.
- Wahyuni, R. (2012). Faktor Yang Berhubungan Dengan Tingkat Kecemasan Pada Penderita Diabetes Mellitus Tipe II. *Universitas Hasanuddin*, 1–9.
- Wardani, N., T., & Azinar, M. (2023). Kepatuhan Melakukan Pengobatan Rutin Pasien Hipertensi Lansia pada Masa Pandemi Covid-19. *Indonesian Journal of Public Health and Nutrition*, 3(1), 99-108.
- Wattiheluw, M., H., Herawati, F., Setiasih, & Rika, Y. (2020). Correlation of Knowledge and Beliefs to Adherence with Antibiotic Use in Adult Patients at a Private Hospital in Sidoarjo. *Jurnal Kesehatan Masyarakat Nasional*, 15(2), 99-104.
- Wijaya, L., J., Nancy, Y., M., & Farida, H. (2018). Faktor-Faktor yang Mempengaruhi Prestasi Belajar Pasien Talasemia Mayor Anak. *Jurnal Kedokteran Diponegoro*, 7(2), 694-710.
- Wongjaikam, S., Kumfu, S., Chattipakorn, S. C., Fucharoen, S., & Chattipakorn, N. (2015). Current and future treatment strategies for iron overload cardiomyopathy. *European journal of pharmacology*, 765, 86–93.



World Health Organization. 2012. *The global burden of disease*.

Yfantopoulos, J., Protopapa, M., & Chantzaras, A. (2021). Doctors' Views and Strategies to Improve Patients' Adherence to Medication. *Hormones* 20, 603–611

Zairina, E., Nugraheni, G., Sulistyarini, A., Mufarrihah, Setiawan, C. D., Kripalani, S., & Lestari, S. I. (2022). Factors related to barriers and medication adherence in patients with type 2 diabetes mellitus: a cross-sectional study. *Journal of diabetes and metabolic disorders*, 21(1), 219–228.

